



Always an essential part of your acute care

Accessory catalogue 2025/2026

Dräger

Technology for Life

Important News: Our Accessory Catalogue is Going Digital!

Dear Customers,

We are excited to announce that there will be a modern, digital version of our accessory catalogue. This new digital format is going to fully replace the current print version. As an essential part of your acute care, our products will now be even easier to access. The new digital catalogue will offer the convenience of faster and more efficient searches, regular updates, and the ability to browse from anywhere.


Interested in being among the first to know when it goes live? Simply register using either the link or QR code below, and we'll keep you informed every step of the way.

[Register here]



No matter what your area of care or device, we improve acute care by considering every detail and remain committed to supporting your needs with our new digital solution.

Thank you for your continued trust.
Your Dräger Team





Improving acute care by considering every detail

Dear Customer,

As Your Specialist in Acute Care for more than 130 years, we know how to translate medical knowledge into “Technology for Life”. We support hospitals around the world in managing their daily challenges in this complex environment, ensuring that patients recover from severe diseases and get back to normal life. State-of-the art medical devices, innovative digital solutions, comprehensive services as well as quality consumables and accessories - these are the cornerstones that make it easier for you to provide dedicated healthcare to your patients.

We know that you are part of an increasingly complex and demanding healthcare environment: from increased workloads to managing costs of care to staff satisfaction. Now, imagine improving the quality of healthcare you deliver by simplifying your hospital's chain of acquiring the products and services needed. Whether it's help in planning ergonomic workstations, ensuring budget security, or increasing uptime - we make it possible for you to enable high quality therapy from a single source. At the end of the day, freeing you of routine tasks by streamlining and facilitating your hospital processes and workflows means giving you more time to care for your patients' wellbeing and recovery.



Providing consumables and accessories that enable high-quality therapy, ensure staff satisfaction and at the same time optimise the cost of care is what we do. Despite their apparent simplicity, these products play an integral role in administering successful and effective medical treatment by connecting medical devices to patients.

Whether it's supporting infection prevention and control with a broad portfolio of disposable and reusable accessories, or improving workplace efficiency by streamlining tasks with intelligently designed and easy-to-use accessories - our consumables and accessories can help you overcome your challenges. You can focus on your patients, knowing that you can rely on the quality and performance of the products you use in your daily routines. The same detailed attention that we design into our ventilators, anaesthesia workstations, incubators, and monitoring products, goes into the engineering and manufacturing of our consumables and accessories.

Moreover, we always keep patient comfort and safety in mind to make the patient and staff experience as optimal as possible. And we go one step further. That's why we invest heavily in the design and development of sustainable accessories that help us shape a more sustainable future.


Improved clinical, operational, and economic outcomes through the entire patient pathway are our common priority – our goal is to support you all the way with our consumables and accessories as they are **always an essential part of your acute care.**



An essential part of protecting our future

We know that consumables and accessories are a major focus when it comes to sustainability, as this wide range of high-volume, fast-moving products must be designed to make a positive impact on protecting our future.

Ever since Dräger was founded in 1889, we have committed ourselves to providing excellence in the quality of our products, and we don't believe in stopping there. We also take responsibility for the whole sustainable **product life cycle**, from product development through to disposal, to lessen our impact on the environment.





We have agreed with nearly all our suppliers to a code of conduct which defines specific requirements regarding workers and environmental protection. Furthermore, we have established an Air-to-Sea programme which continuously switches transport volume from air to sea freight, thus reducing CO₂ emissions. In addition, we are minimising transport emissions further by producing high-volume products such as breathing filters and soda lime in Germany. To combine patient safety and sustainability, our products are subject to an eco-design process during development. The majority of our accessories are free of natural latex and do not contain PVC or phthalates (DEHP amongst others).



As described in our **Sustainability Report**, we have embraced numerous measures to create the best possible conditions for working in an environmentally friendly manner. In recognition of our continuous efforts, we have been awarded with the EcoVadis Gold Medal several times within the last years.

For us, sustainability reaches beyond our company grounds. It means creating the best possible conditions for our customers, business partners, employees – and our planet. As Your Specialist in Acute Care, this is our commitment.



D-5709-2023

Designed to work together

We support you with a complete solution approach:
Our medical devices, services, accessories and digital solutions work in sync to improve acute care.

Our intelligent accessories and service solutions not only protect your equipment but also help to optimise your clinical workflows. By choosing Dräger accessories, consumables, spare parts and service offerings, every single component in your clinical environment becomes a powerful link in the delivery of optimal patient care.





Beyond repairing equipment: Dräger Services

Medical equipment performs at its best when it is correctly and regularly maintained. We not only develop, manufacture and sell products and solutions, we also support them. With our Dräger manufacturer service and original spare parts you can rely on product longevity and high service quality.

Increase the uptime of your medical equipment

- **Regular inspection and preventive maintenance** ensure maximum uptime and budget security
- **A modular repair strategy** enables cost efficient replacement of parts onsite by our experienced service technicians
- **Quick support and fast reaction time** in case of emergencies – our contractual customers are priority

Find out more about our Dräger Services offerings on our [website](#):





Here's how to find your accessories:

VENTILATION ACCESSORIES 12

1. Breathing circuits
2. Breathing system filters and HMEs
3. CO₂ Monitoring
4. Catheter mounts and airway connectors
5. Non-invasive patient interfaces and accessories
6. Oxymixer
7. Device related accessories
8. Pack2Go/Set2Go
9. Aerogen Nebulizer
10. Accessories for PulmoVista 500

SODA LIME 100

SENSORS 106

MONITORING ACCESSORIES 112

1. Infinity Monitoring: Gamma, Delta, Kappa and Vista series
2. Infinity Acute Care System
3. Infinity M300
4. Multi Vendor Adapter
5. Vista 120/Vista 300
6. Vista 120 SC

WARD EQUIPMENT 268

1. Oxygen therapy
2. Medical aspiration
3. Accessory for gas supply

RAIL ACCESSORIES AND EXAMINATION LIGHT 356


1. Rail accessories
2. Examination light
3. Hinged arms
4. Device related accessories

NEONATAL CARE ACCESSORIES 364

1. Warming therapy and jaundice management
2. Ventilation accessories
3. Monitoring accessories
4. Ward equipment
5. Rail accessories and examination light

INDEX BY ORDER NUMBER 452

INDEX BY PRODUCT NAME 463





Ventilation accessories

We are Your Specialist in Acute Care every step of the treatment pathway: from the emergency department or surgical area to the intensive care and neonate units. Comfortable, stable oxygen delivery is of the highest importance when administering ventilation. You need reliable lung-protective strategies that are ready for use at a moment's notice, including easily integrated ventilation accessories that work seamlessly in the background – so you can stay focused on your patients' well-being.

Patient comfort and ease of use were the focal points when designing our ventilation accessories. Our wide range of accessories enhance patient comfort whether it is for non-invasive therapies, humidification solutions, or heated breathing circuits. Moreover, our disposable accessory range of breathing circuits and filters for active protection help to prevent cross contamination and greatly improve infection prevention programmes in your clinical environment. As a healthcare professional, we understand you value quality when delivering ventilation therapy. Therefore, we test our products extensively for both quality and compatibility with our devices, as we know that they are **an essential part of making breathing easier.**

VENTILATION ACCESSORIES

1. Breathing circuits	15
1.1 Disposable breathing circuits/sets and related accessories	15
Related accessories for anaesthesia	31
1.2 Reusable breathing circuits/sets and related accessories	45
2. Breathing system filters and HMEs	60
3. CO₂ Monitoring	68
4. Catheter mounts and airway connectors	70
5. Non-invasive patient interfaces and accessories	73
5.1 NIV masks and accessories	73
5.2 Anaesthesia masks and accessories	81
5.3 High-Flow Therapy nasal cannula and accessories	87
6. Oxymixer	89
7. Device related accessories	91
8. Pack2Go/Set2Go	94
9. Aerogen Nebulizer	97
10. Accessories for PulmoVista 500	99

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

1. BREATHING CIRCUITS

1.1 DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

The Dräger VentStar Family offers a wide range of disposable breathing circuits for different applications as well as for different patient groups (neonate, paediatric patient, adult).



A selected number of our disposable breathing circuits used in the operating room meet all the set requirements in accordance with the ISO standard 80601-2-13-2022*. So as to improve patient safety in the OR, the ISO 80601-2-13 standard defines requirements for anaesthesia workstations, making it more difficult to connect circuits incorrectly. To further support these safety measures, a secure connection of the Y-piece in our circuit system, combined with an additional design change to the breathing bag connection, makes an incorrect connection almost impossible.

Customers can choose between various kinds of materials. All disposable breathing circuits are made of high quality material and all gas leading components are PVC-free (no harm through softeners like e.g., DEHP). Special focus at Dräger is the interaction between a Dräger device and the related breathing circuit, which is documented in our declarations of system compatibility. Declarations of system compatibility underlie intensive testing in various scenarios which are based on our long-time experience concerning the interaction of the device with the accessory.

With respect to the newest device generation, we enlarged our portfolio with ID breathing circuits which support the Infinity ID functionality of the relevant Dräger devices.

*MP16017, MP16018, MP16019, MP16020, MP16021, MP16028, MP16029, MP16030, MP16031, MP16032, MP16033, MP16034, MP16035, MP16036, MP16037, MP16038, MP16039, MP16040, MP16041, MP16042, MP16044, MP16045, MP16049, MP16050, MP16051, MP16052

ADULTS
PAEDIATRICS
NEONATES





A	Breathing circuit Vent Set, disposable, basic, 1.5 m, 25 pcs., not made with natural rubber latex	MP00300
B	Breathing circuit VentStar, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00349
C	Breathing circuit VentStar, disposable, basic, 2.5 m, 10 pcs., not made with natural rubber latex	MP00350
D	Protection cap for disposable breathing hoses, 10 pcs.	MP02800

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing circuit VentStar, disposable, P, basic, w/o Luer Lock, 1.5 m, 25 pcs., not made with natural rubber latex	MP00338
B	Breathing circuit VentStar, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00351
C	Breathing circuit VentStar, disposable, P, basic, 2.5 m, 25 pcs., not made with natural rubber latex	MP00352
D	Breathing circuit VentStar, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00353

ADULTS
PAEDIATRICS
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing circuit VentStar, disposable, water trap, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex	MP00334
B	Breathing circuit VentStar, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00337
C	Breathing circuit VentStar, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00361
D	Breathing circuit VentStar, disposable, P, water trap, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex	MP00362
E	Breathing circuit VentStar, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00363

ADULTS
PAEDIATRICS
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing circuit VentStar, disposable, coaxial, 1.7 m, 20 pcs., not made with natural rubber latex	MP03373
A	Breathing circuit VentStar, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex	MP03374
A	Breathing circuit VentStar, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex	MP03376
B	Breathing circuit VentStar, disposable, coaxial, water trap, 2.1 m, 10 pcs., not made with natural rubber latex	MP00373
C	Breathing circuit VentStar, disposable, P, coaxial, 1.5 m, 20 pcs., not made with natural rubber latex	MP00379



ADULTS
PAEDIATRICS
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing circuit Vent Set, disposable, extendable, 1.8 m, 25 pcs., not made with natural rubber latex	MP00305
B	Breathing circuit VentStar, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex	MP00355
C	Breathing circuit VentStar, disposable, smoothbore, for MRI, 3 m, 10 pcs., not made with natural rubber latex	MP04800
D	Breathing circuit VentStar, disposable, N, MRI, 3 m, 10 pcs., not made with natural rubber latex	MP04802

ADULTS
PAEDIATRICS
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing bag set VentStar, disposable, 2 L, 0.8 m, 25 pcs., not made with natural rubber latex	MP00222
B	Breathing bag set VentStar (Cone 22OD), disposable, 2 L, 0.8 m, 25 pcs., not made with natural rubber latex	MP16017
C	Breathing bag set VentStar, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP00380
D	Breathing bag set VentStar (Cone 22OD), disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP16018
C	Breathing bag set VentStar, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	MP00381
D	Breathing bag set VentStar (Cone 22OD), disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	MP16019


ADULTS
PAEDIATRICS
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing bag set VentStar, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00384
B	Breathing bag set VentStar (Cone 22OD), disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP16021
C	Breathing bag set VentStar, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00383
D	Breathing bag set VentStar (Cone 22OD), disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP16020
E	① VentStar breathing bag 3 L, 25 pcs.	MP02713
	② VentStar breathing bag 2 L, 25 pcs.	MP02712
	③ VentStar breathing bag 1 L, 25 pcs.	MP02711
	④ VentStar breathing bag 0.5 L, 25 pcs.	MP02710

ADULTS
PAEDIATRICS
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Anaesthesia set, disposable, basic, 1.5 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00301
	Anaesthesia set, disposable, basic, 1.5 m/0.8 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	MP16028
B	Anaesthesia set, disposable, extendable, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00303
	Anaesthesia set, disposable, extendable, 1.8 m/0.8 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	MP16029
C	Anaesthesia set VentStar, disposable, w/o Luer Lock, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00330
	Anaesthesia set VentStar, disposable, w/o Luer Lock, 1.8 m/0.8 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	MP16030


ADULTS
PAEDIATRICS
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND
RELATED ACCESSORIES

ADULTS
PAEDIATRICS
NEONATES

A	Anaesthesia set VentStar, disposable, P, w/o Luer Lock, 1.5 m/1.1 m, 25 pcs., not made with natural rubber latex	MP00331
	Anaesthesia set VentStar, disposable, P, w/o Luer Lock, 1.5 m/1.1 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	MP16031
B	Anaesthesia set VentStar, disposable, N, 1.8 m/1.1 m, 25 pcs., not made with natural rubber latex	MP00333
	Anaesthesia set VentStar, disposable, N, 1.8 m/1.1 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	MP16032



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Anaesthesia set VentStar, disposable, basic, 2 L, 1.8 m/1.5 m, 25 pcs., not made with natural rubber latex	MP00365
B	Anaesthesia set VentStar, disposable, basic, 2 L, 1.8 m/1.5 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	MP16033
C	Anaesthesia set VentStar, disposable, basic, 2 L, 2.5 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00366
B	Anaesthesia set VentStar, disposable, basic, 2 L, 2.5 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16034
D	Anaesthesia set VentStar, disposable, water trap, w/o Luer Lock, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00371
	Anaesthesia set VentStar, disposable, water trap, w/o Luer Lock, 2 L, 1.8 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16035

ADULTS
PAEDIATRICS
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Anaesthesia set VentStar, disposable, water trap, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00372	■
B	Anaesthesia set VentStar, disposable, water trap, 2 L, 1.8 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16036	■
C	Anaesthesia set VentStar, disposable, water trap, w/o Luer Lock, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP02720	■
B	Anaesthesia set VentStar, disposable, water trap, w/o Luer Lock, 2 L, 2.8 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16039	■
B	Anaesthesia set VentStar, disposable, water trap, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP02721	■
B	Anaesthesia set VentStar, disposable, water trap, 2 L, 2.8 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16040	■

ADULTS
PAEDIATRICS
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Anaesthesia set VentStar, disposable, P, water trap, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex **MP00374**

Anaesthesia set VentStar, disposable, P, water trap, 1 L, 1.8 m/1.1 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex **MP16037**

B Anaesthesia set VentStar, disposable, P, water trap, w/o Luer Lock, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex **MP00375**

Anaesthesia set VentStar, disposable, P, water trap, w/o Luer Lock, 1 L, 1.8 m/1.1 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex **MP16038**


ADULTS
PAEDIATRICS
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PAEDIATRICS
NEONATES

	Anaesthesia set VentStar, disposable, coaxial, water trap, 2 L, 2.1 m/1.2 m, 10 pcs., not made with natural rubber latex	MP03381
A	Anaesthesia set VentStar, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16044
	Anaesthesia set VentStar, disposable, coaxial, 2 L, 2.3 m/1.2 m, 10 pcs., not made with natural rubber latex	MP03383
B	Anaesthesia set VentStar, disposable, coaxial, 2 L, 2.3 m/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16042
	Anaesthesia set VentStar, disposable, coaxial, 2 L, 1.9 m/1.2 m, 10 pcs., not made with natural rubber latex	MP03384
B	Anaesthesia set VentStar, disposable, coaxial, 2 L, 1.9 m/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16041



DISPOSABLE BREATHING CIRCUITS/SETS AND
RELATED ACCESSORIES

A Humidifier chamber VentStar, disposable, 10 pcs. MP00234

ADULTS
PAEDIATRICS
NEONATES

A

D-24199-2009



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing circuit VentStar Helix, disposable, N, dual heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02650
B	Humidifier chamber VentStar, disposable, N, 10 pcs.	MP02590
C	Double connector 11ID/15OD, disposable, 10 pcs.	MP02655
D	T-adapter neonatal for NO therapy, 10 pcs.	8422215
E	T-piece N for Nebulization, 10 pcs.	MP02689
F	Expiratory Hose Extension (N)	MP02699

ADULTS
PAEDIATRICS
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	VentStar Helix, dual heated, 10 pcs.	MP02606
B	VentStar Helix, heated, 10 pcs.	MP02607
C	Humidifier chamber, 10 pcs.	MP02605

ADULTS
PAEDIATRICS
NEONATES



RELATED ACCESSORIES FOR ANAESTHESIA

GAS MEASUREMENT ACCESSORIES

A	Sample line, disposable, 10 pcs.	8290286
B	Water trap WaterLock 2, 12 pcs.	6872130
	Water trap Infinity ID WaterLock 2, 12 pcs.	6872020
	Sample gas return line for Fabius, with filter	M32692
C	Bacterial filter for Dräger patient monitors, disposable	8402868

A

D-37369-2015



B

D-14348-2017




C

MT-0107-2008



Aquapor H300

respiratory humidifier for optimally conditioned breathing gas





DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PAEDIATRICS
NEONATES

	Aquapor H300 – configuration		MP01000
A	Aquapor H300 basic unit 230V		MP07101
	Aquapor H300 basic unit 115V		MP07102
	VentStar Aquapor, dual heated, A/P, 10 pcs.		MP07130
B	VentStar Aquapor, heated, A/P, 10 pcs.		MP07131
C	VentStar Aquapor, dual heated, N plus, 10 pcs.		MP07150
D	VentStar Aquapor, heated, N plus, 10 pcs.		MP07151
E	HI-Flow Star Kit Aquapor A, heated inspiratory breathing circuit for the H300 humidifier, heated inspiratory hose, humidifier chamber, breathing hose when used with a ventilator, O₂ hose when used with an O₂ blender, bed clip, disposable, 10 pcs.		MP17090
	HI-Flow Star valve kit w/ pop-up valve and connector 22 mm, disposable, 15 pcs.		MP05507
F	H300 heated wire adapter, insp		MP07106
G	H300 heated wire adapter, dual		MP07107
	H300 temp. sensor cable*, 160 cm		MP07108
	H300 temp. sensor cable		MP07109
	Expiratory Hose Extension (N)		MP02699

*Tradeware



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

FISHER & PAYKEL HUMIDIFIER AND RELATED ACCESSORIES

FISHER & PAYKEL HUMIDIFIER AND RELATED ACCESSORIES

F&P configuration* for MR810, MR850 and F&P 950

8414144

A F&P 950 sensor cartridge*

MP16002

B F&P 950 heater wire adaptor*

MP16003

C F&P 950 A80 breathing circuit*, A

MP16004

D F&P 950 N80 breathing circuit*, N

MP16005

*Tradeware



FISHER & PAYKEL HUMIDIFIER AND RELATED ACCESSORIES**FISHER & PAYKEL HUMIDIFIER AND RELATED ACCESSORIES**

A	Humidifier chamber F&P MR 290*, disposable, 10 pcs.	8418282
B	Humidifier chamber F&P MR 340*, reusable, N/P	8411047
C	Humidifier chamber F&P MR 370*, reusable, A	8412217
	Reusable breathing circuit*, N, 900MR782	MP17128
	Reusable breathing circuit*, A, 900MR784	MP17129

*Tradeware



FISHER & PAYKEL HUMIDIFIER AND RELATED ACCESSORIES

HUMIDIFIER MOUNTING MATERIAL

A	Rail clamp* for F&P humidifier and Seattle PAP bubble box	8411074
B	Holder* for F&P humidifier U-shaped, for trolley for Evita 2 dura, 4 edition, XL, with rail clamp	MP01002
C	Water bag holder* 900 MR 290	MP01008
D	Holder*, lateral (F&P 900 MR 309), including 8411074	MP01009
E	Universal holder* with DIN rail	G93140
F	Humidifier holder* for side rail	8416325
G	Humidifier holder chassis*, swiveling w/o 8411074	G93111

*Tradeware



Not all articles are available worldwide.

FISHER & PAYKEL HUMIDIFIER AND RELATED ACCESSORIES

	Temperature probe/flow sensor* for F&P MR 850, for HFV reusable breathing circuits, 0.7 m	8418507
A	Temperature probe/flow sensor* for F&P MR 850, for all breathing circuits, 1.1 m	8414989
B	Temperature probe/flow sensor* for F&P MR 850, for all breathing circuits, 1.5 m	8414966
C	Hose heater adapter* for F&P MR 850, for reusable breathing circuit	8414968
D	Hose heater adapter* for F&P MR 850, for single heated disposable breathing circuit	8414992
E	Hose heater adapter* for F&P MR 850, for dual heated disposable breathing circuit	MP01006
F	Temperature probe adapter* 900 MR 532, for F&P humidifiers	MP01007

*Tradeware



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES



FOR OXYLOG 2000PLUS, 3000, 3000PLUS AND OXYLOG VE300 WITH OPTION PLUS (WITH FLOW)

- | | | |
|----------|--|----------------|
| A | Breathing circuit VentStar Oxylog 2000 plus, Oxylog 3000 family, Oxylog VE300, disposable, 1.5 m (4.92 ft), 5 pcs. | 5703041 |
| B | Breathing circuit VentStar Oxylog 2000 plus, Oxylog 3000 family, Oxylog VE300, disposable, 3 m (9.8 ft), 5 pcs. | MP00335 |

FOR OXYLOG 1000

- | | | |
|----------|--|----------------|
| C | Breathing circuit VentStar Oxylog 1000, disposable, 1.8 m, 25 pcs., not made with natural rubber latex | 2M86837 |
| D | PEEP valve for Oxylog 1000, disposable, adjustable from 5 – 20 mbar | 2M86832 |

ADULTS
PAEDIATRICS
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


ADULTS
PAEDIATRICS
NEONATES

**FOR OXYLOG 3000: ≥ SW 1.20, 3000PLUS
AND VE300 ADVANCED (WITH FLOW OPTION)**

- A Breathing circuit VentStar Oxylog 3000,
Oxylog 3000 plus, disposable, P, 1.9 m, 5 pcs.,
Oxylog 3000 ≥ SW 1.20,
Oxylog VE300 ≥ SW 2.0, paediatric option** **5704964**

**FOR OXYLOG VE300
W/O OPTION PLUS (W/O FLOW)**

- B Breathing circuit VentStar Oxylog VE300,
not for VE300 with Option plus, disposable, 1.5 m, 5 pcs.,
not made with natural rubber latex** **MP01370**
- C Breathing circuit VentStar Oxylog VE300,
disposable, 3 m, 5 pcs.,
not made with natural rubber latex** **MP01371**




DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

FOR CARINA

A	Breathing circuit VentStar Carina LeakV, disposable, 1.5 m, 25 pcs., not made with natural rubber latex	MP00312
B	Breathing circuit VentStar Carina ExpV, disposable, 1.5 m, 10 pcs., not made with natural rubber latex	MP00313
C	Breathing circuit VentStar Carina ExpV, disposable, 2 m, 10 pcs., not made with natural rubber latex	5704962
D	Expiratory valve for Carina, disposable, 25 pcs.	MP00220
E	Leakage valve for Carina SyncVent, disposable, 5 pcs.	MP00224

ADULTS
PAEDIATRICS
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS
PAEDIATRICS
NEONATES

A	Breathing circuit Infinity ID, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01350	■
B	Breathing circuit Infinity ID, disposable, basic, 2.5 m, 25 pcs., not made with natural rubber latex	MP01348	■
C	Breathing circuit Infinity ID, disposable, smoothbore, 1.6 m, 10 pcs., not made with natural rubber latex	MP04803	■
D	Breathing circuit Infinity ID, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01326	■
E	Breathing circuit Infinity ID, disposable, smoothbore, 3 m, 10 pcs., not made with natural rubber latex	MP04804	■
F	Breathing circuit Infinity ID, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex	MP01347	■



DISPOSABLE BREATHING CIRCUITS/SETS AND
RELATED ACCESSORIES

A	Breathing circuit Infinity ID, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex	MP03375
A	Breathing circuit Infinity ID, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex	MP03377
B	Breathing circuit Infinity ID, disposable, coaxial, water trap, 2.1 m, 10 pcs., not made with natural rubber latex	MP00378


ADULTS
PAEDIATRICS
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND
RELATED ACCESSORIES

A	Breathing circuit Infinity ID, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01340
B	Breathing circuit Infinity ID, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01341
C	Breathing circuit Infinity ID, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01327
	Anaesthesia set Infinity ID, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, 10 pcs., not made with natural rubber latex	MP03388
D	Anaesthesia set Infinity ID, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16045

ADULTS
PAEDIATRICS
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing bag set Infinity ID, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP00341
B	Breathing bag set Infinity ID, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	MP01330
C	Breathing bag set Infinity ID, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP01343
D	Breathing bag set Infinity ID, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP01329

ADULTS
PAEDIATRICS
NEONATES



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

1.2 REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


REUSABLE BREATHING SYSTEMS: BLUESET VENTILATION

A	BlueSet Ventilation, N	8412344
	Consists of:	
①	Y-piece, reusable, N, 90°, with suction opening	8403075
②	Corrugated hose, reusable, N/P, 14 cm, connector 10 mm/10 mm, Ø 10 mm	8403333
③	Temperature sensor mount, reusable, N	8403056
④	Water trap with outlet, reusable, N/P	8404760
⑤	Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848
⑥	Water trap, reusable, N/P	8409627
⑦	Red cap, 7 mm	8401645
⑧	Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856
⑨	Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821
	Dummy plug	8410049



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	BlueSet Ventilation, P/A	8413146
	Consists of:	
1	Adapter, reusable, 22 mm/22 mm	M25647
2	Adapter, reusable, 22 mm/15 mm, 90°	8290274
3	Hose clamp, 10 pcs.	8403566
4	Y-piece with sensor mount, reusable, A	8405435
5	Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm, Ø 22 mm	2165619
6	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm, Ø 22 mm	2165627
7	Water trap, reusable, A	8404985
	Dummy plug	8410049



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


A	BlueSet Ventilation HME, P/A	8412860
	Consists of:	
❶	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm	2166046
❷	Y-piece, polyamide, reusable, straight, A	M25650



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


REUSABLE ANAESTHESIA SYSTEMS: BLUESET ANAESTHESIA

A	BlueSet Anaesthesia, P/A	M30146
Consists of:		
1	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm	2166046
2	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm, Ø 22 mm	2166038
3	Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex	2166062
4	Y-piece 90° with Luer Lock, reusable, A	M33278
5	Adapter, reusable, 22 mm/22 mm	M25647




REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	BlueSet Anaesthesia water trap, P/A	MK04248
	Consists of:	
1	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm, Ø 22 mm	2165627
2	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm, Ø 22 mm	2166038
3	Adapter, reusable, 22 mm/22 mm	M25647
4	Water trap, reusable, A	8404985
5	Y-piece 90° with Luer Lock, reusable, A	M33278
6	Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex	2166062



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	BlueSet Anaesthesia, N	M27542
	Consists of:	
1	Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961
2	Breathing hose, silicone, reusable, N/P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678
3	Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	2166054
4	Adapter, reusable, 22 mm/22 mm	M25647
5	Y-piece, reusable, N, 90°, with suction opening	8403075
6	Elbow, reusable, N/P, metal, Luer Lock	M34568
7	Set of 5 red caps, 7 mm	8402953




REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

FOR OXYLOG 1000

A	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm	2166046
B	PEEP valve for Oxylog 1000, reusable, adjustable from 0 – 10 mbar	8407475

*Tradeware






REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

FOR OXYLOG 2000, 2000+, 3000, 3000+ AND VE300 ADVANCED (WITH FLOW OPTION)

A	Breathing hose set for Oxylog 2000 family, Oxylog 3000 family, reusable, w/ flow measurement line, 1.5 m, consists of breathing hose and flow measuring line	8412068
B	Flow measuring line for Oxylog 2000/3000 family, 1.5 m	8410929
C	Breathing hose set for Oxylog 2000 family, Oxylog 3000 family, reusable, w/ flow measurement line, 3 m, consists of breathing hose and flow measuring line	8412913
B	Flow measuring line for Oxylog 2000/3000 family, 3 m	8413293
D	Ventilation valve for Oxylog 2000 family, Oxylog 3000 family, reusable	8412001
E	Pressure difference flow sensor, PSU, sterilizable	8412034
F	Elbow, reusable	8412235

FOR OXYLOG VE300 W/O OPTION PLUS (W/O FLOW)


	Hose Oxylog VE300, 150, reusable	MP01390
	Hose Oxylog VE300, 300, reusable	MP01391
G	Connector pressure Oxylog VE300	MP01372
D	Ventilation valve for Oxylog 2000 family, Oxylog 3000 family, reusable	8412001
F	Elbow, reusable	8412235



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in)

A	Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm, Ø 22 mm	2165619
B	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm, Ø 22 mm	2165627
C	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm, Ø 22 mm	2166038
D	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm	2166046



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (paediatric patients) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter

- A Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm**

2165848

Silicone breathing hose (paediatric patients) with standard sleeves 22 mm (0.9 in) on both sides and 10 mm (0.4 in) inner diameter

- B Breathing hose, silicone, reusable, N/P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm**

2165678

A

D-36215-2011



B



D-36213-2011



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (paediatric patients) with standard sleeves with one 10 mm (0.4 in) and one 22 mm (0.9 in) sleeve and 10 mm (0.4 in) inner diameter

A	Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856
B	Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821
C	Breathing hose, silicone, reusable, N/P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm	2165651
D	Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Y-piece, polyamide, reusable, straight, A	M25650
B	Y-piece 90° with Luer Lock, reusable, A	M33278
C	Y-piece for F&P, reusable, A*	8412888
D	Y-piece with sensor mount, reusable, A	8405435
E	Y-piece straight, reusable, N/P	M27077
F	Y-piece, reusable, N, 90°, with suction opening	8403075
G	Temperature probe adapter 900 MR 532, for F&P humidifiers*	MP01007


*Tradeware



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Elbow, reusable	8412235
B	Elbow for F&P, reusable*	8418289
C	Adapter, reusable, 22 mm/22 mm	M25647
	Adapter straight, reusable, A, 18 mm/11 mm	8403076
	Adapter, reusable, 22 mm/22 mm, 90°	M25649
D	Elbow, reusable, N/P, metal, Luer Lock	M34568
	Temperature sensor mount, reusable, N	8403056
	T-piece connector, reusable	8411044
E	Water trap, reusable, A	8404985
F	Water trap, reusable, N/P	8409627
	Red cap, 7 mm	8401645


*Tradeware



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Transparent breathing bags of silicone elastomer

A	① Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	2166054
	② Breathing bag, silicone, reusable, 1.5 L, not made with natural rubber latex	2166127
	③ Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex	2166062
	④ Breathing bag, silicone, reusable, 3 L, not made with natural rubber latex	2166070



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Test lung SelfTestLung, latex-free, reusable	MP20020
B	Test lung, reusable, max. 1.5 L, not made with natural rubber latex	8403201
C	Neonatal test lung, reusable, 50 ml, not made with natural rubber latex	MP20050



Filters/HMEs

avoiding nosocomial infections and support of lung-protective ventilation

Our filter portfolio

High performance filtration rates
to reduce risk of nosocomial infections

Performance tested
in accordance with Dräger standards
and accredited laboratories

Writable surface
to facilitate clinical workflows

Clear colour coding
to quickly identify the right filter

Excellent moistening performance
to support lung-protective ventilation

D-974-2022

To be able to rely on the quality of medical equipment is a needed prerequisite to fully concentrate on the application of therapies to take care of patient recovery and wellbeing. We provide you with high quality filters for a wide range of applications and patient groups.

BREATHING SYSTEM FILTERS AND HMEs

2. BREATHING SYSTEM FILTERS AND HMEs

ELECTROSTATIC FILTER AND HME

The **Filter/HME TwinStar Plus** from Dräger is a combination of an efficient HME and a high-performance breathing system filter, thereby significantly contributing to infection prophylaxis in ventilation treatment.

- Combination of efficient HME and high-performance breathing system filter
- High retention rates for bacteria and viruses
- High return of moisture
- Minimal workload and low cost
- Sampling connector with tethered cap
- Transparent housing for visual control
- Standardised connectors for safe connection to other components
- Clear labelling and blue colour coding for quick identification

A	Filter + HME TwinStar 90 Plus, disposable, ~90 ml dead space, 100 pcs.	MP05800
B	Filter + HME TwinStar 60A Plus, disposable, ~60 ml dead space, angled, 100 pcs.	MP05810
C	Filter + HME TwinStar 55 Plus, disposable, ~55 ml dead space, 100 pcs.	MP05805
D	Filter + HME TwinStar 25 Plus, disposable, ~25 ml dead space, 100 pcs.	MP05815
E	Filter + HME TwinStar 9 Plus, disposable, ~9 ml dead space, 100 pcs.	MP05820

MECHANICAL FILTER AND HME

F	Mechanical filter + HME TwinStar HEPA Plus, disposable, ~90 ml dead space, 100 pcs.	MP05801
----------	--	----------------



BREATHING SYSTEM FILTERS

ELECTROSTATIC FILTER

The **CareStar Plus** breathing system filter significantly contributes to infection prophylaxis in anaesthesia and ventilation treatment through high retention rates.

- High-performance electrostatic filter
- Patient-side or device-side use
- Minimal workload and low cost
- Sampling connector with tethered cap
- Transparent housing for visual control
- Standardised connectors for safe connection to other components
- Clear labelling and yellow colour coding for quick identification

- | | | |
|----------|---|----------------|
| A | Electrostatic filter CareStar 35 Plus,
disposable, ~35 ml dead space, 100 pcs. | MP05755 |
| B | Electrostatic filter CareStar 20 Plus,
disposable, ~20 ml dead space, 100 pcs. | MP05770 |



BREATHING SYSTEM FILTERS

MECHANICAL FILTER

The **SafeStar Plus** mechanical high performance breathing system filter shows excellent retention rates, thereby significantly contributing to infection prophylaxis in anaesthesia and ventilation treatment.

- High-performance mechanical HEPA filter
- High hydrophobicity
- Patient-side or device-side use
- Sampling connector with tethered cap
- Transparent housing for visual control
- Standardised connectors for safe connection to other components
- Clear labelling and red colour coding for quick identification

A	Mechanical filter SafeStar 90 Plus, disposable, ~90 ml dead space, 100 pcs.	MP05785
B	Mechanical filter SafeStar 60A Plus, disposable, ~60 ml dead space, angled, 100 pcs.	MP05795
C	Mechanical filter SafeStar 55 Plus, disposable, ~55 ml dead space, 100 pcs.	MP05790



HMEs

HME

HumidStar Plus heat and moisture exchangers from Dräger partially take over the function of the upper airways and efficiently humidify the inspired air.

- High return of moisture
- Minimal workload and low cost
- Sampling connector with tethered cap
- Transparent housing for visual control
- Standardised connectors for safe connection to other components
- Clear labelling and green colour coding for quick identification

A	HME HumidStar 55 Plus, disposable, ~55 ml dead space, 100 pcs.	MP05730
B	HME HumidStar 25 Plus, disposable, ~25 ml dead space, 100 pcs.	MP05735
C	HME HumidStar 2 Plus, disposable, 2 ml dead space, 100 pcs.	MP05845
D	HME HumidStar 2 Plus Luer-Lock, disposable, 2 ml dead space, 100 pcs.	MP05840
E	HME HumidStar Trach Plus, disposable, 6 ml dead space, 100 pcs.	MP05750



BREATHING SYSTEM FILTERS AND HMEs

SPECIFICATIONS

	TwinStar 90 Plus	TwinStar 60A Plus	TwinStar 55 Plus
Part number	MP05800	MP05810	MP05805
Dead space	90 ml	60 ml	55 ml
Recommended tidal volume	300 to 1500 ml	300 to 1500 ml	300 to 1500 ml
Bacterial retention**	≥ 99.99%	≥ 99.99%	≥ 99.99%
Viral retention**	≥ 99.9%	≥ 99.9%	≥ 99.9%
Filtration method	electrostatic	electrostatic	electrostatic
Moisture loss*	≤ 5.9 mg/l at VT = 500 ml	≤ 6.3 mg/l at VT = 500 ml	≤ 9.4 mg/l at VT = 500 ml
Moisture return	≥ 38.1 mg/l at VT = 500 ml	≥ 37.7 mg/l at VT = 500 ml	≥ 34.6 mg/l at VT = 500 ml
Resistance	≤ 1.0 mbar at 30 l/min	≤ 1.3 mbar at 30 l/min	≤ 1.3 mbar at 30 l/min
Maximum duration of use	24 hours	24 hours	24 hours
Product	PVC-free/ Latex-free	PVC-free/ Latex-free	PVC-free/ Latex-free

	TwinStar 25 Plus	TwinStar 9 Plus	TwinStar HEPA Plus
Part number	MP05815	MP05820	MP05801
Dead space	25 ml	9 ml	90 ml
Recommended tidal volume	100 to 500 ml	30 to 150 ml	300 to 1500 ml
Bacterial retention**	≥ 99.98%	≥ 99.99%	≥ 99.9999%
Viral retention**	≥ 99.9%	≥ 99.9%	≥ 99.9999%
Filtration method	electrostatic	electrostatic	mechanical
Moisture loss*	≤ 11.8 mg/l at VT = 250 ml	≤ 10.30 mg/l at VT = 50 ml	≤ 10.9 mg/l at VT = 500 ml
Moisture return	≥ 32.2 mg/l at VT = 250 ml	≥ 33.7 mg/l at VT = 50 ml	≥ 33.1 mg/l at VT = 500 ml
Resistance	≤ 1.8 mbar at 30 l/min	≤ 1.5 mbar at 15 l/min	≤ 1.6 mbar at 30 l/min
Maximum duration of use	24 hours	24 hours	24 hours
Product	PVC-free/ Latex-free	PVC-free/ Latex-free	PVC-free/ Latex-free

Cleanroom manufactured according to EN ISO 14644-1:2014.

*According to DIN EN ISO 9360-1 2009.

**Test was performed by Nelson Lab, USA, in 2021.

BREATHING SYSTEM FILTERS

SPECIFICATIONS

	CareStar 35 Plus	CareStar 20 Plus
Part number	MP05755	MP05770
Dead space	35 ml	20 ml
Recommended tidal volume	300 to 1500 ml	100 to 500 ml
Bacterial retention**	≥ 99.99%	≥ 99.99%
Viral retention**	≥ 99.9%	≥ 99.9%
Filtration method	electrostatic	electrostatic
Moisture loss*	–	–
Moisture return	–	–
Resistance	≤ 0.9 mbar at 30 l/min	≤ 1.3 mbar at 30 l/min
Maximum duration of use	24 hours	24 hours
Product	PVC-free/ Latex-free	PVC-free/ Latex-free

	SafeStar 90 Plus	Safe Star 60A Plus	SafeStar 55 Plus
Part number	MP05785	MP05795	MP05790
Dead space	90 ml	60 ml	55 ml
Recommended tidal volume	300 to 1500 ml	300 to 1500 ml	300 to 1500 ml
Bacterial retention**	≥ 99.9999%	≥ 99.999%	≥ 99.999%
Viral retention**	≥ 99.999%	≥ 99.9999%	≥ 99.999%
Filtration method	mechanical	mechanical	mechanical
Moisture loss*	–	–	–
Moisture return	–	–	–
Resistance	≤ 1.3 mbar at 30 l/min	≤ 2.0 mbar at 30 l/min	≤ 2.0 mbar at 30 l/min
Maximum duration of use	24 hours	24 hours	24 hours
Product	PVC-free/ Latex-free	PVC-free/ Latex-free	PVC-free/ Latex-free

Cleanroom manufactured according to EN ISO 14644-1:2014.

*According to DIN EN ISO 9360-1 2009.

**Test was performed by Nelson Lab, USA, in 2021.

HMEs

SPECIFICATIONS

	HumidStar 55 Plus	HumidStar 25 Plus	HME HumidStar 2 Plus
Part number	MP05730	MP05735	MP05845
Dead space	55 ml	25 ml	2 ml
Recommended tidal volume	300 to 1,500 ml	100 to 500 ml	10 to 50 ml
Bacterial retention	–	–	–
Viral retention	–	–	–
Filtration method	–	–	–
Moisture loss*	≤ 7.8 mg/l at VT = 500 ml	≤ 9.3 mg/l at VT = 250 ml	≤ 11.5 mg/l at VT = 45 ml
Moisture return	≥ 36.2 mg/l at VT = 500 ml	≥ 34.7 mg/l at VT = 250 ml	≥ 32.5 mg/l at VT = 45 ml
Resistance	≤ 0.6 mbar at 30 l/min	≤ 0.3 mbar at 30 l/min	≤ 1.2 mbar at 15 l/min
Maximum duration of use	24 hours	24 hours	24 hours
Product	PVC-free/ Latex-free	PVC-free/ Latex-free	PVC-free/ Latex-free

	HME HumidStar 2 Plus Luer-Lock	HME HumidStar Trach Plus
Part number	MP05840	MP05750
Dead space	2 ml	6 ml
Recommended tidal volume	10 to 50 ml	100 to 1,500 ml
Bacterial retention	–	–
Viral retention	–	–
Filtration method	–	–
Moisture loss*	≤ 11.5 at VT = 45 ml	≤ 14.4 mg/l at Vt = 500 ml
Moisture return	≥ 32.5 at VT = 45 ml	≥ 33.2 mg/l at Vt = 250 ml
Resistance	≤ 1.2 mbar at 15 l/min	≤ 0.3 mbar at 60 l/min
Maximum duration of use	24 hours	24 hours
Product	PVC-free/ Latex-free	PVC-free/ Latex-free

Cleanroom manufactured according to EN ISO 14644-1:2014.

*According to DIN EN ISO 9360-1 2009.

CO₂ MONITORING

3. CO₂ MONITORING

CO₂ cuvettes are designed for the monitoring of CO₂ concentration during patient ventilation.

CO₂ CUVETTES, DISPOSABLE

A	CO ₂ cuvette disposable, adult, 10 pcs.	MP01062
B	CO ₂ cuvette disposable, paediatric, 10 pcs.	MP01063

CO₂ CUVETTES, REUSABLE


C	CO ₂ cuvette reusable, adult	6870279
D	CO ₂ cuvette reusable, paediatric	6870280



CO₂ MONITORING

CO₂ CABLES

A	CO₂ Mainstream sensor, for Evita 2 dura, Evita 4 edition and Evita XL	6871500
B	MCable Mainstream CO₂, for Evita V family and Babylog VN family, Infinity M540, Vista 120, Vista 120 S and Delta VF9.1 and higher	6871950
C	Parking holder for CO₂ sensor 6871950	8416352
D	Parking holder for CO₂ sensor 6871950 and 6873570, according to country approval	6873674



CATHETER MOUNTS AND AIRWAY CONNECTORS

4. CATHETER MOUNTS AND AIRWAY CONNECTORS

- Smoothbore products provide low resistance to flow while external coil reduces kinks and blockages
- Extendable product provides a lightweight and flexible solution
- Double swivel connector increases ease of use
- Double cap to maintain PEEP during suctioning or bronchoscopy
- Each catheter mount and airway connector is equipped with a red safety cap so that the system is completely closed and protected until directly prior to use on the patient
- 22F/15M connector on device side as a two-in-one solution
- Standardised connectors for safe connection to other components
- Luer Lock port for gas sampling
- Disposable convenience enhances workflow
- PVC-free design of gas leading components eliminates risk of softeners such as DEHP

A	Catheter mount ErgoStar CM 40, disposable, 10 cm, double swivel elbow, 50 pcs.	MP01840
B	Catheter mount ErgoStar CM 45, disposable, 15 cm, double swivel elbow, 50 pcs.	MP01845
C	Catheter mount ErgoStar CM 50, disposable, 10 – 16 cm, extendable, 50 pcs.	MP01850
D	Catheter mount ErgoStar CM 55, disposable, 15 cm, straight, 50 pcs.	MP01855
E	Catheter mount ErgoStar CM 60, disposable, 10 cm, small, double swivel elbow, 50 pcs.	MP01860



CATHETER MOUNTS AND AIRWAY CONNECTORS

A	<u>Airway connector ErgoStar AC 90, disposable, double swivel elbow w/ double cap, 100 pcs.</u>	<u>MP01890</u>
B	<u>Airway connector ErgoStar AC 95, disposable, w/ Luer Lock sampling port, 100 pcs.</u>	<u>MP01895</u>
C	<u>Protection cap for disposable breathing hoses, 10 pcs.</u>	<u>MP02800</u>



COMBINATIONS OF FILTER AND TUBE EXTENTION

COMBINATIONS OF FILTER AND TUBE EXTENTION

A	CombiStar Plus Filter + HME straight, combination of airway connector MP01845 and filter TwinStar 55 Plus (MP05805), 25 pcs.	MP12060
B	CombiStar Plus Filter + HME flex, combination of flexible tube extension MP01850 and filter TwinStar 55 Plus (MP05805), 25 pcs.	MP12061
C	CombiStar Plus Filter + HME HEPA flex, combination of flexible tube extension MP01850 and filter TwinStar HEPA Plus (MP05801), 25 pcs.	MP12062
D	CombiStar Plus Filter flex, combination of flexible tube extension MP01850 and filter SafeStar 55 Plus (MP05790), 25 pcs.	MP12063



NIV MASKS AND ACCESSORIES

5. NON-INVASIVE PATIENT INTERFACES AND ACCESSORIES

5.1 NIV MASKS AND ACCESSORIES



ClassicStar NIV oronasal masks cover the nose and mouth of the patient. Therefore, they provide effective therapy even in case of mouth breathing.

The mask design ensures high patient comfort combined with anatomical fit and effective seal due to individually adjustable mask cushion. The 6-point headgear provides a stable and secure fixation. The adjustable forehead support and forehead pad allow for distributing pressure from the bridge of the nose toward the forehead, enhancing patient comfort.

ClassicStar NIV masks with standard elbow (SE) have been successfully tested for compatibility with Dräger ventilators, which have NIV option. Variants with Anti-Asphyxia Valve (AAV) are intended for Multi-Vendor-Accessory business.

All ClassicStar NIV masks are for single patient use.

Sizing gauges for easy mask size identification as well as a pump ball are delivered together with the masks.





A	NIV oronasal mask ClassicStar SE, disposable, size S	MP01573
	NIV oronasal mask ClassicStar SE, disposable, size M	MP01574
	NIV oronasal mask ClassicStar SE, disposable, size L	MP01575
B	NIV oronasal mask ClassicStar AAV, disposable, size S	MP01570
	NIV oronasal mask ClassicStar AAV, disposable, size M	MP01571
	NIV oronasal mask ClassicStar AAV, disposable, size L	MP01572

NIV MASKS AND ACCESSORIES

Oronasal masks are often the first-line strategy in the initial management of acute respiratory failure as they cover nose and mouth. Nasal masks are often chosen if NIV therapy has to be prolonged due to improved comfort and reduced complications associated with oronasal masks. Similar to ClassicStar oronasal masks, the nasal mask cushion can be individually adjusted to the patient's face providing high patient comfort and effective seal. The 4-point-headgear ensures a stable and secure fixation, reducing mask displacement. All **ClassicStar NIV nasal masks** are for single patient use. Sizing gauges for easy mask size identification as well as a pump ball are delivered together with the masks.

A	NIV nasal mask ClassicStar non-vented, disposable, size S	MP01623
	NIV nasal mask ClassicStar non-vented, disposable, size M	MP01624
	NIV nasal mask ClassicStar non-vented, disposable, size L	MP01625
B	NIV nasal mask ClassicStar vented, disposable, size S	MP01620
	NIV nasal mask ClassicStar vented, disposable, size M	MP01621
	NIV nasal mask ClassicStar vented, disposable, size L	MP01622



NIV MASKS AND ACCESSORIES

The **ClassicStar NIV total-face mask** seals around the perimeter of the face, covering mouth, nose and eyes. These areas are less pressure sensitive and have smoother facial contours compared to the areas a oronasal masks covers (nasal bridge). The mask is suitable for patients with nasal bridge breakdown or facial irregularities. The air-filled cushion can be adjusted individually to the patient's face, providing high patient comfort and effective seal. The 5-point headgear, which includes a head strap at the top of the mask, provides a stable and secure attachment, thus preventing mask displacement and reducing pressure. Quick release clips are integrated for quick removal of the mask. ClassicStar NIV total-face masks with standard elbow (SE) have been successfully tested for compatibility with Dräger ventilators which have NIV option. Variants with Anti-Asphyxia Valve (AAV) are intended for Multi-Vendor-Accessory business. Sizing gauges for easy mask size identification as well as a pump ball are delivered together with the masks.





A	NIV total-face mask ClassicStar SE, disposable, size S	MP02910
	NIV total-face mask ClassicStar SE, disposable, size M	MP02911
	NIV total-face mask ClassicStar SE, disposable, size L	MP02912
B	NIV total-face mask ClassicStar AAV, disposable, size S	MP02913
	NIV total-face mask ClassicStar AAV, disposable, size M	MP02914
	NIV total-face mask ClassicStar AAV, disposable, size L	MP02915
C	NIV total-face mask ClassicStar AAV without exhalation ports, disposable, size S	MP02916
	NIV total-face mask ClassicStar AAV without exhalation ports, disposable, size M	MP02917
	NIV total-face mask ClassicStar AAV without exhalation ports, disposable, size L	MP02918

NIV MASKS AND ACCESSORIES


The **ClassicStar plus mask** series features a soft and anatomically shaped silicone cushion as a sealing interface to the patient's face. The mask has an easy to adjust forehead pad with silicone cushion which allows optimal adaption to the sensitive nasal bridge. The mask is available in four sizes (S, M, L, XL) as oronasal and nasal mask. ClassicStar plus NIV masks with standard elbow (SE) have been successfully tested for compatibility with Dräger ventilators which have NIV option. Variants with Anti-Asphyxia Valve (AAV) are intended for Multi-Vendor-Accessory business. Sizing gauges for easy mask size identification are delivered together with the masks.

A	NIV oronasal mask ClassicStar plus SE, disposable, size S, 5 pcs.	MP04711
	NIV oronasal mask ClassicStar plus SE, disposable, size M, 5 pcs.	MP04712
	NIV oronasal mask ClassicStar plus SE, disposable, size L, 5 pcs.	MP04713
	NIV oronasal mask ClassicStar plus SE, disposable, size XL, 5 pcs.	MP04714
B	NIV oronasal mask ClassicStar plus AAV, disposable, size S, 5 pcs.	MP04721
	NIV oronasal mask ClassicStar plus AAV, disposable, size M, 5 pcs.	MP04722
	NIV oronasal mask ClassicStar plus AAV, disposable, size L, 5 pcs.	MP04723
	NIV oronasal mask ClassicStar plus AAV, disposable, size XL, 5 pcs.	MP04724
C	NIV oronasal mask ClassicStar plus AAV without exhalation ports, disposable, size S, 5 pcs.	MP04731
	NIV oronasal mask ClassicStar plus AAV without exhalation ports, disposable, size M, 5 pcs.	MP04732
	NIV oronasal mask ClassicStar plus AAV without exhalation ports, disposable, size L, 5 pcs.	MP04733
	NIV oronasal mask ClassicStar plus AAV without exhalation ports, disposable, size XL, 5 pcs.	MP04734



NIV MASKS AND ACCESSORIES

A	NIV nasal mask ClassicStar plus non-vented, disposable, size S, 5 pcs.	MP04741
	NIV nasal mask ClassicStar plus non-vented, disposable, size M, 5 pcs.	MP04742
	NIV nasal mask ClassicStar plus non-vented, disposable, size L, 5 pcs.	MP04743
	NIV nasal mask ClassicStar plus non-vented, disposable, size XL, 5 pcs.	MP04744
B	NIV nasal mask ClassicStar plus vented, disposable, size S, 5 pcs.	MP04751
	NIV nasal mask ClassicStar plus vented, disposable, size M, 5 pcs.	MP04752
	NIV nasal mask ClassicStar plus vented, disposable, size L, 5 pcs.	MP04753
	NIV nasal mask ClassicStar plus vented, disposable, size XL, 5 pcs.	MP04754



NIV MASKS AND ACCESSORIES


The **NovaStar plus NIV mask** series covers the nose and mouth of the patient. Therefore, they provide effective therapy even in case of mouth breathing. This range of products provides ultimate comfort and an effective seal due to the individual adaption of the silicone-gel cushion with a pliable embedded ring.

NovaStar plus NIV masks with standard elbow (SE) have been successfully tested for compatibility with Dräger ventilators which have NIV option. Variants with Anti-Asphyxia Valve (AAV) are intended for Multi-Vendor-Accessory business. All NovaStar plus NIV masks are for multi-patient use.

Replacement headgears with magnetic clips are available individually (cf. accessories for NIV masks).

Sizing gauges for easy mask size identification are delivered together with the masks.

A	NIV oronasal mask NovaStar plus SE, reusable, size S, 3 pcs.	MP05051
	NIV oronasal mask NovaStar plus SE, reusable, size M, 3 pcs.	MP05052
	NIV oronasal mask NovaStar plus SE, reusable, size L, 3 pcs.	MP05053
	NIV oronasal mask NovaStar plus SE, reusable, size XL, 3 pcs.	MP05054
B	NIV oronasal mask NovaStar plus AAV, reusable, size S, 3 pcs.	MP05061
	NIV oronasal mask NovaStar plus AAV, reusable, size M, 3 pcs.	MP05062
	NIV oronasal mask NovaStar plus AAV, reusable, size L, 3 pcs.	MP05063
	NIV oronasal mask NovaStar plus AAV, reusable, size XL, 3 pcs.	MP05064




NIV MASKS AND ACCESSORIES

The **MiniMe2*** nasal mask is designed for children ages 2 – 12. It features an ergonomic silicone-gel cushion and a shapeable shell mask to fit individual needs and thus, ensuring an effective seal and a comfortable fit.

A	Paediatric nasal mask MiniMe2 non-vented, disposable, size S	MP01555
	Paediatric nasal mask MiniMe2 non-vented, disposable, size L	MP01556
B	Paediatric nasal mask MiniMe2 vented, disposable, size S	MP01553
	Paediatric nasal mask MiniMe2 vented, disposable, size L	MP01554


*Tradeware



NIV MASKS AND ACCESSORIES

ACCESSORIES FOR NIV MASKS

A	Two-sided pump ball for air management	MP01590
B	NovaStar plus headgear inclusive magnetic clips, disposable	MP05080



ANAESTHESIA MASKS AND ACCESSORIES

5.2 ANAESTHESIA MASKS AND ACCESSORIES

ANAESTHESIA MASK SEDISTAR

The disposable anaesthesia face mask **SediStar** features a soft and anatomically shaped lip as the sealing interface to the patient's face. The mask is BPA and PVC free.

Optimal fit


Due to the ergonomic design and sealing lip, the mask offers an optimised fit for different facial anatomies.

Colour coding

Every mask size is colour coded with a different label, which makes it easy to identify the correct mask size right off the shelf.

Additional mask accessories

Easy application is supported through additional mask accessories: hook ring and headgears for fixation. Two different headgears in small and large designs offer patients and physicians a soft and elastic support and holding position.



A	① Anaesthesia mask SediStar, disposable, w/o hook ring, size 1, infant S, 30 pcs.	MP01701
	② Anaesthesia mask SediStar, disposable, w/o hook ring, size 2, infant L, 30 pcs.	MP01702
	③ Anaesthesia mask SediStar, disposable, w/o hook ring, size 3, child, 30 pcs.	MP01703
	④ Anaesthesia mask SediStar, disposable, w/o hook ring, size 4, adult S, 30 pcs.	MP01704
	⑤ Anaesthesia mask SediStar, disposable, w/o hook ring, size 5, adult M, 30 pcs.	MP01705
	⑥ Anaesthesia mask SediStar, disposable, w/o hook ring, size 6, adult L, 30 pcs.	MP01706
	⑦ Anaesthesia mask SediStar, disposable, w/o hook ring, size 7, adult XL, 30 pcs.	MP01707
B	Hook ring for SediStar anaesthesia masks, disposable, 22 mm ID, for sizes 3 – 7, 30 pcs.	MP01708

ANAESTHESIA MASKS AND ACCESSORIES

ANAESTHESIA MASK LITESTAR

The re-designed recessed grip as well as the teardrop shape of our disposable anaesthesia mask **LiteStar** support an anatomical fit. The transparent mask body allows for continuous observation of the patient's condition.


Colour coding

Every mask size is colour coded with a different label, which makes it easy to identify the correct mask size.

Additional mask accessories

Easy application is supported through additional mask accessories: hook ring and headgears for fixation.

Two different headgears in small and large designs offer patients and physicians a soft and elastic support and holding position.




A	① Anaesthesia mask LiteStar, disposable, w/o hook ring, size 1, infant S, 50 pcs.	MP11001
	② Anaesthesia mask LiteStar, disposable, w/o hook ring, size 2, infant L, 50 pcs.	MP11002
	③ Anaesthesia mask LiteStar, disposable, w/o hook ring, size 3, child, 50 pcs.	MP11003
	④ Anaesthesia mask LiteStar, disposable, w/o hook ring, size 4, adult S, 50 pcs.	MP11004
	⑤ Anaesthesia mask LiteStar, disposable, w/o hook ring, size 5, adult M, 50 pcs.	MP11005
	⑥ Anaesthesia mask LiteStar, disposable, w/o hook ring, size 6, adult L, 50 pcs.	MP11006
	⑦ Anaesthesia mask LiteStar, disposable, w/o hook ring, size 7, adult XL, 50 pcs.	MP11007
B	Hook ring for LiteStar anaesthesia masks, disposable, 22 mm ID, for sizes 3 – 7, 30 pcs.	MP11008

ANAESTHESIA MASKS AND ACCESSORIES

ANAESTHESIA MASK COMFORTSTAR


Patient comfort and ease of use were the top priorities when developing the Dräger disposable **ComfortStar** anaesthesia mask portfolio. Patient comfort is supported by teardrop or round-shaped masks with an adjustable (inflatable) mask cushion, which provide anatomical fit with an effective seal. Built-in ridges (sizes 4 – 6) and a flexible mask body provide healthcare professionals with an easy and comfortable grip. ComfortStar scented anaesthesia masks have the same excellent benefits as the ComfortStar standard masks, but in addition, they have added aromas. The appropriate colour scheme provides optical stimulation and is intended to reduce pre-operative anxiety in patients. All masks are pre-equipped with 'Traffic Light'-coloured hook rings. They are colour coded for easier size identification. Smaller sizes (0 – 1) have reddish colour, mid-sizes (2 – 3) yellowish colour and large sizes (4 – 6) greenish colour. All ComfortStar masks are compatible with all Dräger anaesthesia devices. Pump ball as well as different headgears for fixation are available (cf. accessories for anaesthesia masks).



A	1 Anaesthesia mask ComfortStar, disposable, hook ring, standard, size 0, premature baby, 20 pcs.	MP01510
	2 Anaesthesia mask ComfortStar, disposable, hook ring, standard, size 1, neonatal, 20 pcs.	MP01511
	3 Anaesthesia mask ComfortStar, disposable, hook ring, standard, size 2, baby, 20 pcs.	MP01512
	4 Anaesthesia mask ComfortStar, disposable, hook ring, standard, size 3, infant, 20 pcs.	MP01513
	5 Anaesthesia mask ComfortStar, disposable, hook ring, standard, size 4, adult S, 20 pcs.	MP01514
	6 Anaesthesia mask ComfortStar, disposable, hook ring, standard, size 5, adult M, 20 pcs.	MP01515
	7 Anaesthesia mask ComfortStar, disposable, hook ring, standard, size 6, adult L, 20 pcs.	MP01516

ANAESTHESIA MASKS AND ACCESSORIES

- | | | |
|----------|--|----------------|
| A | 1 Anaesthesia mask ComfortStar, disposable,
hook ring, strawberry scented, size 1, neonatal, 20 pcs. | MP01521 |
| | 2 Anaesthesia mask ComfortStar, disposable,
hook ring, strawberry scented, size 2, baby, 20 pcs. | MP01522 |
| | 3 Anaesthesia mask ComfortStar, disposable,
hook ring, strawberry scented, size 3, infant, 20 pcs. | MP01523 |
| | 4 Anaesthesia mask ComfortStar, disposable,
hook ring, strawberry scented, size 4, adult S, 20 pcs. | MP01524 |
| B | 1 Anaesthesia mask ComfortStar, disposable,
hook ring, bubble gum scented, size 1, neonatal, 20 pcs. | MP01531 |
| | 2 Anaesthesia mask ComfortStar, disposable,
hook ring, bubble gum scented, size 2, baby, 20 pcs. | MP01532 |
| | 3 Anaesthesia mask ComfortStar, disposable,
hook ring, bubble gum scented, size 3, infant, 20 pcs. | MP01533 |
| | 4 Anaesthesia mask ComfortStar, disposable,
hook ring, bubble gum scented, size 4, adult S, 20 pcs. | MP01534 |
| C | 1 Anaesthesia mask ComfortStar, disposable,
hook ring, mint scented, size 3, infant, 20 pcs. | MP01543 |
| | 2 Anaesthesia mask ComfortStar, disposable,
hook ring, mint scented, size 4, adult S, 20 pcs. | MP01544 |
| | 3 Anaesthesia mask ComfortStar, disposable,
hook ring, mint scented, size 5, adult M, 20 pcs. | MP01545 |
| | 4 Anaesthesia mask ComfortStar, disposable,
hook ring, mint scented, size 6, adult L, 20 pcs. | MP01546 |




ANAESTHESIA MASKS AND ACCESSORIES

SILICONE MASKS

Silicone masks are made of medical grade silicone because this is generally considered the material of choice for its superior ability to conform to the patient's facial anatomy. The field of application includes anaesthesia and mask ventilation for paediatric patient and adult patients. The masks are available in various shapes and sizes.

The smaller sizes have a rather round shape to provide comfortable fit and effective seal for infant faces. The bigger sizes have an anatomically formed teardrop shape to ensure convenient fit and seal for facial contours of adult patients.

Silicone masks have a flexible, soft and transparent mask body. The mask body design provides a comfortable grip. Shape and material allow for safe handling by doctors and nurses. Silicone masks are reusable.



A	① Silicone mask, reusable, size 00, premature baby	MP02900
	② Silicone mask, reusable, size 0, small neonate	MP01910
	③ Silicone mask, reusable, size 1, large neonate	MP01911
	④ Silicone mask, reusable, size 2, small child	MP01912
	⑤ Silicone mask, reusable, size 3, large child	MP01913
	⑥ Silicone mask, reusable, size 4, small adult	MP01914
	⑦ Silicone mask, reusable, size 5, large adult	MP01915
B	① Hook ring for silicone masks, reusable, 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916
	② Hook ring for silicone masks, reusable, 22 mm ID, for sizes 2 – 5, 10 pcs.	MP01917



Additional mask accessories, e. g. reusable hook rings as well as headgears are available for fixation. (cf. accessories for anaesthesia masks).

ANAESTHESIA MASKS AND ACCESSORIES

ACCESSORIES FOR ANAESTHESIA MASKS

There are two different headgears in small and large designs offering patients and physicians a soft, elastic, lightweight fixation of disposable anaesthesia/ventilation masks.

A	① Headgear, disposable, soft fabric, small	MP01559
	② Headgear, disposable, soft fabric, large	MP01560
B	① Headgear, disposable, soft rubber, small	MP01561
	② Headgear, disposable, soft rubber, large	MP01562
C	Two-sided pump ball for air management	MP01590




HIGH-FLOW THERAPY NASAL CANNULA AND ACCESSORIES

5.3 HIGH-FLOW THERAPY NASAL CANNULA AND ACCESSORIES

High-flow therapy allows warm humidified air with enriched oxygen concentration at flow rates up to 60 l per minute to patients via nasal cannulas. Patient comfort is one of the advantages of high-flow therapy over other treatment forms for patients with compromised respiration and can in many cases successfully avoid using less comfortable or even invasive forms of respiratory support.

The HI-Flow Star Nasal Cannula and the inspiratory breathing circuit offer features designed for enhanced patient safety and comfort. These include integrated clips to provide effective breathing circuit tension relief, a flexible, breathable hose that minimises internal condensation in the high-flow nasal cannula, as well as soft materials for the prongs and the headgear.

Thanks to its symmetrical design, the nasal cannula can be connected from either the left or the right side of the bed. This helps caregivers save time and effort. The HI-Flow Star products are disposable. Oxygen and compressed air are required, which are provided by an O₂ mixer such as the Oxymixer from Dräger, as well as a humidification source for the hose system.



A	① HI-Flow Star nasal cannula, disposable, adult S, flow range < 60 l/min, 25 pcs.	MP05511
A	② HI-Flow Star nasal cannula, disposable, adult M, flow range < 60 l/min, 25 pcs.	MP05512
A	③ HI-Flow Star nasal cannula, disposable, adult L, flow range < 60 l/min, 25 pcs.	MP05513

HIGH-FLOW THERAPY NASAL CANNULA AND ACCESSORIES

- | | | |
|----------|---|-----------------------|
| A | HI-Flow Star System, heated inspiratory breathing circuit, consists of: heated inspiratory hose, humidifier chamber, breathing hose when used with a ventilator, O₂ hose when used with an O₂ blender, bed clip, disposable, 25 pcs. | <u>MP05601</u> |
| B | HI-Flow Star Kit Aquapor A, heated inspiratory breathing circuit for the H300 humidifier, heated inspiratory hose, humidifier chamber, breathing hose when used with a ventilator, O₂ hose when used with an O₂ blender, bed clip, disposable, 10 pcs. | <u>MP17090</u> |
| C | HI-Flow Star valve kit w/ pop-up valve and connector 22 mm, disposable, 15 pcs. | <u>MP05507</u> |
| D | O2Star™ connector 22 mm ID / 22 mm ID, disposable, 5 pcs. | <u>MP01942</u> |



OXYMIXER*

6. OXYMIXER

Oxymixer enables a continuous and individually adjusted mixture of medical air and medical oxygen to be administered to infants, children and adults. The O₂ concentration is easily adjusted to a highly accurate flow – even with flow rates of less than 3 l/min.

Oxymixer configuration



MP04200

Free choice of low-flow or high-flow blender with: 1 or 2 flowmeters, NIST or DISS gas inlet, monitor, bleed switch, nozzle, and sound damper. The rail fixation is included.

A Oxymixer high-flow



MP04201

Including: rail clamp, flowmeter 0 – 32 l/min right, flowmeter 0 – 85 l/min left. NIST gas inlet.

B Oxymixer high-flow with monitor



MP04202

Including: rail clamp, flowmeter 0 – 32 l/min right, flowmeter 0 – 85 l/min left, monitor, oxygen sensor, oxygen sensor cable, sensor receptacle. NIST gas inlet.

C Multi-P trolley* equipped

MP13020

Including base with 5 castors, 38 mm Ø pole, 3 rail clamps, basket.

D Multi-P trolley*

MP13021

Including base with 5 castors and 38 mm Ø pole for accessories.

Several hoses available to connect Oxymixer with the central supply.
For CS hoses see chapter 4, “Accessory for gas supply”.

*Tradeware



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

OXYMIXER*

A	<u>Oxymixer sound damper 9/16"</u>	<u>MP04218</u>
B	<u>Oxymixer sound damper 22 and 15 mm</u>	<u>MP04219</u>
C	<u>Adapter 9/16" to 15/22mm</u>	<u>MP05305</u>
D	<u>Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection</u>	<u>MP00416</u>
E	<u>Oxymixer oxygen sensor (spare part)</u>	<u>MP04221</u>

*Tradeware



DEVICE RELATED ACCESSORIES

7. DEVICE RELATED ACCESSORIES

EXPIRATORY VALVES FOR EVITA 2 DURA, 4 EDITION, XL

A	Expiratory valve for Evita 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776
B	Expiratory valve for Evita 2 dura, 4 edition, XL, w/ watertrap, disposable, 10 pcs.	MP02600
	Expiratory valve for Evita, reusable	8410580
	Membrane for Evita 2 dura, Evita 4, Evita XL, for expiratory valve	8412015
C	Water trap for Evita 2 dura, Evita 4, Evita XL, reusable	8413125

EXPIRATORY VALVES FOR BABYLOG

	Expiratory valve for Babylog VN-Family, reusable (no RFID)	8415296
D	Infinity ID expiratory valve for Babylog VN 500, reusable (RFID)	8415270
	Expiratory valve for Babylog 8000 plus	8408950

A

D-54701-2012



B

D-54687-2012



C

MT-220-99



D

D-45107-2015



DEVICE RELATED ACCESSORIES

DISPOSABLE EXPIRATORY VALVES FOR CARINA

A	Expiratory valve for Carina, disposable, 25 pcs.	MP00220
B	Leakage valve for Carina SyncVent, disposable, 5 pcs.	MP00224

DISPOSABLE EXPIRATORY VALVES FOR SAVINA AND V-FAMILY

C	Infinity ID expiratory valve, disposable, 10 pcs.	MP01060/ MP20108
D	Expiratory valve, disposable, 10 pcs.	MP01061/ MP20109

REUSABLE EXPIRATORY VALVES FOR SAVINA 300 AND V-FAMILY

E	Expiratory valve for Evita Infinity V500, reusable	8416750
F	Expiratory valve, reusable	8417050

REUSABLE EXPIRATORY VALVES FOR SAVINA

Expiratory valve for Savina, reusable	8413660
--	----------------



DEVICE RELATED ACCESSORIES

A	<u>Expiratory filter, disposable, 20 pcs.</u>	<u>MP01781</u>
	<u>ACCESSORIES FOR MX 300-i</u>	
B	<u>O₂ sensor* for MX 300 and MX 300-i, reusable</u>	<u>MP01442</u>

*Tradeware



PACK2GO/SET2GO

8. PACK2GO

Freeing you of routine tasks by streamlining and facilitating your hospital processes and workflows, reducing staff stress and unnecessary costs by offering you tailor-made solutions, ultimately means you have more time to care for your patients' wellbeing and recovery. We provide you with our Pack2Go package solutions, which include all relevant accessories for your Dräger ventilation and anaesthesia devices.

A	Pack2Go Evita invasive ventilation pack* with breathing circuit VentStar, basic, + cuvette, 10 pcs.	MP20370
B	Pack2Go Evita invasive ventilation pack* with breathing circuit VentStar, basic, 1.8 m, 10 pcs.	MP20371
C	Pack2Go Evita invasive ventilation pack* with breathing circuit VentStar, coaxial, + cuvette, 10 pcs.	MP20377
D	Pack2Go Evita invasive ventilation pack* with breathing circuit VentStar, coaxial, 1.8 m, 10 pcs.	MP20378

*For Evita 2 dura, 4 edition, XL.



PACK2GO/SET2GO

A	Pack2Go Carina NIV ventilation pack with oronasal mask ClassicStar SE, size S, 10 pcs.	MP20372
B	Pack2Go Carina NIV ventilation pack with oronasal mask ClassicStar SE, size M, 10 pcs.	MP20373
C	Pack2Go Carina NIV ventilation pack with oronasal mask ClassicStar SE, size L, 10 pcs.	MP20374
D	Pack2Go invasive ventilation pack* with breathing circuit VentStar, coaxial, 1.8 m, 10 pcs.	MP20375
E	Pack2Go invasive ventilation pack* with breathing circuit VentStar, basic, 1.8 m, 10 pcs.	MP20376
F	Pack2Go anaesthesia pack, A, with anaesthesia set + watertrap, 10 pcs.	MP20379

*For Savina 300 family and Evita V family.



PACK2GO/SET2GO

SET2GO

- A** With Dräger's Set2Go solutions, we offer you totally customised sets consisting of an individual selection of single-patient-use accessories. Dräger Set2Go makes using and ordering consumables and accessories much simpler for you.

You just need one article number to get all the items in a single package and accomplish your specific task.

Please contact your local Dräger sales organisation to create your individual accessory solution.

A

D-5926-2018



AEROGEN NEBULIZER

9. AEROGEN NEBULIZER

Aerogen works with an electronic micropump. Aerogen is ideally suited to nebulizer therapy requirements for inline mechanical ventilation and it accommodates all patient age ranges from neonates to adults. It operates without changing patient ventilator parameters, without heating or degrading medications and it can be refilled without interrupting ventilation.



A Configuration for Aerogen Solo Medication Nebulizer



MP01010



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

AEROGEN NEBULIZER

AEROGEN SOLO*


A	<u>Aerogen S Nebulizer Head, 5 pcs.</u>	<u>MP01078</u>
B	<u>Aerogen S Nebulizer Head, 10 pcs.</u>	<u>MP01079</u>
	<u>Aerogen S, T-Adapter A, 10 pcs.</u>	<u>MP01085</u>
	<u>Aerogen S, T-Adapter P, 10 pcs.</u>	<u>MP01086</u>
	<u>Aerogen S, T-Piece, F&P, N, 10 box</u>	<u>MP01077</u>
	<u>Aerogen S, T-Piece, N, 10 pcs.</u>	<u>MP01691</u>
	<u>Aerogen S, T-Piece Plug, 10 pcs.</u>	<u>MP13069</u>
*Tradeware		
	<u>T-piece N for Nebulization, 10 pcs.</u>	<u>MP02689</u>




ACCESSORIES FOR PULMOVISTA 500

10. ACCESSORIES FOR PULMOVISTA 500

	Patient cable for paediatric patients, for electrode belt size XS-4XS	8422770
A	Patient cable, size S	8420029
A	Patient cable, size M	8420047
A	Patient cable, size L	8420035
A	Patient cable, size XL	8420271
A	Patient cable, size XXL	8420273
	Electrode belt, size 4XS	8422583
	Electrode belt, size 3XS	8422582
	Electrode belt, size 2XS	8422581
	Electrode belt, size XS	8422580
A	Electrode belt, size S	8420059
A	Electrode belt, size M	8420058
A	Electrode belt, size L	8420057
A	Electrode belt, size XL	8420056
A	Electrode belt, size XXL	8420055
	MEDIBUS cable DW vents	8306488
	MEDIBUS cable V and A series	8416326
B	PressurePod	8424050







Soda lime

In the operating room every breath the patient takes is paramount to their safety. Safeguarding both patient and clinician during this critical time is of the highest importance. We support you with intelligently designed accessories that allow you to focus on your patient without worrying about their safety or yours.

With our Drägerorb CLIC disposable absorber, you can protect your patients from breathing exhaled carbon dioxide thanks to the soda lime absorption, which filters and absorbs the patient's exhaled carbon dioxide. In addition, in just one click, you can easily and quickly change the disposable absorbers during a surgical procedure with no direct contact to dust, reducing the risk of infections and giving you more time to care for your patient. That's what makes our Soda Lime **an essential part of protecting your patients and staff.**

SODA LIME

Soda lime	103
Absorber with CLIC system	104

SODA LIME AND RELATED ACCESSORIES

SODA LIME

A	Soda lime Drägersorb 800+, for CO ₂ absorption, canister, 5 l, 2 pcs.	<u>MX00001</u>
B	Soda lime Drägersorb Free, for CO ₂ absorption, canister, 5 l, 2 pcs.	<u>MX50050</u>
C	Canister opener, for canisters MX00001 and MX50050, 5 pcs.	<u>MX10209</u>

A

D-27619-2017



B

D-27620-2017



C

D-98710-2013



SODA LIME AND RELATED ACCESSORIES

ABSORBER WITH CLIC SYSTEM


A	CLIC Absorber 800+, disposable absorber, 1.2 l, 6 pcs.	MX00004
B	CLIC Absorber Free, disposable absorber, 1.2 l, 6 pcs.	MX50100
	Infinity ID CLIC Absorber 800+, disposable absorber, 1.2 l, 6 pcs.	MX50004
	Infinity ID CLIC Absorber Free, disposable absorber, 1.2 l, 6 pcs.	MX50120




SODA LIME AND RELATED ACCESSORIES

A	<u>Absorber adapter CLIC, for Dräger anaesthesia workstations</u>	<u>MX50090</u>
B	<u>Cleaning plate for CLIC adapter</u>	<u>MX50081</u>
C	<u>Dust filter Perseus, 5 pcs.</u>	<u>MX50115</u>







Sensors

Patient data is valuable for both diagnosing and delivering the correct therapies for your patient's pathway to recovery. Therefore, the reliability and quality of collected data is imperative when diagnosing and monitoring. It must provide you with accurate volume, flow, and pressure values to assess your patient's lung condition and reduce ventilator-associated pneumonia (VAP).

This is why we rigorously test our sensors for both quality and compatibility with our devices, to help you reliably monitor every patient's vitals. Better diagnostics means better therapy solutions, and that ultimately makes our sensors **an essential part of improving your patient outcomes.**

SENSORS

Flow sensors by Dräger	109
Oxygen sensors by Dräger	111
Oxygen sensor for MX 300-I	111

SENSORS

FLOW SENSORS BY DRÄGER

Hot-wire anemometry:

Accurate and intelligent flow measurement

Spirolog, SpiroLife, Infinity ID flow sensor and neonatal flow sensor ISO15 are based on proven hot-wire anemometry techniques. In this field we have gained experience and expertise through decades of development and manufacturing. Due to extremely fast and accurate measurement results, as well as extremely low inspiratory and expiratory resistances, hot-wire anemometry is clearly superior to other methods. The neonatal flow sensor ISO15 offers a customised solution for the sole exception of the specific needs of neonates in intensive care. The sterilisable neonatal flow sensor ISO15 and SpiroLife combine the advantages of hot-wire technology with the possibility of sterilisability. Therefore, they integrate seamlessly into your hospital's sterilisation processes.

A	Flow sensor Spirolog, PC/ABS, 5 pcs.	8403735
B	Flow sensor SpiroLife, PPSU, sterilisable	MK01900
C	Flow sensor Infinity ID, PC/ABS, 5 pcs.	6871980
D	Neonatal flow sensor ISO 15, PSU, sterilisable	8411130
E	Insert for neonatal flow sensor, PSU, sterilisable, 5 pcs.	8410179

Differential pressure measurement:

Proven technology for emergencies


The sterilisable reusable flow sensor for the emergency room is based on the proven principle of differential pressure measurement. Because of its robustness, it really is the ideal solution for the specialties of the emergency room. The pressure difference flow sensor is used with all Dräger Oxylog devices and has been optimised to be used with Oxylog VE300 and Oxylog 3000 plus. Whichever Dräger flow sensor you choose – you can be sure to have made the right choice with our extensive family of flow sensors.

F	Pressure difference flow sensor, PSU, sterilisable	8412034
----------	---	----------------



SENSORS

A	Neonatal flow sensor cable for medical ventilators of the V series with Neo option and VN series	8416600
B	Neonatal flow sensor cable for Babylog 8000 and former Evita ventilators with Neo option	8409626



SENSORS

OXYGEN SENSORS BY DRÄGER

Oxygen for life

Oxygen sensors have the important task of measuring and monitoring the inspiratory and/or expiratory O₂ concentration in anaesthesia and respiratory devices. Oxygen sensors from Dräger satisfy the highest national and international requirements. Furthermore, they have been extensively tested and fine-tuned for proper functional performance with Dräger devices and systems. Dräger's years of experience in the field of sensors, and their high quality has even convinced NASA. Dräger O₂ sensors are electrochemical transducers used to measure O₂ partial pressure. They operate on the principle of a galvanic cell. Examples of locations where the sensors are used include the Fabius family, Evita family and the Primus.

To take into account the high value of oxygen measurement, we only recommend using O₂ sensors from Dräger.


A	O₂ sensor capsule, for mainstream measurement	6850645
B	O₂ sensor OxyTrace VE, for Savina ventilator	MX01049
C	O₂ sensor OxyTrace INCU, for Caleo thermoregulator	MX01050
D	O₂ sensor Oxycell TN, for Babyleo TN500	6873065
E	O₂ sensor Oxycell A for Atlan	6872666


OXYGEN SENSOR FOR MX 300-i

F	O₂ sensor* for MX 300 and MX 300-i, reusable	MP01442
----------	--	----------------

*Tradeware







Monitoring accessories

To support the delivery of quality care, you need quick access to patient data with all relevant information at a glance to reliably assess your patient's status. To enable you to get the relevant information and to accurately take care of the patient's needs, we provide you with a broad portfolio of monitoring accessories – all from a single source.

Equally important, to help you break the chain of infections while offering you accuracy and reliability, we provide you with hygienic, single-patient use solutions such as our:

- Electrocardiography leads
- Non-invasive blood pressure (NIBP) cuffs
- Temperature probes

Assisting you in delivering a patient-centred approach, we have paid detailed attention to designing our accessories using quality materials that promote comfort and patient satisfaction, as we know they are **an essential part of keeping your patients safe.**

MONITORING ACCESSORIES**1. Infinity Monitoring: Gamma, Delta, Kappa and Vista series**

	115
1.1 MultiMed Pods	115
1.2 Electrocardiography (ECG)	117
1.3 Pulse oximetry (SpO ₂)	125
1.4 Temperature	143
1.5 Non-invasive blood pressure (NIBP)	146
1.6 CNAP continuous non-invasive arterial pressure	150
1.7 Invasive blood pressure (IBP) and cardiac output (CO)	152
1.8 Infinity PiCCO	163
1.9 Bispectral index (BIS)	166
1.10 Electroencephalography (EEG)	167
1.11 Neuromuscular transmission (NMT)	168
1.12 Capnography etCO ₂	169
1.13 Scio	174
1.14 Recorder paper	175
2. Infinity Acute Care System	176
2.1 Electrocardiography (ECG)	176
2.2 Pulse oximetry (SpO ₂)	181
2.3 Temperature	193
2.4 Non-invasive blood pressure (NIBP)	196
2.5 Invasive blood pressure (IBP) and cardiac output (CO)	200
2.6 etCO ₂	205
2.7 ToFscan neuromuscular transmission monitor	208
3. Infinity M300	210
3.1 Electrocardiography (ECG)	210
3.2 Pulse oximetry (SpO ₂)	213
3.3 Pouch	219
3.4 Codensation	219

4. Multi Vendor Adapter

	220
4.1 ECG Adapter	220
4.2 ECG Adapter Telemetry	222
4.3 TEMP Adapter	222

5. Vista 120/Vista 300

	224
5.1 Electrocardiography (ECG)	224
5.2 Pulse oximetry (SpO ₂)	231
5.3 Non-invasive blood pressure (NIBP)	235
5.4 Temperature	237
5.5 Invasive blood pressure (IBP) and cardiac output (CO)	240
5.6 CO ₂ Sidestream	242
5.7 Capnography etCO ₂	243
5.8 CO ₂ Mainstream	245

6. Vista 120 SC

	248
6.1 Pulse oximetry (SpO ₂)	248
6.2 Non-invasive blood pressure (NIBP)	260
6.3 Temperature	263
6.4 Capnography etCO ₂	265

MULTIMED PODS

1. INFINITY MONITORING: GAMMA, DELTA, KAPPA AND VISTA SERIES

1.1 MULTIMED PODS



		GAMMA / GAMMAXL	GAMMA XXL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Multiparameter cable MultiMed 5 Pod, for ECG, resp., SpO₂ and temp., 1.5 m	5950196	■	■	■	■	■	■
	Multiparameter cable MultiMed 5 Pod, for ECG, resp., SpO₂ and temp., 2.5 m	3368391	■	■	■	■	■	■
B	Multiparameter cable MultiMed 6 Pod, for ECG, resp., SpO₂ and temp., 2.5 m	5191221	■	■	■	■	■	■
C	Multiparameter cable MultiMed Plus, for ECG, resp., SpO₂ and temp., 2.5 m	MS20093	■	■	■	■	■	■
D	Multiparameter cable MultiMed Plus OR, for ECG, SpO₂ and temp., 2.5 m	MS20094	■	■	■	■	■	■
E	Multiparameter cable NeoMed Pod, for ECG, resp., SpO₂, temp. and FiO₂, 2.5 m	5590539	■	■	■	■	■	■



MULTIMED PODS

A	Holder for MultiMed 12 Pod	5202747
B	Pod connection cable, 30 cm	7257988
	Pod connection cable, 3 m	3368425
	Pod connection cable, 5 m	5195198
C	Holder for MultiMed 5/6, MultiMed Plus/OR, and NeoMed Pods, swiveling 360°	MP00721
D	Holder for MultiMed 5/6, MultiMed Plus/OR, and NeoMed Pods	5598128
E	Universal pole mount	7485621

GAMMA / GAMMAXL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL





ELECTROCARDIOGRAPHY (ECG)

1.2 ELECTROCARDIOGRAPHY (ECG)

MONOLEAD DUAL-PIN CONNECTORS (1ST GENERATION)

ECG dual-pin connectors can be connected directly to MultiMed 5,6 and MultiMed 12.

			GAMMA / GAMMAXL	GAMMA XXL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	ECG cable, 3-lead, dual-pin connector MonoLead 3, IEC1 (European colour code), 2 m	MS16160	■	■	■	■	■	■	■
	ECG cable, 3-lead, dual-pin connector MonoLead 3, IEC2 (AHA/US colour code), 2 m	MS16233	■	■	■	■	■	■	■
B	ECG cable, 5-lead, dual-pin connector MonoLead 5, IEC1 (European colour code), 2.5 m	MS16161	■	■	■	■	■	■	■
	ECG cable, 5-lead, dual-pin connector MonoLead 5, IEC2 (AHA/US colour code), 2.5 m	MS16229	■	■	■	■	■	■	■
CHEST LEADS FOR USE WITH MULTIMED 12 (1ST GENERATION)									
ECG dual-pin connectors can be connected directly to MultiMed 12.									
C	ECG cable for C-lead MonoLead 5, IEC1 (European colour code), 1.5 m	MS16232	■	■	■	■			
	ECG cable for V-lead MonoLead 5, IEC2 (AHA/US colour code), 1.5 m	MS16230	■	■	■	■			



ELECTROCARDIOGRAPHY (ECG)






MONOLEAD SINGLE-PIN CONNECTORS (2ND GENERATION)

ECG single-pin connectors can be connected directly to MultiMed Plus/MultiMed Plus OR as well as to Infinity M300 and Infinity M540.

Note: Not for use with Infinity TruST™ telemetry.

A	ECG MonoLead, 3-lead, EUR, 2 m	MP05120							
B	ECG MonoLead, 3-lead, AHA/US, 2 m	MP05121							
C	ECG MonoLead, 5-lead, EUR, 2.5 m	MP05122							
D	ECG MonoLead, 5-lead, AHA/US, 2.5 m	MP05123							
E	ECG MonoLead, 6-lead, EUR, 3 m	MP05124							
F	ECG MonoLead, 6-lead, AHA/US, 3 m	MP05125							

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL







ELECTROCARDIOGRAPHY (ECG)

MONOLEAD LONG, SINGLE-PIN CONNECTORS (2ND GENERATION)

A	ECG MonoLead, 3-lead, EUR, 4.1 m	MP05130							
B	ECG MonoLead, 3-lead, AHA/US, 4.1 m	MP05131							
C	ECG MonoLead, 5-lead, EUR, 5.3 m	MP05132							
D	ECG MonoLead, 5-lead, AHA/US, 5.3 m	MP05133							
E	ECG MonoLead, 6-lead, EUR, 5.7 m	MP05134							
F	ECG MonoLead, 6-lead, AHA/US, 5.7 m	MP05135							

GAMMA / GAMMAXL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



ELECTROCARDIOGRAPHY (ECG)

SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTORS

ECG single-pin connectors can be connected directly to MultiMed Plus/MultiMed Plus OR as well as to Infinity M300 and Infinity M540.

- A** ECG cable, 3-lead, single-pin connector, single-patient use, IEC1 (European colour code), 1 m, 20 pcs.

MP00875

ECG cable, 3-lead, single-pin connector, single-patient use, IEC2 (AHA/US colour code), 1 m, 20 pcs.

MP00877

- B** ECG cable, 5-lead, single-pin connector, single-patient use, IEC1 (European colour code), 1/1.5 m, 20 pcs.

MP00879

ECG cable, 5-lead, single-pin connector, single-patient use, IEC2 (AHA/US colour code), 1/1.5 m, 20 pcs.

MP00881

- C** ECG cable, 6-lead, single-pin connector, single-patient use, IEC1 (European colour code), 1/1.5 m, 20 pcs.

MP03122

ECG cable, 6-lead, single-pin connector, single-patient use, IEC2 (AHA/US colour code), 1/1.5 m, 20 pcs.

MP03123

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

D-25816-2020



B

D-25813-2020



C

D-25815-2020





ELECTROCARDIOGRAPHY (ECG)

REUSABLE ECG LEADS SINGLE-PIN CONNECTORS

ECG single-pin connectors can be connected directly to MultiMed Plus/MultiMed Plus OR as well as to Infinity M300 and Infinity M540.

A	ECG cable, 3-lead, single-pin connector, IEC1 (European colour code), 1 m	MP03401	
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US colour code), 1 m	MP03402	
B	ECG cable, 5-lead, single-pin connector, IEC1 (European colour code), 1/1.5 m	MP03403	
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US colour code), 1/1.5 m	MP03404	
C	ECG cable, 6-lead, single-pin connector, IEC1 (European colour code), 1/1.5 m	MP03405	
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US colour code), 1/1.5 m	MP03406	



Not all articles are available worldwide.

ELECTROCARDIOGRAPHY (ECG)

REUSABLE ECG LEADS DUAL-PIN CONNECTORS

ECG dual-pin connectors can be connected directly to MultiMed 5, 6 and MultiMed 12.

A	ECG cable, 3-lead, dual-pin connector, IEC1 (European colour code), 1 m	MP03411							
	ECG cable, 3-lead, dual-pin connector, IEC2 (AHA/US colour code), 1 m	MP03412							
B	ECG cable, 5-lead, dual-pin connector, IEC1 (European colour code), 1/1.5 m	MP03413							
	ECG cable, 5-lead, dual-pin connector, IEC2 (AHA/US colour code), 1/1.5 m	MP03414							
C	ECG cable, 6-lead, dual-pin connector, IEC1 (European colour code), 1/1.5 m	MP03415							
	ECG cable, 6-lead, dual-pin connector, IEC2 (AHA/US colour code), 1/1.5 m	MP03416							

CHEST LEADS FOR USE WITH MULTIMED 12

ECG dual-pin connectors can be connected directly to MultiMed 12.

D	ECG cable for C-lead, IEC1 (European colour code), 1 m	MP03417							
	ECG cable for V-lead, IEC2 (AHA/US colour code), 1 m	MP03418							

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



ELECTROCARDIOGRAPHY (ECG)

ELECTRODES

ECG electrodes*, single-patient use,
neonate, 300 pcs.

5195024

ECG electrodes*, child, disposable, 500 pcs.

3715689

ECG electrodes*, adult, disposable, 400 pcs.

3715690

NEONATAL ECG

A Electrode adapter, to connect neonatal
electrodes to MultiMed Pod, 10 pcs.

5194779

B ECG intermediate cable, 3-lead, for NeoMed Pod,
1.5 m


5592162

*Tradeware

GAMMA / GAMMAXL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

D-2341-2011



B

D-9001-2009





ELECTROCARDIOGRAPHY (ECG)

ECG ACCESSORIES

A	ECG adapter for single-pin ECG cable to MultiMed 5	MSI4679
	ECG adapter for single-pin ECG cable to MultiMed 6	MSI4680
B	ECG extension cable, 6-lead, 2 m	MP05115
C	ECG extension cable, dual-pin connector, 2 m	MSI6492
D	ECG ESU block, for OR use of 3- or 5-lead ECG cables with MultiMed 5	5947226
E	ECG ESU block, for OR use of 3-, 5-, or 6-lead ECG cables with MultiMed 6	7486140

GAMMA / GAMMAXL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



PULSE OXIMETRY (SPO₂)

1.3 PULSE OXIMETRY (SPO₂)

DRÄGER

DRÄGER/NELLCOR CABLES

SpO₂ intermediate cables for connection to MultiMed 5, 6, 12 and NeoMed Pods.

- A** SpO₂ intermediate cable Dräger/Nellcor, for MultiMed 5/6 and NeoMed Pods, 1 m

3368433

SpO₂ intermediate cable Dräger/Nellcor, for MultiMed 5/6 and NeoMed Pods, 2 m

3375834

SpO₂ intermediate cables for connection to MultiMed Plus/Plus OR and Infinity M300.

- B** SpO₂ intermediate cable Dräger/Nellcor, for MultiMed Plus/Plus OR, 1.2 m

MS18683

- C** SpO₂ intermediate cable Dräger/Nellcor, for MultiMed Plus/Plus OR, 3 m

MS17330

GAMMA / GAMMA XL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

MT-344-2008



B

D-2394-2011



C

D-2393-2011



PULSE OXIMETRY (SPO₂)

DRÄGER REUSABLE SENSOR

- A** SpO₂ finger sensor Dräger, reusable

MS13235

DRÄGER DISPOSABLE SENSORS

- B** SpO₂ adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.

MS16449

- C** SpO₂ adhesive sensor Dräger, foam, disposable, adult, 24 pcs.

MS16445

- D** SpO₂ adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.

MS16448

- E** SpO₂ adhesive sensor Dräger, foam, disposable, child, 24 pcs.

MS16444

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

MT-3057-2003



B

MT-8243-2005



C

MT-8242-2005



D

MT-8245-2005



E

MT-8237-2005



PULSE OXIMETRY (SPO₂)

[illegible]

PULSE OXIMETRY (SPO₂)

DRÄGER/NELLCOR CABLES

SpO₂ intermediate cables for connection to MultiMed 5, 6, 12 and NeoMed Pods.

A SpO₂ intermediate cable Dräger/Nellcor, for MultiMed 5/6 and NeoMed Pods, 1 m* **3368433**

SpO₂ intermediate cable Dräger/Nellcor, for MultiMed 5/6 and NeoMed Pods, 2 m* **3375834**

SpO₂ intermediate cables for connection to MultiMed Plus/Plus OR.

B SpO₂ intermediate cable Dräger/Nellcor, for MultiMed Plus/Plus OR, 1.2 m* **MS18683**

C SpO₂ intermediate cable Dräger/Nellcor, for MultiMed Plus/Plus OR, 3 m* **MS17330**

MASIMO

MASIMO LNCS CABLES**

SpO₂ intermediate cables for connection to Infinity M300 and Masimo SET Pod.

D SpO₂ intermediate cable Masimo LNCS, 3 m **MS17522**

D SpO₂ intermediate cable Masimo LNCS, 1.2 m **MS24303**

MASIMO RD SET CABLES**

Connects the Masimo SET approved sensors to the Masimo SET Pod or to Infinity M300. This cable cannot be used with the MultiMed.

E SpO₂ intermediate cable Masimo RD SET, 3 m (9.8 ft) **MS34437**

E SpO₂ intermediate cable Masimo RD SET, 1.2 m (3.9 ft) **MS34436**

*Note: Requires Nellcor sensor software setting.

**Tradeware

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



PULSE OXIMETRY (SPO₂)

MASIMO LNCS REUSABLE SENSORS*

		GAMMA / GAMMAXL	GAMMA XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	SpO₂ finger sensor Masimo LNCS DCI, reusable, adult	MP00796	■	■	■	■	■	■
B	SpO₂ finger sensor Masimo LNCS DCIP, reusable, child	MP00795	■	■	■	■	■	■
	SpO₂ Masimo sensor LNCS-TC-I Ear, reusable, paediatric patient/adult	MP00788	■	■	■	■	■	■
	SpO₂ Masimo sensor LNCS-YI Multisite, reusable, neonate/paediatric patient/adult	MP00789	■	■	■	■	■	■
	SpO₂ Masimo sensor LNCS-TF-I, reusable, paediatric patient/adult	MP00799	■	■	■	■	■	■
C	SpO₂ Masimo sensor LNCS-DBI, reusable, adult	MP02993	■	■	■	■	■	■

*Tradeware

A

MT-342-2008



B

MT-341-2008



C

D-463-2014



PULSE OXIMETRY (SPO₂)

MASIMO LNCS DISPOSABLE SENSORS*

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	SpO₂ adhesive sensor Masimo LNCS Amtx, disposable, adult, 20 pcs.	MP00790	■	■	■	■	■	■	■
B	SpO₂ adhesive sensor Masimo LNCS Inf, disposable, baby, 20 pcs.	MP00791	■	■	■	■	■	■	■
C	SpO₂ adhesive sensor Masimo LNCS Neo, disposable, neonate, 20 pcs.	MP00792	■	■	■	■	■	■	■
D	SpO₂ adhesive sensor Masimo LNCS Pdtx, disposable, child, 20 pcs.	MP00793	■	■	■	■	■	■	■
E	SpO₂ adhesive sensor Masimo LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794	■	■	■	■	■	■	■

*Tradeware



PULSE OXIMETRY (SPO₂)




MASIMO LNCS TRAUMA SENSORS*

Masimo LNCS Trauma sensors are for use with Masimo SET technology only.

A	Masimo LNCS Trauma sensor, adult, 20 pcs.	MP03191
B	Masimo LNCS Trauma sensor, infant/paed, 20 pcs.	MP03193
C	Masimo LNCS Trauma sensor, neonate, 20 pcs.	MP03192

*Tradeware

GAMMA / GAMMAXL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



PULSE OXIMETRY (SPO₂)

MASIMO RD SET ADAPTER CABLES*

- A** Adapter cable RD SET to LNOP, for connection of RD SET sensors to Infinity M300 and Masimo SET Pod via the LNOP intermediate cables MS18680 and MS17041, as well as to MultiMed 5/6/12, NeoMed Pods and MultiMed Plus/Plus OR via the according intermediate cables MS13926/7492601 or MS20163**

MS33731

- B** Adapter cable RD SET to LNCS, for connection of RD SET sensors to Infinity M300 and Masimo SET Pod via the LNCS intermediate cables MS24303 or MS17522

MS33732

- B** Adapter cable RD SET to MultiMed, for connection of RD SET sensors to MultiMed 5/6/12, NeoMed Pods as well as MultiMed Plus/Plus OR via the according intermediate cables 3368433/3375834 or MS18683/MS17330

MS33733

*Tradeware

**Products are not available any more.
Adapter is to be used to switch from sensors to the installed base.

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

D-271-2017



B

D-257-2017



PULSE OXIMETRY (SPO₂)

MASIMO RD SET REUSABLE SENSORS*

A	Masimo RD SET DCI sensor, adult, reusable	MS33740
B	Masimo RD SET DC-IP sensor, paediatric patient, reusable	MS33741
C	Masimo RD SET sensor TC-I Ear, paediatric patient/adult, reusable	MS40067
D	Masimo RD SET sensor YI Multisite, neonate/paediatric patient/adult, reusable	MS40070
E	Masimo RD SET sensor TF-I, paediatric patient/adult, reusable	MS40073
F	Masimo RD SET sensor DB-I, adult, reusable	3718728

*Tradeware

GAMMA / GAMMAXL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL




PULSE OXIMETRY (SPO₂)

MASIMO RD SET DISPOSABLE SENSORS*

A	Masimo RD SET sensor, adult, disposable	MS33726
B	Masimo RD SET sensor, paediatric patient, disposable	MS33727
C	Masimo RD SET sensor, infant, disposable	MS33728
D	Masimo RD SET sensor, neonatal, disposable	MS33729
E	Masimo RD SET sensor, neonatal preterm, disposable	MS33730

*Tradeware

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



PULSE OXIMETRY (SPO₂)




MASIMO RD SET TRAUMA DISPOSABLE SENSORS*

For use with Masimo SET technology only.

A	Masimo Trauma sensor RD SET, adult, disposable	MS40088
B	Masimo Trauma sensor RD SET, infant/paed, disposable	MS40091
C	Masimo Trauma sensor RD SET, neonate, disposable	MS40094

*Tradeware

GAMMA / GAMMAXL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



PULSE OXIMETRY (SpO₂)

MASIMO ACCESSORIES*


A	SpO₂ adhesive wrap Masimo Multisite-Wrap, for LNOP YI SpO₂ sensor, 100 pcs.	7496917
B	SpO₂ adhesive wrap Masimo Petite-Wrap, for LNOP YI SpO₂ sensor, 100 pcs.	7496909
C	SpO₂ adhesive square Masimo, 12 pcs.	7496875
D	SpO₂ foam wrap Masimo Foam-Wrap, neonate, LNOP YI SpO₂ sensor, 12 pcs.	7496891

*Tradeware

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

MT-4305-2004



B

D-445-2014




C

D-2358-2011



D

MT-4304-2004



PULSE OXIMETRY (SPO₂)

A	Headband* LNCS TF-I, 5 pcs.	MP03197
B	Adhesive Pad* LNCS TF-I, 20 pcs.	MP03198

*Tradeware

GAMMA / GAMMAXL
GAMMA XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

■ ■ ■ ■ ■

■ ■ ■ ■ ■

A

D-446-2014



B

D-447-2014



PULSE OXIMETRY (SPO₂)

NELLCOR

DRÄGER/NELLCOR CABLES

SpO₂ intermediate cables for connection to MultiMed 5, 6, 12 and NeoMed Pods.

A	SpO ₂ intermediate cable Dräger/Nellcor, for MultiMed 5/6 and NeoMed Pods, 1 m	3368433							
	SpO ₂ intermediate cable Dräger/Nellcor, for MultiMed 5/6 and NeoMed Pods, 2 m	3375834							
SpO ₂ intermediate cables for connection to, MultiMed Plus/Plus OR, Infinity M300 and Nellcor Oximax.									
B	SpO ₂ intermediate cable Dräger/Nellcor, for MultiMed Plus/Plus OR, 1.2 m	MS18683							
C	SpO ₂ intermediate cable Dräger/Nellcor, for MultiMed Plus/Plus OR, 3 m	MS17330							

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

MT-344-2008



B

D-2394-2011



C

D-2393-2011



PULSE OXIMETRY (SPO₂)

NELLCOR REUSABLE SENSORS*


A	SpO₂ finger sensor Nellcor DURA DS 100A	7262764
B	SpO₂ multisite sensor Nellcor DURA-Y™, reusable	MX01004
C	Ear clip for Nellcor DURA-Y™	MX01005
D	Adhesive wrap for Nellcor Oxiband™ A/N, 100 pcs.	8201012
E	Adhesive wrap for Nellcor Oxiband™ P/I, 100 pcs.	2170221

*Tradeware

GAMMA / GAMMAXL
GAMMA XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

D-500-2014



B

D-35680-2009



C

MT-2355-2004



D

MT-2257-2004



E

MT-2218-2004




PULSE OXIMETRY (SPO₂)

NELLCOR DISPOSABLE SENSORS*

			GAMMA / GAMMA XL	GAMMA XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	SpO₂ adhesive sensor Nellcor Oximax Max-A, disposable, adult, cable 46 cm, 24 pcs.	MX50065	■	■	■	■	■	■	■
B	SpO₂ adhesive sensor Nellcor Oximax Max-AL, disposable, adult, cable 91 cm, 24 pcs.	MX50071	■	■	■	■	■	■	■
C	SpO₂ adhesive sensor Nellcor Oximax Max-I, disposable, child, 24 pcs.	MX50067	■	■	■	■	■	■	■
D	SpO₂ adhesive sensor Nellcor OxiSoft OxySoftN, disposable, neonate/adult, 24 pcs.	3730678	■	■	■	■	■	■	■
E	SpO₂ adhesive sensor Nellcor Oximax Max-P, disposable, child, 24 pcs.	MX50066	■	■	■	■	■	■	■

*Tradeware



PULSE OXIMETRY (SPO₂)

For use with Oximax technology.

A	SpO₂ adhesive sensor Nellcor Oximax Max-Fast*, disposable, application on forehead, 24 pcs.	MX50070
B	SpO₂ adhesive sensor Nellcor Oximax Max-R*, disposable, application on nose, 24 pcs.	MX50069
C	SpO₂ Nellcor FLEXMAX* Adt	MS34677
C	SpO₂ Nellcor FLEXMAX* Pdt	MS34678

*Tradeware

GAMMA / GAMMAXL
GAMMA XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

MT-164-2003



B

MT-162-2003



C

D-6923-2019





TEMPERATURE

1.4 TEMPERATURE

ADAPTER CABLES

A	Adapter cable, 7-pin connector for temperature probe with ¼" connector	5198333
B	Y-cable, reusable, 7-pin connector, for 2 temperature probes	5592154

GAMMA / GAMMAXL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



TEMPERATURE

SINGLE-PATIENT USE TEMPERATURE PROBES

A	<u>General-purpose temperature probe, single-patient use, adult, 7-pin connector, 1.6 m</u>	<u>MP00991</u>	
	<u>General-purpose temperature probe, single-patient use, adult, 7-pin connector, 3 m</u>	<u>MP00992</u>	
B	<u>General-purpose temperature probe, single-patient use, child, 7-pin connector, 1.6 m</u>	<u>MP00993</u>	
	<u>General-purpose temperature probe, single-patient use, child, 7-pin connector, 3 m</u>	<u>MP00994</u>	
C	<u>Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m</u>	<u>MP00995</u>	
	<u>Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m</u>	<u>MP00996</u>	
D	<u>Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m</u>	<u>MP00997</u>	
	<u>Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m</u>	<u>MP00998</u>	

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL
VISTA 300



TEMPERATURE

REUSABLE TEMPERATURE PROBES

		GAMMA / GAMMAXL	GAMMA XXL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889	■	■	■	■	■	■
A	General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644	■	■	■	■	■	■
A	General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848	■	■	■	■	■	■
A	General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651	■	■	■	■	■	■
B	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822	■	■	■	■	■	■
B	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669	■	■	■	■	■	■
	Protective cover* for general-purpose temperature probe, latex-free, 100 pcs.	MS40243	■	■	■	■	■	■

*Tradeware

A

D-2336-2011



B

D-2335-2011



NON-INVASIVE BLOOD PRESSURE (NIBP)

1.5 NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP HOSES

A	NIBP connection tube, adult, 3.7 m, for Infinity monitors	MP00953
B	NIBP hose, neonate, 2.4 m	2870298


GAMMA / GAMMA XL	
GAMMA X XL	
DELTA / DELTA XL	
KAPPA	
KAPPA XLT	
VISTA	
VISTA XL	



NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP CUFFS, REUSABLE


A								
			GAMMA / GAMMA XL	GAMMA XXL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA
1	NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911	■	■	■	■	■	■
2	NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912	■	■	■	■	■	■
3	NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913	■	■	■	■	■	■
4	NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915	■	■	■	■	■	■
5	NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916	■	■	■	■	■	■
6	NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917	■	■	■	■	■	■
7	NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918	■	■	■	■	■	■
8	NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919	■	■	■	■	■	■
9	NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921	■	■	■	■	■	■



NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP CUFFS, SINGLE-PATIENT USE

		GAMMA / GAMMA XL GAMMA X XL DELTA / DELTA XL KAPPA KAPPA XLT VISTA VISTA XL					
A	① NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924	■	■	■	■	■
	② NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925	■	■	■	■	■
	③ NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926	■	■	■	■	■
	④ NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928	■	■	■	■	■
	⑤ NIBP cuff M+, single-patient use, adult, long, 23 – 33 cm/43 cm, 10 pcs.	MP00929	■	■	■	■	■
	⑥ NIBP cuff M+ +, single-patient use, adult, extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930	■	■	■	■	■
	⑦ NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931	■	■	■	■	■
	⑧ NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932	■	■	■	■	■
	⑨ NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934	■	■	■	■	■



NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP CUFFS NEONATAL, DISPOSABLE

A	NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181								
B	NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199								
C	NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207								
D	NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215								
E	NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173								

GAMMA / GAMMAXL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

MT-2073-2007



B

MT-2072-2007



C

MT-2071-2007



D

MT-2069-2007



E

MT-2070-2007



CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

1.6 CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

	CNAP™ cuff controller and cradle	MS26125
A	CNAP™ intermediate cable for Infinity CNAP™ SmartPod, for CNAP™ controller	MS15893
B	CNAP™ cuff controller forearm strap	MS26122
C	Cuff controller cradle allows CNAP™ cuff controller to “slide” with movement of patient’s arm	MS26123

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

A	CNAP™ sensor cuff, size L	MS15896
B	CNAP™ sensor cuff, size M	MS15895
C	CNAP™ sensor cuff, size S	MS15894
D	Pod connection cable, 3 m	3368425
E	Universal pole mount	7485621

GAMMA / GAMMAXL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

1.7 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP AND CO HEMO PODS

A	Infinity MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures	MS20725
B	Patient parameter unit Infinity HemoMed Pod	5588822
C	Connection cable, connects HemoMed Pod to monitor, 3 m	5591925
	Connection cable, connects HemoMed Pod to monitor, 5 m	5591933
D	Universal pole mount	7485621

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP QUADHEMO ADAPTERS

For use with Infinity MPod-QuadHemo.

A	IBP transducer adapter cable, Codan/DPT, 2 m	2601235								
B	IBP transducer adapter cable, Codan/DPT, 0.3 m	2601234								
C	IBP transducer adapter cable, Abbott/Medex, Smiths/TranStar, 2 m	2601231								
D	IBP transducer adapter cable, Abbott/Medex, Smiths/TranStar, 0.3 m	2601230								
E	IBP transducer adapter cable, Utah Medical, 2 m	2601229								
F	IBP transducer adapter cable, Utah Medical, 0.3 m	2601228								

GAMMA / GAMMAXL
GAMMA XL
DELTA / DELTA XL
KAPPA
KAPPA XL
VISTA
VISTA XL


A

D-38316-2021



B

D-38317-2021




C

D-38319-2021



D

D-38320-2021




E

D-38322-2021



F



D-38328-2021



INVASIVE BLOOD PRESSURE (IBP)
AND CARDIAC OUTPUT (CO)

A	IBP transducer adapter cable, Dräger 7 pin, 2 m	2601227
B	IBP transducer adapter cable, Dräger 7 pin, 0.3 m	2601226
C	IBP transducer adapter cable, Dräger 10 pin, 2 m	2601225
D	IBP transducer adapter cable, Dräger 10 pin, 0.3 m	2601224

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					



INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

A	IBP transducer adapter cable, Argon/BD/Ohmeda, 2 m	2601223							
B	IBP transducer adapter cable, Argon/BD/Ohmeda, 0.3 m	2601222							
C	IBP transducer adapter cable, Baxter/Edwards, 2 m	2601221							
D	IBP transducer adapter cable, Baxter/Edwards, 0.3 m	2601220							
E	IBP transducer adapter cable, Codan/Xtrans, 0.3 m	2601236							


GAMMA / GAMMAXL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

D-38323-2021

**B**


D-38327-2021

**C**


D-38330-2021

**D**

D-38329-2021

**E**

D-38314-2021





INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP HEMO POD ADAPTERS AND PLATES

A	Pod adapter, 10 pin, for pressure transducer	3375958
B	Pod adapter, for pressure transducer Abbott/Medex/ICU Medical	5196998
C	Pod adapter, for Edwards pressure transducer	5196980
D	Pod adapter, for pressure transducer Argon/Merit Medical (former Becton Dickinson/Ohmeda)	3375941
	Pod adapter SensoNor, for connecting pressure transducer cables, 7 pin	MS23598



GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL




INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

A	IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott Transpac IV, 5 pcs.	7270460
B	IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott TranspacII/III/Braun, 5 pcs.	5192112
C	IBP pressure transducer plate, for Hemo4 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721416
D	IBP pressure transducer plate, for Hemo4 Pod, universal, 5 pcs.	4721424

GAMMA / GAMMAXL
GAMMA XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

**A**


D-2357-2011

B

D-9077-2009

C

D-2359-2011

D

D-8977-2009

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP Y-ADAPTERS AND CABLES

A	IBP Y-adapter, 7 pin	5592147
B	IBP Y-adapter, 10 pin	5731281
C	IBP adapter, 10 pin to 7 pin	3368383
D	IBP Y-adapter, 10 pin to 7 pin	5588095
E	IBP Y-cable, Baxter/Edwards, 3.7 m	5206607

GAMMA / GAMMA XL
GAMMA XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL





INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP MEMSCAP CABLES AND TRANSDUCERS

		GAMMA / GAMMAXL	GAMMA XXL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	IBP pressure transducer cable for Memscap (Capto/SensoNor), 3.7 m							
	4321563							
	IBP pressure transducer* for Memscap (Capto/SensoNor) 844, disposable, sterile, 50 pcs.							
	7864908							
B	IBP Y-cable, for Memscap (Capto/SensoNor), 3.7 m							
	5195180							
C	IBP pressure transducer set* for Memscap (Capto/SensoNor) 844, disposable, 10 pcs.							
	7489433							
D	IBP holder* for pressure transducer Memscap (Capto/SensoNor) 844, 4 pcs.							
	7864155							
E	IBP pressure transducer* for Memscap (Capto/SensoNor) 844, reusable							
	7489417							
	IBP pressure transducer set* for Memscap (Capto/SensoNor) 844							
	7498947							

*Tradeware




INVASIVE BLOOD PRESSURE (IBP)
AND CARDIAC OUTPUT (CO)

IBP OHMEDA CABLES AND TRANSDUCERS

A	IBP connection cable	
	Argon/Merit Medical, 3.7 m (12.1 ft)	3375933
B	IBP pressure transducer set*	
	Argon/Merit Medical, disposable, sterile, 5 pcs.	4528741

*Tradeware

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL




INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

CO CABLES, CATHETERS AND THERMISTORS

A	CO thermistor cable* Argon/Merit Medical	8420077
B	CO thermistor T-piece* Argon/Merit Medical	5741975
C	CO thermistor cable* Baxter/Edwards	8539983
D	CO connection cable, 1 m	3368458
E	CO catheter cable	8419160

*Tradeware

GAMMA / GAMMAXL
GAMMA XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

Dräger

Haemodynamic Connectivity

Infinity Acute Care System		Infinity Bedside Monitors	
Infinity M540 MS238972.0 M MS238973.0 M		Infinity Gamma X XL Vista XL	
Quad Hemo MS20785		Hemo2 4379435	
Dual Hemo MS20783		Hemo4 4315961	
PICCO MS16734		PICCO Gen II MS23133	
HemoMed 5508822		Cardiac Output (C.O.)	
Vendor specific adapter cables [A-B-C-D]		Vendor specific Hemo Pod adapters [AB-CD]	



INFINITY PiCCO

1.8 INFINITY PiCCO


A	Infinity PiCCO Gen II SmartPod	MS23133
	Infinity PiCCO Gen II SmartPod Kit	MS32282
B	CO thermistor cable* for Infinity PiCCO Pod	MS16919
	CO catheter cable for Infinity PiCCO Pod	MS16918
	CO cable for Infinity PiCCO Pod	MS16916
C	IBP transducer adapter cable, Dräger 10 pin	MS22532
D	Pod adapter, 10 pin, for pressure transducer	3375958
	Adapter cable* for Infinity PiCCO SmartPod, for 10-pin connector	MS16920

*Tradeware

GAMMA / GAMMAXL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL




INFINITY PiCCO



10-2016

INFINITY PiCCO GEN II SMARTPOD



BISPECTRAL INDEX (BIS)

1.9 BISPECTRAL INDEX (BIS)

INFINITY BISX SMARTPOD

A	Patient parameter unit	
	Infinity BISx SmartPod	MS14796

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



ELECTROENCEPHALOGRAPHY (EEG)

1.10 ELECTROENCEPHALOGRAPHY (EEG)

INFINITY EEG POD AND ACCESSORIES

A	<u>EEG electrode cable, colour-coded, 9 pcs.</u>	5947804
B	<u>Block for EEG referential lead conversion</u>	5954859
C	<u>EEG electrodes*, disposable, 25 pcs.</u>	MS29468

*Tradeware

GAMMA / GAMMAXL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



Not all articles are available worldwide.

NEUROMUSCULAR TRANSMISSION (NMT)

1.11 NEUROMUSCULAR TRANSMISSION (NMT)

INFINITY TRIDENT (NMT) SMARTPOD AND ACCESSORIES

A	NMT hand adapter Trident*	MS15086
B	NMT intermediate cable* for Infinity Trident (NMT) SmartPod, 1.9 m	7872174
	NMT electrode cable Trident*, 2-lead, 0.3 m	MS13218
C	Bed clip* for cables	MS15087

*Tradeware

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



CAPNOGRAPHY ETCO₂1.12 CAPNOGRAPHY ETCO₂

A	etCO₂ airway adapter, reusable, adult	4721796
A	etCO₂ airway adapter, reusable, neonate	4721788
B	CO₂ airway adapter*, adult, disposable, 10 pcs.	2606227
C	CO₂ airway adapter*, neonatal (infant/paediatric patient), disposable, 10 pcs.	2606228

*Tradeware

GAMMA / GAMMAXL
 GAMMA XXL
 DELTA / DELTA XL
 KAPPA
 KAPPA XLT
 VISTA
 VISTA XL

A

D-8978-2009




B

D-16293-2010



C

D-16294-2010



CAPNOGRAPHY ETCO₂

CO₂ CABLES

A **MCable Mainstream CO₂,
for Evita V family and Babylog VN family,
Infinity M540, Vista 120, Vista 120 S
and Delta VF9.1 and higher** **6871950**

B **Y-cable CO₂ and analog/sync** **MS22259**

CO₂ CUVETTES, DISPOSABLE

C **CO₂ cuvette disposable, adult, 10 pcs.** **MP01062**


D **CO₂ cuvette disposable, paediatric, 10 pcs.** **MP01063**

CO₂ CUVETTES, REUSABLE

E **CO₂ cuvette reusable, adult** **6870279**

F **CO₂ cuvette reusable, paediatric** **6870280**

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



CAPNOGRAPHY ETCO₂

ACCESSORIES

A	Parking holder for CO₂ sensor 6871950	8416352
B	Parking holder for CO₂ sensor 6871950 and 6873570, according to country approval	6873674

GAMMA / GAMMA XL
GAMMA XXL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A

D-45108-2015



B



D-45108-2015



CAPNOGRAPHY ETCO₂

A	etCO₂ Microstr. Intubated Adult/Paediatric patient - Extended Duration, 25 pcs.	MP15001
	etCO₂ Microstr. Intubated Adult/Paediatric patient - Short-term use, 25 pcs.	MP15002
B	etCO₂ Microstr. Intubated Infant/Neonatal - Extended Duration, 25 pcs.	MP15003
C	etCO₂ Microstr. Nasal Adult - Extended Duration, 25 pcs.	MP15004
	etCO₂ Microstr. Nasal Adult - Short-term use, 25 pcs.	MP15005
D	etCO₂ Microstr. Nasal Paediatric patient - Short-term use, 25 pcs.	MP15006
E	etCO₂ Microstr. Nasal Infant/Neonatal - Extended Duration, 25 pcs.	MP15007
F	etCO₂ Microstr. Nasal/Oral Adult - Short-term use, 25 pcs.	MP15008
G	etCO₂ Microstr. Nasal/Oral Paediatric patient - Short-term use, 25 pcs.	MP15009

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



CAPNOGRAPHY ETCO₂

A	CO ₂ Microstr. O ₂ Nasal Adult - Extended Duration, 25 pcs.	MP15010
	CO ₂ Microstr. O ₂ Nasal Paediatric patient - Extended Duration, 25 pcs.	MP15011
	CO ₂ Microstr. O ₂ Nasal/Oral Adult - Short-term use, 25 pcs.	MP15012
B	CO ₂ Microstr. O ₂ Nasal/Oral Paediatric patient - Short-term use, 25 pcs.	MP15013


GAMMA / GAMMAXL
GAMMA XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A



D-37073-2020

B



D-37071-2021

SCIO

1.13 SCIO

SCIO ACCESSORIES

A	Sample line, disposable, 10 pcs.	8290286
B	Water trap WaterLock 2, 12 pcs.	6872130
	Water trap Infinity ID WaterLock 2, 12 pcs.	6872020
	Sample gas return line for Fabius, with filter	M32692
C	Bacterial filter for Dräger patient monitors, disposable	8402868

A

D-37369-2015



B

D-14348-2017



C

MT-0107-2008



RECORDER PAPER

1.14 RECORDER PAPER

A	Recording paper for Infinity R 50, 50 mm, approx. 30 m, 10 rolls	4711201
---	--	---------

GAMMA / GAMMAXL

GAMMA XL


DELTA / DELTA XL

KAPPA

KAPPA XLT

VISTA

VISTA XL



INFINITY ACUTE CARE SYSTEM

2. INFINITY ACUTE CARE SYSTEM

2.1 ELECTROCARDIOGRAPHY (ECG)






MONOLEAD SINGLE-PIN CONNECTORS (2ND GENERATION)

A	ECG MonoLead, 3-lead, EUR, 2 m	MP05120
B	ECG MonoLead, 3-lead, AHA/US, 2 m	MP05121
C	ECG MonoLead, 5-lead, EUR, 2.5 m	MP05122
D	ECG MonoLead, 5-lead, AHA/US, 2.5 m	MP05123
E	ECG MonoLead, 6-lead, EUR, 3 m	MP05124
F	ECG MonoLead, 6-lead, AHA/US, 3 m	MP05125

MONOLEAD LONG, SINGLE-PIN CONNECTORS (2ND GENERATION)*

A	ECG MonoLead, 3-lead, EUR, 4.1 m	MP05130
B	ECG MonoLead, 3-lead, AHA/US, 4.1 m	MP05131
C	ECG MonoLead, 5-lead, EUR, 5.3 m	MP05132
D	ECG MonoLead, 5-lead, AHA/US, 5.3 m	MP05133
E	ECG MonoLead, 6-lead, EUR, 5.7 m	MP05134
F	ECG MonoLead, 6-lead, AHA/US, 5.7 m	MP05135

*Not for use with extension cables MS16256 and MP05115.




INFINITY ACUTE CARE SYSTEM

CHEST LEADS MONOLEAD (2ND GENERATION)

A	ECG MonoLead, 4-lead, EUR, 1.7 m	MP05126
B	ECG MonoLead, 4-lead, AHA/US, 1.7 m	MP05127
A	ECG MonoLead, 4-lead, EUR, 3.7 m*	MP05128
B	ECG MonoLead, 4-lead, AHA/US, 3.7 m*	MP05129



*Not for use with extension cables MS31435 and MP05114.



INFINITY ACUTE CARE SYSTEM

REUSABLE ECG LEADS SINGLE-PIN CONNECTORS

A	ECG cable, 3-lead, single-pin connector, IEC1 (European colour code), 1 m	MP03401
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US colour code), 1 m	MP03402
B	ECG cable, 5-lead, single-pin connector, IEC1 (European colour code), 1/1.5 m	MP03403
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US colour code), 1/1.5 m	MP03404
C	ECG cable, 6-lead, single-pin connector, IEC1 (European colour code), 1/1.5 m	MP03405
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US colour code), 1/1.5 m	MP03406
CHEST LEADS		
D	ECG cable, 4-lead, single-pin connector, IEC1 (European colour code), 1 m	MP03407
	ECG cable, 4-lead, single-pin connector, IEC2 (AHA/US colour code), 1 m	MP03408



INFINITY ACUTE CARE SYSTEM

SINGLE-PATIENT USE ECG LEADS
SINGLE-PIN CONNECTORS

A ECG cable, 3-lead, single-pin connector, single-patient use, IEC1 (European colour code), 1 m, 20 pcs. **MP00875**

ECG cable, 3-lead, single-pin connector, single-patient use, IEC2 (AHA/US colour code), 1 m, 20 pcs. **MP00877**

B ECG cable, 5-lead, single-pin connector, single-patient use, IEC1 (European colour code), 1/1.5 m, 20 pcs. **MP00879**

ECG cable, 5-lead, single-pin connector, single-patient use, IEC2 (AHA/US colour code), 1/1.5 m, 20 pcs. **MP00881**



C ECG cable, 6-lead, single-pin connector, single-patient use, IEC1 (European colour code), 1/1.5 m, 20 pcs. **MP03122**

ECG cable, 6-lead, single-pin connector, single-patient use, IEC2 (AHA/US colour code), 1/1.5 m, 20 pcs. **MP03123**

SINGLE-PATIENT USE ECG LEADS
SINGLE-PIN CONNECTOR FOR CHEST LEADS

D ECG cable, 4-lead, single-pin connector, single-patient use, IEC1 (European colour code), 1 m, 20 pcs. **MP03120**

ECG cable, 4-lead, single-pin connector, single-patient use, IEC2 (AHA/US colour code), 1 m, 20 pcs. **MP03121**



INFINITY ACUTE CARE SYSTEM

ELECTRODES

ECG electrodes*, single-patient use, neonate, 300 pcs. **5195024**

ECG electrodes*, child, disposable, 500 pcs. **3715689**

ECG electrodes*, adult, disposable, 400 pcs. **3715690**

NEONATAL ECG

ECG neonatal 3-lead adapter cable, 2 m **MS25951**

ECG ACCESSORIES

A ECG adapter for single-pin ECG cable to MultiMed 5 **MS14679**



ECG adapter for single-pin ECG cable to MultiMed 6 **MS14680**

B ECG "4-lead" spacer, 10 pcs. **MS22832**

C ECG extension cable, 6-lead, 2 m **MP05115**

D ECG extension cable, 4-lead, 2 m **MP05114**

*Tradeware



INFINITY ACUTE CARE SYSTEM

2.2 PULSE OXIMETRY (SPO₂)

MASIMO

For Masimo accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

MASIMO LNCS CABLES*

For connection of LNCS sensors to Masimo SET Mcable.

A	SpO₂ intermediate cable Masimo LNCS, 1.2 m	MP00800
A	SpO₂ intermediate cable Masimo LNCS, 3 m	MP00797
A	SpO₂ intermediate cable Masimo LNCS, 4.3 m	MP03194


For connection of LNCS sensors to Masimo rainbow SET Mcable.

B	SpO₂ intermediate cable Masimo Red LNCS, 1.2 m	MP02991
B	SpO₂ intermediate cable Masimo Red LNCS, 3 m	MP02992
B	SpO₂ intermediate cable Masimo Red LNCS, 4.3 m	MP03196

*Tradeware

A

D-502-2014



B

D-466-2014



INFINITY ACUTE CARE SYSTEM

MASIMO LNCS REUSABLE SENSORS*

A	SpO₂ finger sensor Masimo LNCS DCI, reusable, adult	MP00796
B	SpO₂ finger sensor Masimo LNCS DCIP, reusable, child	MP00795
	SpO₂ Masimo sensor LNCS-TC-I Ear, reusable, paediatric patient/adult	MP00788
	SpO₂ Masimo sensor LNCS-TF-I, reusable, paediatric patient/adult	MP00799
	SpO₂ Masimo sensor LNCS-YI Multisite, reusable, neonate/paediatric patient/adult	MP00789
C	SpO₂ Masimo sensor LNCS-DBI, reusable, adult	MP02993

*Tradeware



INFINITY ACUTE CARE SYSTEM

MASIMO LNCS DISPOSABLE SENSORS*

A	SpO₂ adhesive sensor Masimo LNCS Actx, disposable, adult, 20 pcs.	MP00790
B	SpO₂ adhesive sensor Masimo LNCS Inf, disposable, baby, 20 pcs.	MP00791
C	SpO₂ adhesive sensor Masimo LNCS Neo, disposable, neonate, 20 pcs.	MP00792
D	SpO₂ adhesive sensor Masimo LNCS Pctx, disposable, child, 20 pcs.	MP00793
E	SpO₂ adhesive sensor Masimo LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794

*Tradeware






INFINITY ACUTE CARE SYSTEM

MASIMO LNCS TRAUMA SENSORS*

Masimo LNCS Trauma sensors are for use with Masimo SET technology only.

A	Masimo LNCS Trauma sensor, adult, 20 pcs.	MP03191
B	Masimo LNCS Trauma sensor, infant/paed, 20 pcs.	MP03193
C	Masimo LNCS Trauma sensor, neonate, 20 pcs.	MP03192

*Tradeware



INFINITY ACUTE CARE SYSTEM

MASIMO RD SET CABLES*

For connection of RD SET sensors and rainbow sensors to Masimo rainbow SET Mcable.

A RD SET intermediate cable for Masimo SET Mcable, 1.5 m **MS33736**

A RD SET intermediate cable for Masimo SET Mcable, 3.6 m **MS33737**

For connection of RD SET sensors to Masimo rainbow SET Mcable.

B RD SET intermediate cable for Masimo rainbow SET Mcable, 1.5 m **MS33738**

B RD SET intermediate cable for Masimo rainbow SET Mcable, 3.6 m **MS33739**

MASIMO RD SET REUSABLE SENSORS*

C Masimo RD SET DCI sensor, adult, reusable **MS33740**

D Masimo RD SET DC-IP sensor, paediatric patient, reusable **MS33741**

E Masimo RD SET sensor TC-I Ear, paediatric patient/adult, reusable **MS40067**

F Masimo RD SET sensor YI Multisite, neonate/paediatric patient/adult, reusable **MS40070**

G Masimo RD SET sensor TF-I, paediatric patient/adult, reusable **MS40073**

Masimo RD SET sensor DB-I, adult, reusable **3718728**

*Tradeware



Not all articles are available worldwide.

INFINITY ACUTE CARE SYSTEM

MASIMO RD SET DISPOSABLE SENSORS*





A	Masimo RD SET sensor, adult, disposable	MS33726
B	Masimo RD SET sensor, paediatric patient, disposable	MS33727
C	Masimo RD SET sensor, infant, disposable	MS33728
D	Masimo RD SET sensor, neonatal, disposable	MS33729
E	Masimo RD SET sensor, neonatal preterm, disposable	MS33730

MASIMO RD SET TRAUMA DISPOSABLE SENSORS*

For use with Masimo SET technology only.

F	Masimo Trauma sensor RD SET, adult, disposable	MS40088
G	Masimo Trauma sensor RD SET, infant/paed, disposable	MS40091
	Masimo Trauma sensor RD SET, neonate, disposable	MS40094

*Tradeware



INFINITY ACUTE CARE SYSTEM

MASIMO RAINBOW CABLES*

For connection of RD SET sensors and rainbow sensors to Masimo rainbow SET Mcable.

A RD SET intermediate cable for Masimo rainbow SET Mcable, 1.5 m **MS33738**

A RD SET intermediate cable for Masimo rainbow SET Mcable, 3.6 m **MS33739**

MASIMO RAINBOW DISPOSABLE SENSORS (SPCO, SPMET, SPOC, PVI)*

B Masimo rainbow sensor 8 Lambda (SpO₂, SpCO, SpMet), disposable, adult, 10 pcs. **3702841**

C Masimo rainbow sensor 8 Lambda (SpO₂, SpCO, SpMet), disposable, child, 10 pcs. **3702837**

D Masimo rainbow sensor 8 Lambda (SpO₂, SpCO, SpMet), disposable, infant, 10 pcs. **3702834**




E Masimo rainbow sensor 8 Lambda (SpO₂, SpCO, SpMet), disposable, adult/neonate, 10 pcs. **3702831**

MASIMO RAINBOW REUSABLE SENSORS (SPCO, SPMET, SPOC, PVI)*

F Masimo rainbow sensor DCI (SpO₂, SpCO, SpMet), reusable, adult **3722471**

G Masimo rainbow sensor DCIP (SpO₂, SpCO, SpMet), reusable, paediatric patient **3722467**

*Tradeware



Not all articles are available worldwide.

INFINITY ACUTE CARE SYSTEM

MASIMO RD RAINBOW SET CABLE*

For connection of RD SET sensors and rainbow sensors to Masimo rainbow SET Mcable.

A RD SET intermediate cable for Masimo rainbow SET Mcable, 1.5 m **MS33738**

A RD SET intermediate cable for Masimo rainbow SET Mcable, 3.6 m **MS33739**

MASIMO RD RAINBOW DISPOSABLE SENSORS (SPHB, SPMET, SPOC, PVI)*



B Masimo RD rainbow SET sensor, disposable, adult **MS40076**

C Masimo RD rainbow SET sensor, disposable, paediatric patient **MS40079**

D Masimo RD rainbow SET sensor, disposable, infant **MS40082**

E Masimo RD rainbow SET sensor, disposable, neonate **MS40085**

*Tradeware






INFINITY ACUTE CARE SYSTEM

MASIMO ACCESSORIES*

A	SpO ₂ adhesive wrap Masimo Multisite-Wrap, for LNOP YI SpO ₂ sensor, 100 pcs.	7496917
B	SpO ₂ adhesive wrap Masimo Petite-Wrap, for LNOP YI SpO ₂ sensor, 100 pcs.	7496909
C	SpO ₂ adhesive square Masimo, 12 pcs.	7496875
D	SpO ₂ foam wrap Masimo Foam-Wrap, neonate, LNOP YI SpO ₂ sensor, 12 pcs.	7496891

*Tradeware



INFINITY ACUTE CARE SYSTEM

A	Headband* LNCS TF-I, 5 pcs.	MP03197
B	Adhesive Pad* LNCS TF-I, 20 pcs.	MP03198
C	Masimo rainbow sensor cover*, 10 pcs.	MP03203

*Tradeware



INFINITY ACUTE CARE SYSTEM

Dräger

Masimo SpO₂ and Rainbow Sensor Connectivity

INFINITY PATIENT MONITORS

M540

Masimo SET MCable MS2667

Masimo rainbow SET MCable MS27003 (order via MS27900)

Masimo SET Pod MS16358

Gamma XL (VF6, VF7)

Vista XL (VF6, VF7, VF8)

Delta/Delta XL/Kappa (VF6, VF7, VF8)

Infinity M300/M300+

M540080 1.2 m
MP00797 1.0 m
MP03194 1.3 m

M533736 1.5 m
M533737 3.6 m

M537738 1.5 m
M537739 3.6 m

MP00991 1.2 m
MP00992 3.0 m
MP03196 1.3 m

M534436 1.2 m
M534437 3.0 m

M524303 1.2 m
M517522 3.0 m

M533732

Multimed Plus MS20093 2.5 m
Multimed Plus OR MS20094 2.5 m

M516683 1.2 m
M517330 3.0 m

M533723

Multimed 5 SPO2 1.5 m
Multimed 6 3368391 2.5 m
Multimed 6 5191221 1.5 m

Multimed 12 SPO2 2.0 m
5559605

rainbow Sensors for SpO₂, PLS, PI, SpMet, SpOC, PVI and SpCb

Disposable

rainbow DCI 8L 372471
rainbow DCI 8L 372471
rainbow DCI 8L 372471
rainbow DCI 8L 372471

rainbow SET 2 Adt MS40076
rainbow SET 2 Adt MS40079
rainbow SET 2 Inf MS40082
rainbow SET 2 Neo MS40085

rainbow Sensors for SpO₂, PLS, PI, SpMet, SpOC, PVI and SpCb

Reusable

rainbow DCI 8L 372471
rainbow DCI 8L 372471
rainbow DCI 8L 372471
rainbow DCI 8L 372471

rainbow SET 2 Adt MS40076
rainbow SET 2 Adt MS40079
rainbow SET 2 Inf MS40082
rainbow SET 2 Neo MS40085

RD SET Sensors for SpO₂, PLS, PI, PVI**

Disposable

RD SET Adt MS33726
RD SET Inf MS33728
RD SET Neo MS33729
RD SET NeoPI MS33730

RD SET Adt MS33727
RD SET Neo MS33729
RD SET NeoPI MS33730

RD SET Adt MS33740
RD SET Inf MS33741
RD SET Neo MS33741
RD SET NeoPI MS33741

RD SET Adt MS40067
RD SET Inf MS40067
RD SET Neo MS40067
RD SET NeoPI MS40067

RD SET Adt MS40073
RD SET Inf MS40073
RD SET Neo MS40073
RD SET NeoPI MS40073

RD SET Adt MS40076
RD SET Inf MS40076
RD SET Neo MS40076
RD SET NeoPI MS40076

LNCs Sensors for SpO₂, PLS, PI, PVI**

Disposable

LNCs Adt MS00790
LNCs Inf MS00791
LNCs Neo MS00792
LNCs NeoPI MS00794

LNCs Adt MS00795
LNCs Inf MS00796
LNCs Neo MS00797
LNCs NeoPI MS00798

LNCs Adt MS00799
LNCs Inf MS00800
LNCs Neo MS00801
LNCs NeoPI MS00802

LNCs Adt MS00803
LNCs Inf MS00804
LNCs Neo MS00805
LNCs NeoPI MS00806

LNCs Adt MS00807
LNCs Inf MS00808
LNCs Neo MS00809
LNCs NeoPI MS00810

LNCs Adt MS00811
LNCs Inf MS00812
LNCs Neo MS00813
LNCs NeoPI MS00814

LNCs Adt MS00815
LNCs Inf MS00816
LNCs Neo MS00817
LNCs NeoPI MS00818

LNCs Adt MS00819
LNCs Inf MS00820
LNCs Neo MS00821
LNCs NeoPI MS00822

LNCs Adt MS00823
LNCs Inf MS00824
LNCs Neo MS00825
LNCs NeoPI MS00826

LNCs Adt MS00827
LNCs Inf MS00828
LNCs Neo MS00829
LNCs NeoPI MS00830

LNCs Adt MS00831
LNCs Inf MS00832
LNCs Neo MS00833
LNCs NeoPI MS00834

LNCs Adt MS00835
LNCs Inf MS00836
LNCs Neo MS00837
LNCs NeoPI MS00838

LNCs Adt MS00839
LNCs Inf MS00840
LNCs Neo MS00841
LNCs NeoPI MS00842

LNCs Adt MS00843
LNCs Inf MS00844
LNCs Neo MS00845
LNCs NeoPI MS00846

LNCs Adt MS00847
LNCs Inf MS00848
LNCs Neo MS00849
LNCs NeoPI MS00850

LNCs Adt MS00851
LNCs Inf MS00852
LNCs Neo MS00853
LNCs NeoPI MS00854

LNCs Adt MS00855
LNCs Inf MS00856
LNCs Neo MS00857
LNCs NeoPI MS00858

LNCs Adt MS00859
LNCs Inf MS00860
LNCs Neo MS00861
LNCs NeoPI MS00862

LNCs Adt MS00863
LNCs Inf MS00864
LNCs Neo MS00865
LNCs NeoPI MS00866

LNCs Adt MS00867
LNCs Inf MS00868
LNCs Neo MS00869
LNCs NeoPI MS00870

LNCs Adt MS00871
LNCs Inf MS00872
LNCs Neo MS00873
LNCs NeoPI MS00874

LNCs Adt MS00875
LNCs Inf MS00876
LNCs Neo MS00877
LNCs NeoPI MS00878

LNCs Adt MS00879
LNCs Inf MS00880
LNCs Neo MS00881
LNCs NeoPI MS00882

LNCs Adt MS00883
LNCs Inf MS00884
LNCs Neo MS00885
LNCs NeoPI MS00886

LNCs Adt MS00887
LNCs Inf MS00888
LNCs Neo MS00889
LNCs NeoPI MS00890

LNCs Adt MS00891
LNCs Inf MS00892
LNCs Neo MS00893
LNCs NeoPI MS00894

LNCs Adt MS00895
LNCs Inf MS00896
LNCs Neo MS00897
LNCs NeoPI MS00898

LNCs Adt MS00899
LNCs Inf MS00900
LNCs Neo MS00901
LNCs NeoPI MS00902

LNCs Adt MS00903
LNCs Inf MS00904
LNCs Neo MS00905
LNCs NeoPI MS00906

LNCs Adt MS00907
LNCs Inf MS00908
LNCs Neo MS00909
LNCs NeoPI MS00910

LNCs Adt MS00911
LNCs Inf MS00912
LNCs Neo MS00913
LNCs NeoPI MS00914

LNCs Adt MS00915
LNCs Inf MS00916
LNCs Neo MS00917
LNCs NeoPI MS00918

LNCs Adt MS00919
LNCs Inf MS00920
LNCs Neo MS00921
LNCs NeoPI MS00922

LNCs Adt MS00923
LNCs Inf MS00924
LNCs Neo MS00925
LNCs NeoPI MS00926

LNCs Adt MS00927
LNCs Inf MS00928
LNCs Neo MS00929
LNCs NeoPI MS00930

LNCs Adt MS00931
LNCs Inf MS00932
LNCs Neo MS00933
LNCs NeoPI MS00934

LNCs Adt MS00935
LNCs Inf MS00936
LNCs Neo MS00937
LNCs NeoPI MS00938

LNCs Adt MS00939
LNCs Inf MS00940
LNCs Neo MS00941
LNCs NeoPI MS00942

LNCs Adt MS00943
LNCs Inf MS00944
LNCs Neo MS00945
LNCs NeoPI MS00946

LNCs Adt MS00947
LNCs Inf MS00948
LNCs Neo MS00949
LNCs NeoPI MS00950

LNCs Adt MS00951
LNCs Inf MS00952
LNCs Neo MS00953
LNCs NeoPI MS00954

LNCs Adt MS00955
LNCs Inf MS00956
LNCs Neo MS00957
LNCs NeoPI MS00958

LNCs Adt MS00959
LNCs Inf MS00960
LNCs Neo MS00961
LNCs NeoPI MS00962

LNCs Adt MS00963
LNCs Inf MS00964
LNCs Neo MS00965
LNCs NeoPI MS00966

LNCs Adt MS00967
LNCs Inf MS00968
LNCs Neo MS00969
LNCs NeoPI MS00970

LNCs Adt MS00971
LNCs Inf MS00972
LNCs Neo MS00973
LNCs NeoPI MS00974

LNCs Adt MS00975
LNCs Inf MS00976
LNCs Neo MS00977
LNCs NeoPI MS00978

LNCs Adt MS00979
LNCs Inf MS00980
LNCs Neo MS00981
LNCs NeoPI MS00982

LNCs Adt MS00983
LNCs Inf MS00984
LNCs Neo MS00985
LNCs NeoPI MS00986

LNCs Adt MS00987
LNCs Inf MS00988
LNCs Neo MS00989
LNCs NeoPI MS00990

LNCs Adt MS00991
LNCs Inf MS00992
LNCs Neo MS00993
LNCs NeoPI MS00994

LNCs Adt MS00995
LNCs Inf MS00996
LNCs Neo MS00997
LNCs NeoPI MS00998

LNCs Adt MS00999
LNCs Inf MS01000
LNCs Neo MS01001
LNCs NeoPI MS01002

Dräger, the Dräger logo, Infinity, MCable and Multimed are registered trademarks of Dräger.

** PVI works only with Masimo rainbow SET MCable.

* Requires Nellcor sensor - software setting.

Not all articles are available worldwide.

INFINITY ACUTE CARE SYSTEM

NELLCOR

NELLCOR CABLES*

A	Nellcor intermediate cable, 1.2 m	MP00748
	Nellcor intermediate cable, 3 m	MS20979


NELLCOR REUSABLE SENSOR*

B	SpO₂ finger sensor Nellcor DURA DS 100A	7262764
	SpO₂ Nellcor FLEXMAX Adt	MS34677
	SpO₂ Nellcor FLEXMAX Pdt	MS34678

NELLCOR DISPOSABLE SENSORS*

C	SpO₂ adhesive sensor Nellcor Oximax Max-A, disposable, adult, cable 46 cm, 24 pcs.	MX50065
D	SpO₂ adhesive sensor Nellcor Oximax Max-AL, disposable, adult, cable 91 cm, 24 pcs.	MX50071
E	SpO₂ adhesive sensor Nellcor Oximax Max-I, disposable, child, 24 pcs.	MX50067
F	SpO₂ adhesive sensor Nellcor OxiSoft OxySoftN, disposable, neonate/adult, 24 pcs.	3730678
G	SpO₂ adhesive sensor Nellcor Oximax Max-P, disposable, child, 24 pcs.	MX50066

*Tradeware




INFINITY ACUTE CARE SYSTEM

2.3 TEMPERATURE

ADAPTER CABLE

A	Y-cable, reusable, 7-pin connector, for 2 temperature probes	5592154
---	--	---------



INFINITY ACUTE CARE SYSTEM

SINGLE-PATIENT USE TEMPERATURE PROBES

A	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00991
	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00992
B	General-purpose temperature probe, single-patient use, child, 7-pin connector, 1.6 m	MP00993
	General-purpose temperature probe, single-patient use, child, 7-pin connector, 3 m	MP00994
C	Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00995
	Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996
D	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997
	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998



INFINITY ACUTE CARE SYSTEM

REUSABLE TEMPERATURE PROBES

A	General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889
A	General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644
A	General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848
A	General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651
B	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822
B	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669
	Protective cover* for general-purpose temperature probe, latex-free, 100 pcs.	MS40243

*Tradeware



INFINITY ACUTE CARE SYSTEM

2.4 NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP HOSES


A	NIBP connection tube, adult, 3.7 m, for Infinity monitors	MP00953
B	NIBP hose, neonate, 2.4 m	2870298



INFINITY ACUTE CARE SYSTEM

NIBP CUFFS, REUSABLE

A	① NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911
	② NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912
	③ NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913
	④ NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915
	⑤ NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916
	⑥ NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917
	⑦ NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918
	⑧ NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919
	⑨ NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921



INFINITY ACUTE CARE SYSTEM

NIBP CUFFS, SINGLE-PATIENT USE

A	① NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	<u>MP00924</u>
	② NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	<u>MP00925</u>
	③ NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	<u>MP00926</u>
	④ NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	<u>MP00928</u>
	⑤ NIBP cuff M+, single-patient use, adult, long, 23 – 33 cm/43 cm, 10 pcs.	<u>MP00929</u>
	⑥ NIBP cuff M++, single-patient use, adult, extra long, 23 – 33 cm/53 cm, 10 pcs.	<u>MP00930</u>
	⑦ NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	<u>MP00931</u>
	⑧ NIBP cuff L+, single-patient use, large adult, long, 31 – 40 cm/55 cm, 10 pcs.	<u>MP00932</u>
	⑨ NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	<u>MP00934</u>



INFINITY ACUTE CARE SYSTEM

NIBP CUFFS NEONATAL, DISPOSABLE

A	NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181
B	NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199
C	NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207
D	NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215
E	NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173



INFINITY ACUTE CARE SYSTEM

2.5 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

A	MPod-Dual Hemo, 2 invasive blood pressures for M540*	MS20783
B	Infinity MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures*	MS20725
	Required to connect MPod-QuadHemo, Hemo2 or Hemo4 to IACS:	
C	M540 Hemo connection cable, 1.5 m	MS23897
	M540 Hemo connection cable, 3 m	MS23898
	Required to connect two MPod-QuadHemo:	
	Pod connection cable, 30 cm	7257988
	Pod connection cable, 3 m	3368425
	Pod connection cable, 5 m	5195198

*Adapter cable not included.



INFINITY ACUTE CARE SYSTEM

IBP TRANSDUCER ADAPTER CABLES

For use with Infinity MPod-QuadHemo.

A	IBP transducer adapter cable, Codan/DPT, 2 m	2601235
B	IBP transducer adapter cable, Codan/DPT, 0.3 m	2601234
C	IBP transducer adapter cable, Abbott/Medex, Smiths/TranStar, 2 m	2601231
D	IBP transducer adapter cable, Abbott/Medex, Smiths/TranStar, 0.3 m	2601230
E	IBP transducer adapter cable, Utah Medical, 2 m	2601229
F	IBP transducer adapter cable, Utah Medical, 0.3 m	2601228

A



D-38316-2021

B



D-38317-2021

C



D-38319-2021

D




D-38320-2021

E



D-38322-2021

F



D-38328-2021


INFINITY ACUTE CARE SYSTEM

A	IBP transducer adapter cable, Dräger 7 pin, 2 m	2601227
B	IBP transducer adapter cable, Dräger 7 pin, 0.3 m	2601226
C	IBP transducer adapter cable, Dräger 10 pin, 2 m	2601225
D	IBP transducer adapter cable, Dräger 10 pin, 0.3 m	2601224



INFINITY ACUTE CARE SYSTEM

A	IBP transducer adapter cable, Argon/BD/Ohmeda, 2 m	2601223
B	IBP transducer adapter cable, Argon/BD/Ohmeda, 0.3 m	2601222
C	IBP transducer adapter cable, Baxter/Edwards, 2 m	2601221
D	IBP transducer adapter cable, Baxter/Edwards, 0.3 m	2601220
E	IBP transducer adapter cable, Codan/Xtrans, 0.3 m	2601236



INFINITY ACUTE CARE SYSTEM


CO CABLES AND THERMISTORS

A	CO thermistor cable* Argon/Merit Medical	8420077
B	CO thermistor T-piece* Argon/Merit Medical	5741975
C	CO thermistor cable Baxter/Edwards	8539983
D	CO connection cable, 1 m	3368458
E	CO catheter cable	8419160

CARDIAC OUTPUT KITS

	Cardiac output kit, Baxter	7265155
	Cardiac output kit, Argon/Merit Medical	7265163

*Tradeware



INFINITY ACUTE CARE SYSTEM

2.6 ETCO₂CO₂ CABLES

A MCable Mainstream CO₂, for Evita V family and Babylog VN family, Infinity M540, Vista 120, Vista 120 S and Delta VF9.1 and higher **6871950**

B Y-cable CO₂ and analog/sync **MS22259**

CO₂ CUVETTES, DISPOSABLE

C CO₂ cuvette disposable, adult, 10 pcs. **MP01062**

D CO₂ cuvette disposable, paediatric, 10 pcs. **MP01063**

CO₂ CUVETTES, REUSABLE


E CO₂ cuvette reusable, adult **6870279**

F CO₂ cuvette reusable, paediatric **6870280**

ACCESSORIES


G Parking holder for CO₂ sensor 6871950 **8416352**

Test filter **6870281**





INFINITY ACUTE CARE SYSTEM

A	etCO₂ Microstr. Intubated Adult/Paediatric patient - Extended Duration, 25 pcs.	MP15001
	etCO₂ Microstr. Intubated Adult/Paediatric patient - Short-term use, 25 pcs.	MP15002
B	etCO₂ Microstr. Intubated Infant/Neonatal - Extended Duration, 25 pcs.	MP15003
D	etCO₂ Microstr. Nasal Adult - Extended Duration, 25 pcs.	MP15004
	etCO₂ Microstr. Nasal Adult - Short-term use, 25 pcs.	MP15005
D	etCO₂ Microstr. Nasal Paediatric patient - Short-term use, 25 pcs.	MP15006
E	etCO₂ Microstr. Nasal Infant/Neonatal - Extended Duration, 25 pcs.	MP15007
F	etCO₂ Microstr. Nasal/Oral Adult - Short-term use, 25 pcs.	MP15008
G	etCO₂ Microstr. Nasal/Oral Paediatric patient - Short-term use, 25 pcs.	MP15009



INFINITY ACUTE CARE SYSTEM

A	<u>CO₂ Microstr. O₂ Nasal Adult - Extended Duration, 25 pcs.</u>	<u>MP15010</u>
	<u>CO₂ Microstr. O₂ Nasal Paediatric patient - Extended Duration, 25 pcs.</u>	<u>MP15011</u>
	<u>CO₂ Microstr. O₂ Nasal/Oral Adult - Short-term use, 25 pcs.</u>	<u>MP15012</u>
B	<u>CO₂ Microstr. O₂ Nasal/Oral Paediatric patient - Short-term use, 25 pcs.</u>	<u>MP15013</u>



INFINITY ACUTE CARE SYSTEM

2.7 TOFSCAN NEUROMUSCULAR TRANSMISSION MONITOR*

ToFscan is a nerve stimulator module for measuring neuromuscular of neuromuscular transmission via accelerometry. It provides an easy, accurate way to measure patient muscle relaxation. ToFscan supports evidence-based judgement about the state of a patient's neuromuscular blockade.

A	ToFscan Kit configurator	MS32318
	Hand sensor, reusable, adult	MS32154
B	Hand sensor, reusable, adult, as of Software 1.8	MS40317
	Hand sensor, reusable, paediatric patient	MS32289
C	Hand sensor, reusable, paediatric patient, as of Software 1.8	MS40318
D	Hand sensor, reusable, small paediatric patient, as of Software 1.8	MS40319
	Eyebrow sensor, reusable	MS32291
E	Eyebrow sensor, reusable, as of Software 1.8	MS40321
	Tape for Eyebrow Sensor, 96 pcs.	MS34209
	Foot sensor, reusable	MS32290
F	Foot sensor, reusable, as of Software 1.8	MS40322
G	Disposable hand sensor, adult, as of Software 1.8.5	MS40320
	Intermediate cable for disposable sensor 3 m, reusable	MS40323

*Tradeware

TOFSCAN MONITOR
TOFSCAN MONITOR,
SOFTWARE 1.8



INFINITY ACUTE CARE SYSTEM

TOFSCAN NEUROMUSCULAR
TRANSMISSION MONITOR*

A	Extension cable	MS32153	■	■
B	Mount clamp 10 – 40 mm (0.4 – 1.57 in)	MS32150	■	■
	Mount clamp 20 – 60 mm (0.79 – 2.36 in)	MS32151	■	■
C	Optic serial RS 232 cable (1 metre) to connect the device to a Dräger monitorAC	MS32156	■	■
	Optic serial RS 232 cable (2.5 metre) to connect the device to a Dräger monitorAC	MS40021	■	■

*Tradeware

TOFSCAN MONITOR
TOFSCAN MONITOR,
SOFTWARE 1.8

A

D-28517-2015



B

D-28533-2015



C

D-28509-2015







INFINITY M300

3. INFINITY M300

3.1 ELECTROCARDIOGRAPHY (ECG)

MONOLEAD SINGLE-PIN CONNECTORS (2ND GENERATION)

A	ECG MonoLead, 3-lead, EUR, 2 m	MP05120
B	ECG MonoLead, 3-lead, AHA/US, 2 m	MP05121
C	ECG MonoLead, 5-lead, EUR, 2.5 m	MP05122
D	ECG MonoLead, 5-lead, AHA/US, 2.5 m	MP05123
E	ECG MonoLead, 6-lead, EUR, 3 m	MP05124
F	ECG MonoLead, 6-lead, AHA/US, 3 m	MP05125



INFINITY M300


ECG-LEAD SETS FOR TELEMETRY

Infinity TruST™ Telemetry lead sets can also be used in combination with MultiMed Plus. Shielded, not for use in the OR.

A	ECG cable, 3-lead Infinity TruST™, IEC1 (European colour code), 70 cm	MP03421
	ECG cable, 3-lead Infinity TruST™, IEC2 (AHA/US colour code), 70 cm	MP03422
B	ECG cable, 5-lead Infinity TruST™, IEC1 (European colour code), 70 cm	MP03423
	ECG cable, 5-lead Infinity TruST™, IEC2 (AHA/US colour code), 70 cm	MP03424
C	ECG cable, 6-lead Infinity TruST™, IEC1 (European colour code), 70 cm	MP03425
	ECG cable, 6-lead Infinity TruST™, IEC2 (AHA/US colour code), 70 cm	MP03426

REUSABLE ECG LEADS SINGLE-PIN CONNECTORS

D	ECG cable, 3-lead, single-pin connector, IEC1 (European colour code), 1 m	MP03401
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US colour code), 1 m	MP03402
E	ECG cable, 5-lead, single-pin connector, IEC1 (European colour code), 1/1.5 m	MP03403
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US colour code), 1/1.5 m	MP03404
F	ECG cable, 6-lead, single-pin connector, IEC1 (European colour code), 1/1.5 m	MP03405
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US colour code), 1/1.5 m	MP03406



INFINITY M300

SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTORS

A	ECG cable, 3-lead, single-pin connector, single-patient use, IEC1 (European colour code), 1 m, 20 pcs.	MP00875
	ECG cable, 3-lead, single-pin connector, single-patient use, IEC2 (AHA/US colour code), 1 m, 20 pcs.	MP00877
B	ECG cable, 5-lead, single-pin connector, single-patient use, IEC1 (European colour code), 1/1.5 m, 20 pcs.	MP00879
	ECG cable, 5-lead, single-pin connector, single-patient use, IEC2 (AHA/US colour code), 1/1.5 m, 20 pcs.	MP00881
C	ECG cable, 6-lead, single-pin connector, single-patient use, IEC1 (European colour code), 1/1.5 m, 20 pcs.	MP03122
	ECG cable, 6-lead, single-pin connector, single-patient use, IEC2 (AHA/US colour code), 1/1.5 m, 20 pcs.	MP03123



INFINITY M300

3.2 PULSE OXIMETRY (SPO₂)

DRÄGER

DRÄGER CABLES

A	SpO ₂ intermediate cable Dräger/Nellcor, for MultiMed Plus/Plus OR, 1.2 m	MS18683
B	SpO ₂ intermediate cable Dräger/Nellcor, for MultiMed Plus/Plus OR, 3 m	MS17330



INFINITY M300

DRÄGER REUSABLE SENSOR

A	SpO₂ finger sensor Dräger, reusable	MS13235
----------	---	----------------

DRÄGER DISPOSABLE SENSORS

B	SpO₂ adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.	MS16449
----------	--	----------------

C	SpO₂ adhesive sensor Dräger, foam, disposable, adult, 24 pcs.	MS16445
----------	---	----------------

D	SpO₂ adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.	MS16448
----------	--	----------------

E	SpO₂ adhesive sensor Dräger, foam, disposable, child, 24 pcs.	MS16444
----------	---	----------------



INFINITY M300

MASIMO

For Masimo accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

MASIMO LNCS CABLES*

A	SpO₂ intermediate cable Masimo LNCS, 3 m	MS17522
A	SpO₂ intermediate cable Masimo LNCS, 1.2 m	MS24303

MASIMO LNCS REUSABLE SENSORS*

B	SpO₂ finger sensor Masimo LNCS DCI, reusable, adult	MP00796
C	SpO₂ finger sensor Masimo LNCS DCIP, reusable, child	MP00795
	SpO₂ Masimo sensor LNCS-TC-I Ear, reusable, paediatric patient/adult	MP00788
	SpO₂ Masimo sensor LNCS-YI Multisite, reusable, neonate/paediatric patient/adult	MP00789
	SpO₂ Masimo sensor LNCS-TF-I, reusable, paediatric patient/adult	MP00799
D	SpO₂ Masimo sensor LNCS-DBI, reusable, adult	MP02993

MASIMO LNCS DISPOSABLE SENSORS*


E	SpO₂ adhesive sensor Masimo LNCS Aidx, disposable, adult, 20 pcs.	MP00790
F	SpO₂ adhesive sensor Masimo LNCS Inf, disposable, baby, 20 pcs.	MP00791
G	SpO₂ adhesive sensor Masimo LNCS Pidx, disposable, child, 20 pcs.	MP00793

*Tradeware

Not all articles are available worldwide.

A

D-438-2014



B

MT-342-2008




C

MT-341-2008



D

D-463-2014



E

D-32549-2011



F

D-32551-2011



G

D-501-2014



INFINITY M300

MASIMO RD SET ADAPTER CABLES*

A	Adapter cable RD SET to LNOP, for connection of RD SET sensors to Infinity M300 and Masimo SET Pod via the LNOP intermediate cables MS18680 and MS17041, as well as to MultiMed 5/6/12, NeoMed Pods and MultiMed Plus/Plus OR via the according intermediate cables MS13926/7492601 or MS20163**	MS33731
B	Adapter cable RD SET to LNCS, for connection of RD SET sensors to Infinity M300 and Masimo SET Pod via the LNCS intermediate cables MS24303 or MS17522	MS33732
	SpO₂ intermediate cable Masimo RD SET, 3 m (9.8 ft)	MS34437
	SpO₂ intermediate cable Masimo RD SET, 1.2 m (3.9 ft)	MS34436

MASIMO RD SET DISPOSABLE SENSORS*



C	Masimo RD SET sensor, adult, disposable	MS33726
D	Masimo RD SET sensor, paediatric patient, disposable	MS33727

MASIMO RD SET REUSABLE SENSORS*

E	Masimo RD SET DCI sensor, adult, reusable	MS33740
F	Masimo RD SET DC-IP sensor, paediatric patient, reusable	MS33741
G	Masimo RD SET sensor DB-I, adult, reusable	3718728

*Tradeware

**Products are not available any more. Adapter is to be used to switch from sensors to the installed base.




INFINITY M300

MASIMO ACCESSORIES*

A	SpO ₂ adhesive wrap Masimo Multisite-Wrap, for LNOP YI SpO ₂ sensor, 100 pcs.	7496917
B	SpO ₂ adhesive wrap Masimo Petite-Wrap, for LNOP YI SpO ₂ sensor, 100 pcs.	7496909
C	SpO ₂ adhesive square Masimo, 12 pcs.	7496875
D	SpO ₂ foam wrap Masimo Foam-Wrap, neonate, LNOP YI SpO ₂ sensor, 12 pcs.	7496891

*Tradeware



INFINITY M300

NELLCOR

NELLCOR CABLES*

A SpO₂ intermediate cable Dräger/Nellcor, for MultiMed Plus/Plus OR, 1.2 m **MS18683**

B SpO₂ intermediate cable Dräger/Nellcor, for MultiMed Plus/Plus OR, 3 m **MS17330**

NELLCOR REUSABLE SENSOR*

C SpO₂ finger sensor Nellcor DURA DS 100A **7262764**

NELLCOR DISPOSABLE SENSORS*


D SpO₂ adhesive sensor Nellcor Oximax Max-A, disposable, adult, cable 46 cm, 24 pcs. **MX50065**

E SpO₂ adhesive sensor Nellcor Oximax Max-AL, disposable, adult, cable 91 cm, 24 pcs. **MX50071**

F SpO₂ adhesive sensor Nellcor Oximax Max-P, disposable, child, 24 pcs. **MX50066**

G SpO₂ adhesive sensor Nellcor OxiSoft OxySoftN, disposable, neonate/adult, 24 pcs. **3730678**

*Tradeware



INFINITY M300

3.3 POUCH

A	Telemetry transmitter pouch, disposable, 100 pcs.	MS22905
---	---	---------

3.4 CODENSATION

B	Holder for Infinity M300 bedside charger, swiveling 360°	MP00990
---	--	---------



MULTI VENDOR ADAPTER

4. MULTI VENDOR ADAPTER

Multi Vendor Accessories (MVA)


4.1 ECG ADAPTER*

A	ECG Adapter, 3-lead GE	MP04322
	ECG Adapter, 5-lead GE	MP04320
B	ECG Adapter, 3-lead Mindray	MP04312
	ECG Adapter, 5-lead Mindray	MP04310
C	ECG Adapter, 3-lead NK	MP04316
	ECG Adapter, 6-lead NK	MP04315
D	ECG Adapter, 3-lead Philips	MP04325
	ECG Adapter, 5-lead Philips	MP04326
	ECG Adapter, 6-lead Philips	MP04327
E	ECG Adapter, 3-lead Spacelabs	MP04300
	ECG Adapter, 5-lead Spacelabs	MP04301
F	ECG Adapter, 3-lead Welch Allyn	MP04305
	ECG Adapter, 5-lead Welch Allyn	MP04306

*Tradeware



MULTI VENDOR ADAPTER



Not all articles are available worldwide.

MULTI VENDOR ADAPTER

4.2 ECG ADAPTER TELEMETRY*

A	ECG Adapter tel, GE-AP-CH, 3-lead	MP04350
	ECG Adapter tel, GE-AP-CH, 5-lead	MP04351
	ECG Adapter tel, GE-AP-CH, 6-lead	MP04352
B	ECG Adapter tel, GE-AP-FH, 5-lead	MP04353
C	ECG Adapter tel, PH MX40, 3-lead	MP04355
	ECG Adapter tel, PH MX40, 5-lead	MP04356
	ECG Adapter tel, PH MX40, 6-lead	MP04357
D	ECG Adapter tel, PH M, 5-lead	MP04358
	ECG Adapter tel, PH M, 6-lead	MP04359
E	ECG Adapter tel, SL AT, 5-lead	MP04365
F	ECG Adapter tel, SL UV, 5-lead	MP04366

4.3 TEMP ADAPTER


	Temp adapter, Jack connector	MP00943
G	TEMP Adapter 2 pin	MP00944

*Tradeware

Not all articles are available worldwide.



MULTI VENDOR ADAPTER



Dräger
temperature
sensors



GE
MP00943



Philips
MP00943



Spacelabs
MP00943



Welch Allyn
MP00943



Nihon Kohden
MP00943



Mindray
MP00944



GE
2016998-001
2021700-001
2021701-001



Philips
989803163281



Spacelabs
700-0031-00



Welch Allyn
008-0235-00



Nihon Kohden
K961 JT 900P



Mindray
040-001235-00



VISTA 120/VISTA 300

5. VISTA 120/VISTA 300

5.1 ELECTROCARDIOGRAPHY (ECG)

Not all articles are available worldwide.

VISTA 120/VISTA 300 ECG SINGLE-PIN

A	ECG defib trunk cable, 3/5-lead single-pin, IEC/AHA, 1.5 m	2612020	■ ■
	ECG defib trunk cable, 3/5-lead single-pin, IEC/AHA, 2.5 m	2612021	■ ■
B	ECG ESU trunk cable, 3/5-lead single-pin, IEC/AHA, 1.5 m	2612024	■ ■
	ECG ESU trunk cable, 3/5-lead single-pin, IEC/AHA, 2.5 m	2612025	■ ■
C	ECG defib trunk cable, neonate, single-pin, IEC/AHA, 1.5 m	2612026	■ ■
	ECG defib trunk cable, neonate, single-pin, IEC/AHA, 2.5 m	2612027	■ ■
D	ECG ESU trunk cable, neonate, single-pin, IEC/AHA, 1.5 m	2612028	■ ■
	ECG ESU trunk cable, neonate, single-pin, IEC/AHA, 2.5 m	2612029	■ ■
	ECG trunk cable, 12-lead, single-pin, Vista 300	2601963	■
	The cable may only be used with the 4-leads and 6-leads.		
	ECG neonatal 3-lead adapter cable, 2 m	MS25951	■ ■


VISTA 120
VISTA 300



VISTA 120/VISTA 300

VISTA 120
VISTA 300

A	<u>ECG leadwire, 3-lead single-pin, IEC, 1 m</u>	<u>2612000</u>	■	■
	<u>ECG leadwire, 3-lead single-pin, AHA, 1 m</u>	<u>2612001</u>	■	■
	<u>ECG leadwire, 5-lead single-pin, IEC, 1.5 m</u>	<u>2612002</u>	■	■
B	<u>ECG leadwire, 5-lead single-pin, AHA, 1.5 m</u>	<u>2612003</u>	■	■




VISTA 120/VISTA 300

INFINITY ECG CABLES

The following lead cables from the Infinity ECG portfolio can be used together with the Vista 120 single-pin connection cables.

A	ECG cable, 3-lead, single-pin connector, IEC1 (European colour code), 1 m	MP03401
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US colour code), 1 m	MP03402
B	ECG cable, 5-lead, single-pin connector, IEC1 (European colour code), 1/1.5 m	MP03403
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US colour code), 1/1.5 m	MP03404
C	ECG cable, 3-lead, single-pin connector, single-patient use, IEC1 (European colour code), 1 m, 20 pcs.	MP00875
	ECG cable, 3-lead, single-pin connector, single-patient use, IEC2 (AHA/US colour code), 1 m, 20 pcs.	MP00877
D	ECG cable, 5-lead, single-pin connector, single-patient use, IEC1 (European colour code), 1/1.5 m, 20 pcs.	MP00879
	ECG cable, 5-lead, single-pin connector, single-patient use, IEC2 (AHA/US colour code), 1/1.5 m, 20 pcs.	MP00881



VISTA 120
VISTA 300



VISTA 120/VISTA 300

VISTA 120
VISTA 300

A	ECG cable, 6-lead, single-pin connector, IEC1 (European colour code), 1/1.5 m	MP03405	■ ■
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US colour code), 1/1.5 m	MP03406	■ ■
B	ECG cable, 4-lead, single-pin connector, IEC1 (European colour code), 1 m	MP03407	■ ■
	ECG cable, 4-lead, single-pin connector, IEC2 (AHA/US colour code), 1 m	MP03408	■ ■
C	ECG cable, 6-lead, single-pin connector, single-patient use, IEC1 (European colour code), 1/1.5 m, 20 pcs.	MP03122	■ ■
	ECG cable, 6-lead, single-pin connector, single-patient use, IEC2 (AHA/US colour code), 1/1.5 m, 20 pcs.	MP03123	■ ■
D	ECG cable, 4-lead, single-pin connector, single-patient use, IEC1 (European colour code), 1 m, 20 pcs.	MP03120	■ ■
	ECG cable, 4-lead, single-pin connector, single-patient use, IEC2 (AHA/US colour code), 1 m, 20 pcs.	MP03121	■ ■







VISTA 120/VISTA 300

The following lead cables from the Infinity ECG portfolio can be used together with the Vista 120 single-pin connection cables.

A	ECG MonoLead, 3-lead, EUR, 2 m	MP05120	■ ■
B	ECG MonoLead, 3-lead, AHA/US, 2 m	MP05121	■ ■
C	ECG MonoLead, 5-lead, EUR, 2.5 m	MP05122	■ ■
D	ECG MonoLead, 5-lead, AHA/US, 2.5 m	MP05123	■ ■
E	ECG MonoLead, 3-lead, EUR, 4.1 m	MP05130	■ ■
	ECG MonoLead, 3-lead, AHA/US, 4.1 m	MP05131	■ ■
F	ECG MonoLead, 5-lead, EUR, 5.3 m	MP05132	■ ■
	ECG MonoLead, 5-lead, AHA/US, 5.3 m	MP05133	■ ■





VISTA 120
VISTA 300



VISTA 120/VISTA 300

VISTA 120
VISTA 300

A	ECG MonoLead, 6-lead, EUR, 3 m	MP05124	■ ■
	ECG MonoLead, 6-lead, AHA/US, 3 m	MP05125	■ ■
B	ECG MonoLead, 4-lead, EUR, 1.7 m	MP05126	■ ■
C	ECG MonoLead, 4-lead, AHA/US, 1.7 m	MP05127	■ ■
B	ECG MonoLead, 4-lead, EUR, 3.7 m	MP05128	■ ■
C	ECG MonoLead, 4-lead, AHA/US, 3.7 m	MP05129	■ ■
D	ECG MonoLead, 6-lead, EUR, 5.7 m	MP05134	■ ■
E	ECG MonoLead, 6-lead, AHA/US, 5.7 m	MP05135	■ ■



VISTA 120/VISTA 300

VISTA 120 DUAL-PIN ECG CABLES

A	ECG trunk cable, 5-lead, IEC/AHA colour code	2606496	■
	ECG trunk cable, 3-lead, IEC/AHA colour code	2606495	■
B	ECG trunk cable, 3-lead, for neonates, IEC & AHA	2606492	■
C	ECG limb wires, 5-lead, Grabber, IEC colour code	2606494	■
	ECG limb wires, 3-lead, Grabber, IEC colour code	2606493	■
D	ECG limb wires, 5-lead, Grabber, AHA colour code	2606498	■
	ECG limb wires, 3-lead, Grabber, AHA colour code	2606497	■
	ECG electrodes*, neonate, single-patient use, 300 pcs.	5195024	■ ■
	ECG electrodes*, child, disposable, 500 pcs.	3715689	■ ■
	ECG electrodes*, adult, disposable, 400 pcs.	3715690	■ ■
	ECG extension cable, 6-lead, 2 m	MP05115	■
	ECG extension cable, 4-lead, 2 m	MP05114	■

*Tradeware

VISTA 120
VISTA 300



VISTA 120/VISTA 300

5.2 PULSE OXIMETRY (SPO₂)DRÄGER SPO₂

Not for use with Vista 120 Nellcor models.

A	SpO₂ finger sensor, adult, 2.5 m, reusable	2606483	■ ■
B	SpO₂ finger sensor, adult, 1 m, reusable	2606484	■ ■
C	SpO₂ extension cable, 2 m, reusable	2606487	■ ■
D	SpO₂ silicone soft-tip sensor, adult, 1 m, reusable	2606485	■ ■
	SpO₂ silicone soft-tip sensor, paediatric patient, 1 m, reusable	2606486	■ ■
E	SpO₂ sensor*, adult, 0.5 m, disposable, 25 pcs.	2606208	■ ■
F	SpO₂ sensor*, paediatric patient, 0.5 m, disposable, 25 pcs.	2606209	■ ■
G	SpO₂ sensor*, infant, 0.5 m, disposable, 25 pcs.	2606210	■ ■
	SpO₂ sensor*, neonate, 0.5 m, disposable, 25 pcs.	2606211	■ ■

*Tradeware

VISTA 120
VISTA 300

Not all articles are available worldwide.

VISTA 120/VISTA 300

NELLCOR OXIMAX SPO₂*

Only for use with Vista 120 Nellcor models.

A	Nellcor intermediate cable, 1.2 m	MP00748
	Nellcor intermediate cable, 3 m	MS20979
B	SpO₂ finger sensor Nellcor DURA DS 100A	7262764
C	SpO₂ multisite sensor Nellcor DURA-Y™, reusable	MX01004
D	Ear clip for Nellcor DURA-Y™	MX01005
E	SpO₂ adhesive sensor Nellcor Oximax Max-Fast, disposable, application on forehead, 24 pcs.	MX50070
	Adapter cable Masimo/Nellcor SpO₂, Vista 300	2601008
	SpO₂ Mounting Clio for SpO₂ Pod	2601720
	MCable-Nellcor OxiMax	MS20668

*Tradeware

VISTA 120
VISTA 300




VISTA 120/VISTA 300

A	SpO₂ adhesive sensor Nellcor Oximax Max-A*, disposable, adult, cable 46 cm, 24 pcs.	<u>MX50065</u>
B	SpO₂ adhesive sensor Nellcor Oximax Max-AL*, disposable, adult, cable 91 cm, 24 pcs.	<u>MX50071</u>
C	SpO₂ adhesive sensor Nellcor Oximax Max-P*, disposable, child, 24 pcs.	<u>MX50066</u>
D	SpO₂ adhesive sensor Nellcor Oximax Max-I*, disposable, child, 24 pcs.	<u>MX50067</u>
	SpO₂ adhesive sensor Max N*, 24pcs.	<u>MX50068</u>
E	SpO₂ adhesive sensor Nellcor Oximax Max-R*, disposable, application on nose, 24 pcs.	<u>MX50069</u>

*Tradeware

VISTA 120
VISTA 300




VISTA 120/VISTA 300

A	Adhesive wrap for Nellcor Oxiband™ A/N*, 100 pcs.	8201012
B	Adhesive wrap for Nellcor Oxiband™ P/I*, 100 pcs.	2170221
C	SpO₂ Nellcor FLEXMAX* Adt	MS34677
C	SpO₂ Nellcor FLEXMAX* Pdt	MS34678

*Tradeware

VISTA 120
VISTA 300



VISTA 120/VISTA 300

5.3 NON-INVASIVE BLOOD PRESSURE (NIBP)*

A	NIBP tube, 3 m	2601195	■ ■
B	NIBP cuff, infant, 10 cm – 15 cm, reusable, Vista Patient Monitoring System	2606151	■ ■
C	NIBP cuff, small child, 13 cm – 17 cm, reusable, Vista Patient Monitoring System	2606152	■ ■
D	NIBP cuff, child, 16 cm - 21 cm, reusable, Vista Patient Monitoring System	2606153	■ ■
E	NIBP cuff, small adult, 20.5 cm – 28 cm, reusable, Vista Patient Monitoring System	2606154	■ ■
F	NIBP cuff, adult, 27 cm – 35 cm, reusable, Vista Patient Monitoring System	2606155	■ ■
G	NIBP cuff, larger adult, 34 cm – 43 cm, reusable, Vista Patient Monitoring System	2606156	■ ■

*Tradeware

VISTA 120
VISTA 300

A

D-16306-2010



D-6383-2017



D-6384-2017



D

D-12483-2014



D-6382-2017



F

D-12481-2014



G

D-6381-2017



Not all articles are available worldwide.

VISTA 120/VISTA 300

A	NIBP cuff*, neonatal #1, 3 – 6 cm, disposable, 20 pcs., Vista Patient Monitoring System	2607034
B	NIBP cuff*, neonatal #2, 4 – 8 cm, disposable, 20 pcs., Vista Patient Monitoring System	2607035
C	NIBP cuff*, neonatal #3, 6 – 11 cm, disposable, 20 pcs., Vista Patient Monitoring System	2607036
D	NIBP cuff*, neonatal #4, 7 – 13 cm, disposable, 20 pcs., Vista Patient Monitoring System	2607037
E	NIBP cuff*, neonatal #5, 8 – 15 cm, disposable, 20 pcs., Vista Patient Monitoring System	2607038

*Tradeware


VISTA 120
VISTA 300

VISTA 120/VISTA 300

5.4 TEMPERATURE

Temperature probe skin*, adult, 3 m, reusable	2601197
Temperature probe*, rectal/oral, adult, 3 m, reusable	2601198
A Temperature probe skin*, neonate/infant, 3 m, reusable	2601200
B Temperature probe*, rectal/oral, neonatal/infant, 3 m, reusable	2601199
Protective cover* for general-purpose temperature probe, latex-free, 100 pcs.	MS40243
*Tradeware	
Temp adapter Jack Vista 300	2600885
Temp adapter, Jack connector	MP00943

VISTA 120
VISTA 300



VISTA 120/VISTA 300VISTA 120
VISTA 300**REUSABLE TEMPERATURE PROBES**

A	General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889
A	General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644
A	General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848
A	General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651
B	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822
B	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669
	Protective cover* for general-purpose temperature probe, latex-free, 100 pcs.	MS40243

*Tradeware

A

D-2336-2011

B

D-2335-2011

VISTA 120/VISTA 300

VISTA 120
VISTA 300

The following temperature probes from the Infinity temperature portfolio can be used from software 3.11 with the Vista 120 in combination with the MP00943 and with the Vista 300 in combination with the 2600885.

SINGLE-PATIENT USE TEMPERATURE PROBES

A	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00991	■	■
	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00992	■	■
B	General-purpose temperature probe, single-patient use, child, 7-pin connector, 1.6 m	MP00993	■	■
	General-purpose temperature probe, single-patient use, child, 7-pin connector, 3 m	MP00994	■	■
C	Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00995	■	■
	Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996	■	■
D	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997	■	■
	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998	■	■



VISTA 120/VISTA 300

5.5 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT* (CO)

*For supported Vista 120 models only.

A	IBP pressure transducer kit**, BD/Argon, disposable, 5 kits	2606225
B	IBP cable Becton Dickinson/Argon	2606488
C	IBP cable Edwards	2606489
D	IBP cable Abbott, Medex	2606490
E	IBP cable Utah	2606491
F	IBP adapter cable 7 pin	2607558
G	IBP adapter cable 10 pin	2607559

**Tradeware

VISTA 120
VISTA 300




VISTA 120/VISTA 300

VISTA 120

VISTA 300

A	Cardiac output cable*, 3 m	2601201
B	CO In-line injection temperature probe* Becton Dickinson	2601190
	CO In-line injection temperature probe housing*	2601191
C	CO Control syringe*	2601192

*Tradeware



VISTA 120/VISTA 300



5.6 CO₂ SIDESTREAM

DRÄGER G2 SIDESTREAM*

A	CO₂ sampling line, disposable, for Vista Patient Monitoring System, 100 pcs.	2607550	■
B	CO₂ nasal cannula, adult, disposable, for Vista Patient Monitoring System, 100 pcs.	2607551	■
C	CO₂ nasal cannula, paediatric patient, disposable, for Vista Patient Monitoring System, 100 pcs.	2607552	■
D	CO₂ nasal cannula, infant, disposable, for Vista Patient Monitoring System, 100 pcs.	2607553	■
E	CO₂ nasal cannula and O₂, adult, disposable, for Vista Patient Monitoring System, 50 pcs.	2607554	■
F	CO₂ nasal cannula and O₂, child, disposable, for Vista Patient Monitoring System, 50 pcs.	2607555	■
	CO₂ sidestream water trap, for Vista 120, 20 pcs.	2605124	■
	Sidestream CO₂ Module Vista 300	2601068	■
	Sidestream CO₂ Module Vista 120/S	2605115	■

*Tradeware


VISTA 120
VISTA 300



VISTA 120/VISTA 300

5.7 CAPNOGRAPHY ET_{CO}₂

A	etCO ₂ Microstr. Intubated Adult/Paediatric patient - Extended Duration, 25 pcs.	MP15001	■	■
	etCO ₂ Microstr. Intubated Adult/Paediatric patient - Short-term use, 25 pcs.	MP15002	■	■
B	etCO ₂ Microstr. Intubated Infant/Neonatal - Extended Duration, 25 pcs.	MP15003	■	■
C	etCO ₂ Microstr. Nasal Adult - Extended Duration, 25 pcs.	MP15004	■	■
	etCO ₂ Microstr. Nasal Adult - Short-term use, 25 pcs.	MP15005	■	■
D	etCO ₂ Microstr. Nasal Paediatric patient - Short-term use, 25 pcs.	MP15006	■	■
E	etCO ₂ Microstr. Nasal Infant/Neonatal - Extended Duration, 25 pcs.	MP15007	■	■
F	etCO ₂ Microstr. Nasal/Oral Adult - Short-term use, 25 pcs.	MP15008	■	■
G	etCO ₂ Microstr. Nasal/Oral Paediatric patient - Short-term use, 25 pcs.	MP15009	■	■

VISTA 120
VISTA 300

VISTA 120/VISTA 300

A CO₂ Microstr. O₂ Nasal Adult - Extended Duration, 25 pcs. MP15010

CO₂ Microstr. O₂ Nasal Paediatric patient -
Extended Duration, 25 pcs.

MP15011

CO₂ Microstr. O₂ Nasal/Oral Adult - Short-term use, 25 pcs.

MP15012


B CO₂ Microstr. O₂ Nasal/Oral Paediatric patient -
Short-term use, 25 pcs.

MP15013

VISTA 120
VISTA 300


A

D-37073-2020



B

D-37071-2021



VISTA 120/VISTA 300

5.8 CO₂ MAINSTREAMDRÄGER CO₂ MAINSTREAM

Compatible with Vista 120 from software 3.11.

A	MCable Mainstream CO ₂ , for Evita V family and Babylog VN family, Infinity M540, Vista 120, Vista 120 S and Delta VF9.1 and higher	6871950	■	■
	etCO ₂ adapter cable M11.1	2607032	■	
CO₂ CUVETTES, DISPOSABLE				
B	CO ₂ cuvette disposable, adult, 10 pcs.	MP01062	■	■
C	CO ₂ cuvette disposable, paediatric, 10 pcs.	MP01063	■	■
CO₂ CUVETTES, REUSABLE				
D	CO ₂ cuvette reusable, adult	6870279	■	■
E	CO ₂ cuvette reusable, paediatric	6870280	■	■
ACCESSORIES				
F	Parking holder for CO ₂ sensor 6871950	8416352	■	■
	Test filter	6870281	■	■

VISTA 120
VISTA 300

A

D-28791-2017



B

D-7059-2009



C

D-7061-2009




D

D-7062-2009



E

D-7060-2009



F

D-45108-2015





VISTA 120/VISTA 300

RESPIRONICS CO₂ MAINSTREAM*

A	etCO₂ sensor Capnostat 5, reusable	2606226	■
	etCO₂ adapter cable Capnostat 5, Vista 300	2601968	■
B	CO₂ airway adapter, adult, disposable, 10 pcs.	2606227	■
C	CO₂ airway adapter, neonatal (infant/paediatric patient), disposable, 10 pcs.	2606228	■

*Tradeware

VISTA 120
VISTA 300



VISTA 120/VISTA 300

VISTA 120
VISTA 300

	<u>Vista 120 rechargeable lithium-ion battery*</u>	<u>2606229</u>	■	■
A	<u>Vista 120 printing paper*, 4 rolls</u>	<u>2606231</u>	■	■
	<u>BISx adapter cable Vista Patient Monitoring System*</u>	<u>2607560</u>	■	■
	<u>BISx pod Vista 120*</u>	<u>2607561</u>	■	■
	<u>BISx4 Pod</u>	<u>2601970</u>	■	
	<u>BISx4 Sensor*</u>	<u>2601971</u>	■	

*Tradeware



VISTA 120 SC

6. VISTA 120 SC

6.1 PULSE OXIMETRY (SPO₂)

DRÄGER SPO₂

A	SpO₂ extension cable, 2 m, reusable	2606487
B	SpO₂ silicone soft-tip sensor, adult, 1 m, reusable	2606485
	SpO₂ silicone soft-tip sensor, paediatric patient, 1 m, reusable	2606486
C	SpO₂ sensor*, adult, 0.5 m, disposable, 25 pcs.	2606208
D	SpO₂ sensor*, paediatric patient, 0.5 m, disposable, 25 pcs.	2606209
E	SpO₂ sensor*, infant, 0.5 m, disposable, 25 pcs.	2606210
F	SpO₂ sensor*, neonate, 0.5 m, disposable, 25 pcs.	2606211
G	SpO₂ finger sensor, adult, 2.5 m, reusable	2606483
	SpO₂ finger sensor, adult, 1 m, reusable	2606484

Can be used with Vista 120 SC Model A and Model B.

*Tradeware





VISTA 120 SC

NELLCOR SPO₂*

A	Nellcor intermediate cable, 1.2 m	MP00748
	Nellcor intermediate cable, 3 m	MS20979
B	SpO ₂ finger sensor Nellcor DURA DS 100A	7262764
C	SpO ₂ multisite sensor Nellcor DURA-Y™, reusable	MX01004
D	Ear clip for Nellcor DURA-Y™	MX01005

Can be used with Vista 120 SC Model C.

*Tradeware



VISTA 120 SC

A	SpO₂ adhesive sensor Nellcor Oximax Max-A*, disposable, adult, cable 46 cm, 24 pcs.	<u>MX50065</u>
B	SpO₂ adhesive sensor Nellcor Oximax Max-AL*, disposable, adult, cable 91 cm, 24 pcs.	<u>MX50071</u>
C	SpO₂ adhesive sensor Nellcor Oximax Max-P*, disposable, child, 24 pcs.	<u>MX50066</u>
D	SpO₂ adhesive sensor Nellcor Oximax Max-I*, disposable, child, 24 pcs.	<u>MX50067</u>
	SpO₂ adhesive sensor Max N*, 24pcs.	<u>MX50068</u>
E	SpO₂ adhesive sensor Nellcor Oximax Max-Fast*, disposable, application on forehead, 24 pcs.	<u>MX50070</u>


*Tradeware



VISTA 120 SC

A	<u>Oxiband™ sensor compl.</u>	<u>8201013</u>
B	<u>Adhesive wrap for Nellcor Oxiband™ P/I*, 100 pcs.</u>	<u>2170221</u>

*Tradeware



VISTA 120 SC

MASIMO LNCS CABLES*

A	<u>SpO₂ intermediate cable Masimo LNCS, 1.2 m</u>	<u>MP00800</u>
A	<u>SpO₂ intermediate cable Masimo LNCS, 3 m</u>	<u>MP00797</u>
A	<u>SpO₂ intermediate cable Masimo LNCS, 4.3 m</u>	<u>MP03194</u>

Can be used with Vista 120 SC Model D and E.

*Tradeware



VISTA 120 SC

MASIMO LNCS REUSABLE SENSORS*

A	<u>SpO₂ finger sensor Masimo LNCS DCI, reusable, adult</u>	<u>MP00796</u>
B	<u>SpO₂ finger sensor Masimo LNCS DCIP, reusable, child</u>	<u>MP00795</u>
	<u>SpO₂ Masimo sensor LNCS-TC-I Ear, reusable, paediatric patient/adult</u>	<u>MP00788</u>
	<u>SpO₂ Masimo sensor LNCS-YI Multisite, reusable, neonate/paediatric patient/adult</u>	<u>MP00789</u>
	<u>SpO₂ Masimo sensor LNCS-TF-I, reusable, paediatric patient/adult</u>	<u>MP00799</u>
C	<u>SpO₂ Masimo sensor LNCS-DBI, reusable, adult</u>	<u>MP02993</u>

Can be used with Vista 120 SC Model D and E.

*Tradeware



VISTA 120 SC

MASIMO LNCS DISPOSABLE SENSORS*

A	SpO₂ adhesive sensor Masimo LNCS Adtx, disposable, adult, 20 pcs.	MP00790
B	SpO₂ adhesive sensor Masimo LNCS Inf, disposable, baby, 20 pcs.	MP00791
C	SpO₂ adhesive sensor Masimo LNCS Neo, disposable, neonate, 20 pcs.	MP00792
D	SpO₂ adhesive sensor Masimo LNCS Pdtx, disposable, child, 20 pcs.	MP00793
E	SpO₂ adhesive sensor Masimo LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794

Can be used with Vista 120 SC Model D and E.

*Tradeware




VISTA 120 SC

MASIMO LNCS TRAUMA SENSORS*

A	Masimo LNCS Trauma sensor, adult, 20 pcs.	MP03191
B	Masimo LNCS Trauma sensor, infant/paed, 20 pcs.	MP03193
C	Masimo LNCS Trauma sensor, neonate, 20 pcs.	MP03192

Can be used with Vista 120 SC Model D and E.

*Tradeware



VISTA 120 SC

MASIMO RD SET CABLES*

A	<u>RD SET intermediate cable for Masimo SET Mcable, 1.5 m</u>	<u>MS33736</u>
A	<u>RD SET intermediate cable for Masimo SET Mcable, 3.6 m</u>	<u>MS33737</u>

Can be used with Vista 120 SC Model D and E.

*Tradeware



VISTA 120 SC

MASIMO RD SET DISPOSABLE SENSORS*

A	Masimo RD SET sensor, adult, disposable	MS33726
B	Masimo RD SET sensor, paediatric patient, disposable	MS33727
C	Masimo RD SET sensor, infant, disposable	MS33728
D	Masimo RD SET sensor, neonatal, disposable	MS33729
E	Masimo RD SET sensor, neonatal preterm, disposable	MS33730

Can be used with Vista 120 SC Model D and E.

*Tradeware




VISTA 120 SC

MASIMO RD SET REUSABLE SENSORS*

A	Masimo RD SET DCI sensor, adult, reusable	MS33740
B	Masimo RD SET DC-IP sensor, paediatric patient, reusable	MS33741
C	Masimo RD SET sensor TC-I Ear, paediatric patient/adult, reusable	MS40067
D	Masimo RD SET sensor YI Multisite, neonate/paediatric patient/adult, reusable	MS40070
E	Masimo RD SET sensor TF-I, paediatric patient/adult, reusable	MS40073

Can be used with Vista 120 SC Model D and E.

*Tradeware





VISTA 120 SC

MASIMO RD SET TRAUMA DISPOSABLE SENSORS*

A	Masimo Trauma sensor RD SET, adult, disposable	MS40088
B	Masimo Trauma sensor RD SET, infant/paed, disposable	MS40091
C	Masimo Trauma sensor RD SET, neonate, disposable	MS40094

Can be used with Vista 120 SC Model D and E.

*Tradeware



VISTA 120 SC

6.2 NON-INVASIVE BLOOD PRESSURE (NIBP)*

A	NIBP tube, 3 m	2601195
B	NIBP cuff, infant, 10 cm – 15 cm, reusable, Vista Patient Monitoring System	2606151
C	NIBP cuff, small child, 13 cm – 17 cm, reusable, Vista Patient Monitoring System	2606152
D	NIBP cuff, child, 16 cm - 21 cm, reusable, Vista Patient Monitoring System	2606153
E	NIBP cuff, small adult, 20.5 cm – 28 cm, reusable, Vista Patient Monitoring System	2606154
F	NIBP cuff, adult, 27 cm – 35 cm, reusable, Vista Patient Monitoring System	2606155
G	NIBP cuff, larger adult, 34 cm – 43 cm, reusable, Vista Patient Monitoring System	2606156

Can be used with Vista 120 SC Model A and Model B.

*Tradeware




Not all articles are available worldwide.

VISTA 120 SC

A	NIBP cuff*, neonatal #1, 3 – 6 cm, disposable, 20 pcs., Vista Patient Monitoring System	<u>2607034</u>
B	NIBP cuff*, neonatal #2, 4 – 8 cm, disposable, 20 pcs., Vista Patient Monitoring System	<u>2607035</u>
C	NIBP cuff*, neonatal #3, 6 – 11 cm, disposable, 20 pcs., Vista Patient Monitoring System	<u>2607036</u>
D	NIBP cuff*, neonatal #4, 7 – 13 cm, disposable, 20 pcs., Vista Patient Monitoring System	<u>2607037</u>
E	NIBP cuff*, neonatal #5, 8 – 15 cm, disposable, 20 pcs., Vista Patient Monitoring System	<u>2607038</u>

Cuffs are compatible with SC A-E.

*Tradeware



VISTA 120 SC

SUNTECH NIBP*

	APC NIBP Cuff, child, 12 cm – 19 cm, reusable, Vista 120 SC	2600930
A	APC NIBP Cuff, small adult, 17 cm – 25 cm, reusable, Vista 120 SC	2600932
A	APC NIBP Cuff, adult, 23 cm – 33 cm, reusable, Vista 120 SC	2600933
	APC NIBP Cuff, large adult, 31 cm – 40 cm, reusable, Vista 120 SC	2600934
	OPC NIBP Cuff, child, 12 cm – 19 cm, reusable, 5 pcs., Vista 120 SC	2600935
	OPC NIBP Cuff, small adult, 17 cm – 25 cm, reusable, 5 pcs., Vista 120 SC	2600936
	OPC NIBP Cuff, adult, 23 cm – 33 cm, reusable, 5 pcs., Vista 120 SC	2600937
	OPC NIBP Cuff, large adult, 31 cm – 40 cm, reusable, 5 pcs., Vista 120 SC	2600938

Can be used with Vista 120 SC Model C, D and E.

APC = All Purpose Cuff, OPC= One Piece Cuff

*Tradeware



VISTA 120 SC

6.3 TEMPERATURE

EXERGEN THERMOMETER*

A	TAT-5000S Temporal Scanner, Vista 120 SC	2600946
B	TAT-5000S Probe Caps, single-use, 1,000 pcs., Vista 120 SC	2600948

Can be used with Vista 120 SC Model B, C, D and E.

*Tradeware



VISTA 120 SC

FILAC 3000*

A	Covidien Quick Temperature Pod Oral	2600146
B	Filac 3000 Probe, oral, reusable, 1.2 m, Vista 120 SC	2600939
	Filac 3000 Probe, oral, reusable, 2.7 m, Vista 120 SC	2600940
C	Covidien Quick Temperature Pod Rectal	2600147
D	Filac 3000 Probe, rectal, reusable, 1.2 m, Vista 120 SC	2600942
	Filac 3000 Probe, rectal, reusable, 2.7 m, Vista 120 SC	2600943
E	Filac 3000 Probe Covers, 20 pcs. Vista 120 SC	2600945

Can be used with Vista 120 SC Model B, C, D and E.

*Tradeware





VISTA 120 SC

6.4 CAPNOGRAPHY ET_{CO}₂

A	etCO₂ Microstr. Intubated Adult/Paediatric patient - Extended Duration, 25 pcs.	MP15001
	etCO₂ Microstr. Intubated Adult/Paediatric patient - Short-term use, 25 pcs.	MP15002
B	etCO₂ Microstr. Intubated Infant/Neonatal - Extended Duration, 25 pcs.	MP15003
C	etCO₂ Microstr. Nasal Adult - Extended Duration, 25 pcs.	MP15004
	etCO₂ Microstr. Nasal Adult - Short-term use, 25 pcs.	MP15005
D	etCO₂ Microstr. Nasal Paediatric patient - Short-term use, 25 pcs.	MP15006
E	etCO₂ Microstr. Nasal Infant/Neonatal - Extended Duration, 25 pcs.	MP15007
F	etCO₂ Microstr. Nasal/Oral Adult - Short-term use, 25 pcs.	MP15008
G	etCO₂ Microstr. Nasal/Oral Paediatric patient - Short-term use, 25 pcs.	MP15009



Can be used with Vista 120 SC Model E.




VISTA 120 SC


A	<u>CO₂ Microstr. O₂ Nasal Adult - Extended Duration, 25 pcs.</u>	<u>MP15010</u>
	<u>CO₂ Microstr. O₂ Nasal Paediatric patient - Extended Duration, 25 pcs.</u>	<u>MP15011</u>
	<u>CO₂ Microstr. O₂ Nasal/Oral Adult - Short-term use, 25 pcs.</u>	<u>MP15012</u>
B	<u>CO₂ Microstr. O₂ Nasal/Oral Paediatric patient - Short-term use, 25 pcs.</u>	<u>MP15013</u>

Can be used with Vista 120 SC Model E.









Ward equipment

Our tailor-made workstations integrate optimised solutions to create a hygienic, healing environment that can help you deliver life-saving therapies to your patients. Removing complexities and optimising your hospital's clinical workflows are key elements in ensuring the safety of both patients and healthcare staff.

Intelligent, user-friendly ward equipment does just that – promotes ergonomic workstations which reduce stress related to heavy lifting or uncomfortable access between equipment and the patient, thus improving staff satisfaction. That's why our ward equipment is **an essential part of increasing work efficiency.**

WARD EQUIPMENT

1. Oxygen therapy	271
1.1 Flowmeter	271
1.2 Oxymixer	282
1.3 Pressure reducer	285
1.4 Humidifier, adapter and application	293
2. Medical aspiration	295
2.1 Bronchial aspiration	296
2.2 OR aspiration	319
2.3 Continuous and thoracic drainage	325
3. Accessory for gas supply	339
3.1 CS hoses	339
3.1.1 German standard	339
3.1.2 French standard	341
3.1.3 British standard	343
3.1.4 Swedish standard	345
3.1.5 Swiss standard	346
3.1.6 Italian standard	347
3.1.7 Australian standard	358
3.1.8 Japanese standard	349
3.1.9 US American standard	350
3.1.10 Canadian standard	352
3.1.11 Chinese standard	353
3.2 Adapter	354

FLOWMETER

1. OXYGEN THERAPY

1.1 FLOWMETER

These O₂ flowmeters are plugged directly into a wall terminal unit for oxygen and are used to control the flow of oxygen in inhalation and insufflation. Flow rates can be set with a high degree of accuracy. Additionally, the large rotary knob simplifies the setting process.

Accuracy of flow rate at 4.5 bar $\pm$ 0.5 bar (1,013 hPa/20 °C)**
 $\pm$ 15 % (corresponding to smallest setting value)
 $\pm$ 10 % (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H $\times$ W $\times$ D): 160 $\times$ 40 $\times$ 130 mm
 (6.3 $\times$ 1.6 $\times$ 5.1 in)

Material: Housing: aluminium
 Pressure dome: polyamide
 Flow indicator: glass

Weight: Approx. 500 g (1.1 lb)



- | | | | |
|----------|--|--|----------------|
| A | O₂ flowmeter, 4 l/min, CS, DIN, ISO and neutral colour, M34×1.5, adapter 9/16" | | MP04551 |
| B | O₂ flowmeter, 16 l/min, CS, DIN, ISO and neutral colour, M34×1.5, adapter 9/16" | | MP04558 |
| C | O₂ flowmeter, 16 l/min, CS, long CS plug (6 cm; 2.4 in), DIN, ISO and neutral colour, M34×1.5, adapter 9/16" | | MP04561 |



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

FLOWMETER

A	O₂ flowmeter, 16 l/min, CS, British standard, ISO, M34×1.5, adapter 9/16"		MP04565
B	O₂ flowmeter, 16 l/min, CS, French standard, ISO, M34×1.5, adapter 9/16"		MP04566
C	O₂ flowmeter, 16 l/min, CS, Swedish standard, M34x1.5, adapter 9/16"		MP13040
D	O₂ flowmeter, 10 l/min, CS, CARBA, ISO, M34x1.5, adapter 9/16"		MP04554
E	O₂ flowmeter, 16 l/min, CS, CARBA, ISO, M34x1.5, adapter 9/16"		MP04563
F	O₂ flowmeter, 32 l/min, CS, DIN, ISO and neutral colour, M34×1.5, adapter 9/16"		MP04571



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

FLOWMETER

TWIN FLOWMETER

The particular advantage of the twin flowmeter is that two patients can be treated simultaneously and independently of one another while occupying only one wall terminal.

Accuracy of flow rate at 4.5 bar $\pm$ 0.5 bar (1,013 hPa/20 °C)**
 $\pm$ 15 % (corresponding to smallest setting value)
 $\pm$ 10 % (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H $\times$ W $\times$ D): 160 $\times$ 150 $\times$ 190 mm
 (6.3 $\times$ 5.9 $\times$ 7.15 in)

Material: Housing: aluminium
 Pressure dome: polyamide
 Flow indicator: glass

Weight: Approx. 900 g (1.98 lb)



A	O₂ twin flowmeter, 2 $\times$ 16 l/min, CS, DIN, ISO, neutral colour, M34$\times$1.5, adapter 9/16"		MP04560
B	O₂ twin flowmeter, 2 $\times$ 10 l/min, CS, CARBA, ISO, 2 $\times$ M34$\times$1.5, adapter to 9/16"		MP04555
C	O₂ twin flowmeter, 2 $\times$ 10 l/min, rail fitting with NIST gas inlet, 2 $\times$ M34$\times$1.5, adapter 9/16"		MP04557
	O₂ twin flowmeter, 2 $\times$ 16 l/min, rail fitting with NIST gas inlet, 2 $\times$ M34$\times$1.5, adapter 9/16"		MP04569



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

FLOWMETER

These O₂ flowmeters for rail attachment can be used to control the flow of oxygen in inhalation and insufflation. Flow rates up to 4 and 16 l/min can be set with a high degree of accuracy. Additionally, the rotary knob simplifies the setting process. Using the rail clamp, the flowmeter can be quickly and safely attached to all rail profiles. The connection to the gas supply can be ensured by a CS hose with NIST coupling nut.

Accuracy of flow rate at 4.5 bar $\pm$ 0.5 bar (1,013 hPa/20 °C)**
 $\pm$ 15 % (corresponding to smallest setting value)
 $\pm$ 10 % (all other setting values)


** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D): 160 x 40 x 130 mm
 (6.3 x 1.6 x 5.1 in)

Material: Housing: aluminium
 Pressure dome: polyamide
 Flow indicator: glass

Weight: Approx. 950 g (2.09 lbs)

A	O₂ flowmeter, 4 l/min, rail, NIST gas inlet, M34×1.5, adapter 9/16"		MP04552
B	O₂ flowmeter, 16 l/min, rail, NIST gas inlet, packed with hose 1.5 m, DIN, ISO, M34×1.5, adapter 9/16"		MP04573
C	O₂ flowmeter, 16 l/min, rail, NIST gas inlet, packed with hose 1.5 m, DIN, neutral colour, M34×1.5, adapter 9/16"		MP04575
D	O₂ flowmeter, 16 l/min, rail, NIST gas inlet, M34×1.5, adapter 9/16"		MP04567
E	O₂ flowmeter, 10 l/min, rail, NIST gas inlet, M34×1.5, adapter 9/16"		MP04556
F	O₂ flowmeter, 32 l/min, rail, NIST gas inlet, M34×1.5, adapter 9/16"		MP04580



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

FLOWMETER

- | | | |
|--|---|----------------|
| A O ₂ flowmeter, 4 l/min, rail, 90°, NIST gas inlet, M34×1.5, adapter 9/16" |  | MP04553 |
| B O ₂ flowmeter, 16 l/min, rail, 90°, NIST gas inlet, M34×1.5, adapter 9/16" |  | MP04570 |
| CS hoses
Several hoses available to connect flowmeter with the central supply.
For CS hoses please refer to chapter "Accessory for gas supply". | | 8601697 |



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

FLOWMETER

- | | | | |
|----------|--|---|----------------|
| A | O₂ flowmeter for anaesthesia, 16 l/min, rail, with NIST ISO hose 1.2 m, adapter 9/16" to 6 mm |  | MP04576 |
| B | O₂ flowmeter for anaesthesia, 16 l/min, rail, with NIST black hose 1 m, adapter 9/16" to 6 mm |  | MP04577 |
| C | O₂ flowmeter for anaesthesia, 16 l/min, 90°, rail, with NIST ISO hose 1.2 m, adapter 9/16" to 6 mm |  | MP04578 |
| D | O₂ flowmeter for anaesthesia, 16 l/min, 90°, rail, with NIST black hose 1 m, adapter 9/16" to 6 mm |  | MP04579 |



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

FLOWMETER

These flowmeters are plugged directly into a wall terminal unit for medical air and are used to control the flow of medical air for aerosol therapy. Flow rates of up to 16 or 32 l/min can be set with a high degree of accuracy. Additionally, the rotary knob simplifies the setting process. It comes with an integrated sintered filter.

Accuracy of flow rate at 4.5 bar $\pm$ 0.5 bar (1,013 hPa/20 °C)**
 $\pm$ 15 % (corresponding to smallest setting value)
 $\pm$ 10 % (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H $\times$ W $\times$ D): 160 $\times$ 40 $\times$ 130 mm
 (6.3 $\times$ 1.6 $\times$ 5.1 in)

Material: Housing: aluminium
 Pressure dome: polyamide
 Flow indicator: glass

Weight: Approx. 500 g (1.1 lb)

A	AIR flowmeter, 16 l/min, CS, DIN, ISO and neutral colour, M32$\times$1.5		MP04559
B	AIR flowmeter, 16 l/min, CS, long plug (6 cm; 2.4 in), DIN, ISO and neutral colour, M32$\times$1.5		MP04562
C	AIR flowmeter, 16 l/min, CS, CARBA, ISO, M32$\times$1.5		MP04564
D	AIR flowmeter, 16 l/min, CS, Swedish standard, M32$\times$1.5		MP13041
E	AIR flowmeter, 32 l/min, CS, DIN, ISO and neutral colour, M32$\times$1.5		MP04572



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

FLOWMETER

These flowmeters for rail attachment can be used to control the flow of medical air for aerosol therapy. Flow rates of up to 16 l/min can be set with a high degree of accuracy. Additionally, the rotary knob simplifies the setting process. Using the rail clamp, the flowmeter can be quickly and safely attached to standard rail profiles. The connection to the gas supply can be ensured by a CS hose with NIST coupling nut.

Accuracy of flow rate at 4.5 bar $\pm$ 0.5 bar (1,013 hPa/20 °C)**

$\pm$ 15 % (corresponding to smallest setting value)

$\pm$ 10 % (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H $\times$ W $\times$ D): 160 $\times$ 40 $\times$ 130 mm
(6.3 $\times$ 1.6 $\times$ 5.1 in)

Material: Housing: aluminium
Pressure dome: polyamide
Flow indicator: glass

Weight: Approx. 950 g (2.09 lbs)

A AIR flowmeter, 16 l/min, rail, NIST gas inlet, M32 $\times$ 1.5  **MP04568**

B AIR flowmeter, 32 l/min, rail, NIST gas inlet, M32 $\times$ 1.5  **MP04581**

CS hoses

8601697

Several hoses available to connect flowmeter with the central supply.

For CS hoses please refer to chapter "Accessory for gas supply".



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

FLOWMETER

COMPACT FLOWMETER CLICKFLOW

Input pressure:	4.5 ± 0.5 bar*
Adjustable ranges:	0.1 – 1 l/min (0; 0.1; 0.2; 0.3; 0.4; 0.5; 0.6; 0.7; 0.8; 1 l/min) 0.5 – 5 l/min (0; 0.5; 1; 1.5; 2; 2.5; 3; 3.5; 4; 5 l/min) 1 – 16 l/min (0; 1; 2; 3; 4; 6; 8; 10; 12; 16 l/min) 1 – 32 l/min (0; 1; 5; 8; 12; 16; 20; 25; 28; 32 l/min)
Accuracy (at 4.5 ± 0.5 bar):	0.5 – 5 l/min, 1 – 16 l/min and 1 – 32 l/min: ± 20 %; 0 – 1 l/min ± 30 %
Gas inlet:	CS plug O ₂ or AIR; NIST (rail)
Gas outlet:	6 mm nozzle for application unit, thread 9/16" for sterile water or adapter for reusable humidifier
Weight:	approx. 420 g (CS); approx. 700 g (rail)
Housing material:	nickel-coated brass
Dimensions:	diameter about 38 mm, length about 92 mm (CS version), about 118 mm (rail version)

*1 bar = 1 kPa × 100



A Compact flowmeter Clickflow configurator, gives you the option of arranging the compact flowmeter according to your requirements, selectable options for configuration:



MP13000

Gas type:	O ₂ ; AIR
Mounting:	CS; rail with NIST gas inlet
CS connection:	DIN; Carbamed; BS (England); NF (France); SS (Swedish)
Version:	single compact flowmeter, double compact flowmeter
Flow:	0.1 – 1 l/min, 0.5 – 5 l/min, 1 – 16 l/min, 1 – 32 l/min
Gas outlet:	6 mm nozzle, thread 9/16" for sterile water



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

FLOWMETER

- | | | | |
|----------|---|---|----------------|
| A | O₂ compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 9/16" |  | MP13011 |
| B | O₂ compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 6 mm nozzle |  | MP13012 |



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

FLOWMETER

A	O₂ compact flowmeter Clickflow, rail, NIST, 1 – 16 l/min, 9/16"		MP13013
B	O₂ twin compact flowmeter Clickflow, DIN, 2 × 1 – 16 l/min, 9/16"		MP13014
C	AIR compact flowmeter Clickflow, DIN, 1 – 16 l/min, 9/16"		MP13015
D	AIR compact flowmeter Clickflow, DIN, 1 – 16 l/min, 6 mm nozzle		MP13016
E	AIR compact flowmeter Clickflow, rail, 1 – 16 l/min, 9/16"		MP13017
F	AIR compact flowmeter Clickflow, DIN, 0.1 – 1 l/min, 6 mm nozzle		MP13019

Accessories for flowmeter in chapter 1.4
(Humidifier, adapter and application).

Several hoses available to connect Clickflow with the
central supply.
For CS hoses please refer to chapter "Accessory for gas supply".



Selected products must be serviced on a regular basis. Increase the performance
by having them serviced regularly by the original manufacturer service.
Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

OXYMIXER

1.2 OXYMIXER*

Oxymixer enables a continuous and individually adjusted mixture of medical air and medical oxygen to be administered to infants, children and adults. The O₂ concentration is easily adjusted to a highly accurate flow – even with flow rates of less than 3 l/min.

Oxymixer configuration

Free choice of low-flow or high-flow blender with: 1 or 2 flowmeters, NIST or DISS gas inlet, monitor, bleed switch, nozzle, and sound damper. The rail fixation is included.

A Oxymixer high-flow

Including: rail clamp, flowmeter 0 – 32 l/min right, flowmeter 0 – 85 l/min left. NIST gas inlet.

B Oxymixer high-flow with monitor

Including: rail clamp, flowmeter 0 – 32 l/min right, flowmeter 0 – 85 l/min left, monitor, oxygen sensor, oxygen sensor cable, sensor receptacle. NIST gas inlet.

C Oxymixer low-flow

Including: rail clamp, flowmeter 0 – 3 l/min right, flowmeter 0 – 15 l/min left, bleed on/off switch. NIST gas inlet.

D Oxymixer low-flow with monitor

Including: rail clamp, flowmeter 0 – 3 l/min right, flowmeter 0 – 15 l/min left, bleed on/off switch, monitor, oxygen sensor, oxygen sensor cable, sensor receptacle. NIST gas inlet.

E Oxymixer low-flow with 1 – 15 l flowmeter right, rail clamp

NIST gas inlet.

Several hoses available to connect Oxymixer with the central supply.
For CS hoses please refer to chapter "Accessory for gas supply".

*Tradeware



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

OXYMIXER

A Multi-P trolley* equipped	MP13020
Including base with 5 castors, 38 mm Ø pole, 3 rail clamps, and basket.	
B Multi-P trolley*	MP13021
Including base with 5 castors and 38 mm Ø pole for accessories.	

*Tradeware



OXYMIXER*

A	<u>Oxymixer sound damper 9/16"</u>	<u>MP04218</u>
B	<u>Oxymixer sound damper 22 and 15 mm</u>	<u>MP04219</u>
C	<u>Adapter 9/16" to 15/22 mm</u>	<u>MP05305</u>
D	<u>Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection</u>	<u>MP00416</u>
E	<u>Oxymixer oxygen sensor (spare part)</u>	<u>MP04221</u>

*Tradeware



PRESSURE REDUCER

1.3 PRESSURE REDUCER


A Pressure reducer OxyLine, customised configuration of pressure reducers


MP00100

OxyLine's modular design means you can accurately choose the pressure reducer you need from the following components:

- O₂ or AIR pressure reducer with 200 bar technology
- Manometer, vertical or horizontal
- Compact flowmeter Clickflow with settings (0; 1; 2; 3; 4; 6; 8; 10; 12; 16 l/min) with 9/16" sterile water connector
- Flowmeter for up to 16 l/min with connector for Dräger reusable humidifier, sterile water connector and 6 mm (0.2 in) nozzle for an oxygen mask
- Self-closing NIST connector
- Centralised gas supply coupling, e.g., to connect up a mains-operated ventilation device
- Ejector for short-time suction of eg., secret

Type:	single-stage pre-set pressure reducer
Permissible inlet pressure range:	11 to 200 kPa × 100
Nominal outlet pressure (p2):	non-adjustable, output pressure as per type plate
Weight:	1.2 kg to 2 kg (depending on connector type)
Material:	brass with chemical nickel surface



D-1865-2022



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

PRESSURE REDUCER

OxyLine pressure reducer

MP00100

Order information international

Configuration possibilities

	Oxett/Oxator head	O ₂ 200 bar	Pressure Reducer	O ₂ 200 bar	AIR 200 bar
1 Pressure Reducer Basis					
	1.1 O₂ 200 bar		☐		
	1.2 AIR 200 bar				☐
	1.3 Oxett/Oxator				
	Oxator head 200	☐	☐	☐	
	Oxett head 200, Flow regulator	☐	☐	☐	
	Oxett head 200, Flowmeter	☐	☐	☐	
2 Pressure Gauge					
	2.1 O₂			☐	
	40 mm vertical 200 bar			☐	
	40 mm horizontal			☐	
	2.2 AIR				☐
	40 mm vertical 200 bar				☐
	40 mm horizontal				☐
3 High Pressure Inlet					
	3.1 O₂			☐	
	G 3/4 (German Standard)			☐	
	BS 341 (British Standard, Bullnose)			☐	
	SS (Swedish Standard, AGA) (GA)	☐		☐	
	P/I (Pin Index)	☐		☐	
	3.2 Air-Inlet				☐
	G 5/8				☐
	P/I (Pin Index)				☐
					
					

O₂ O₂ O₂ AIR


OxyLine Pressure Reducer, MP00100

Order information international

Enter an "X" or a number to configure to your specifications

□ = Mandatory item – select one / □ = Optional item – select one if desired

PRESSURE REDUCER



PRESSURE REDUCER

A	Oxett head OxyLine, pressure reducer G$\frac{3}{4}$", 200 bar, NIST, flowmeter, DIN-CS, ejector VarioO2		MP01101
B	Oxett head OxyLine, pressure reducer G$\frac{3}{4}$", 200 bar, NIST, flow regulator, DIN-CS, ejector VarioO2		MP01102
C	Oxator head OxyLine, pressure reducer G$\frac{3}{4}$", 200 bar, NIST, 2 × DIN-CS, ejector VarioO2		MP01103
D	Pressure reducer w/ flowmeter OxyLine, G$\frac{3}{4}$", 200 bar, 16 l/min, M34×1.5, 9/16", nozzle		MP01104
E	Pressure reducer with NIST OxyLine, G$\frac{3}{4}$", for 200 bar, NIST		MP01105



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

PRESSURE REDUCER

Oxett

Oxett is a portable oxygen supply unit for mobile use. Oxett ensures consistent treatment because the device can be mounted to bed, rail and stretcher. All devices for inhalation, insufflation, and suction are available on a solid aluminium plate. Precise O₂ delivery is handled through the pressure compensated flowmeter or the compact flowmeter. Manual or automatic short-term ventilation is even possible, because the Oxylog can be connected via the O₂ standard coupling. The portable Oxett unit meets the requirements of daily hospital and emergency medical practice in a simple way. It removes all well-practiced temporary supply solutions.

A Oxett carrying frame, for Oxett head and O₂ cylinder up to 2.5 l, with secretion jar and rail for suction ejector	MP04110
Oxett head, configurable via OxyLine	MP00100
B Oxett head OxyLine, pressure reducer G$\frac{3}{4}$", 200 bar, NIST, flowmeter, DIN-CS, ejector VarioO2	MP01101
B Oxett head OxyLine, pressure reducer G$\frac{3}{4}$", 200 bar, NIST, flow regulator, DIN-CS, ejector VarioO2	MP01102
C Oxett adapter plate, to mount Oxett on bed in higher position	2M86205



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

PRESSURE REDUCER

Small Oxator

Space-saving solution for transportation of large gas cylinder.
The stable trolley can be used flexibly.
Set up components below:

A	Simple cylinder trolley, for one gas cylinders up to a volume of 11 L	MP00038
	Oxator head, configurable via OxyLine 	MP00100
B	Oxator head OxyLine, pressure reducer G$\frac{3}{4}$", 200 bar, NIST, 2 x DIN-CS, ejector VarioO2 	MP01103
C	Ejector VarioO2 B/OR rail, for bronchial and OR suction, gas connection NIST O₂	MP00552
C	NIST-NIST connecting hose 1.2 m	M36053



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

PRESSURE REDUCER

- | | |
|--|----------------|
| A Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg | 2M85337 |
| B Secretion jar set, with 700 ml secretion jars (2 pcs.) and 1.5 m suction hose, maximum capacity up to the overflow safeguard 2 × 1000 ml, scale in steps of 10 ml up to max. 700 ml | 2M85056 |
| C Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set | M26842 |

For CS hoses please refer to chapter „Accessory for gas supply“.



PRESSURE REDUCER

A	Simple cylinder trolley, for one gas cylinders up to a volume of 11 L	MP00038
B	Rail holder, for 38 mm tube, standard rail profile 25 × 10 mm, 40 cm, length: 40 cm, weight: 0.9 kg, max. load: 5 kg	2M86185
C	Adapter NIST to DIN CS-coupling O₂	M35056
D	Adapter NIST to DIN CS-coupling AIR	M35058



HUMIDIFIER, ADAPTER AND APPLICATION

1.4 HUMIDIFIER, ADAPTER AND APPLICATION

A	Humidifier-bubbler, for oxygen humidification up to approx. 60 % relative humidity and flows up to 5 l/min	2M85834
B	Adapter 9/16" to M34×1.5 for Dräger reusable humidifier	MP03325



HUMIDIFIER, ADAPTER AND APPLICATION

A	Adapter, for disposable sterilised water systems to O₂ flowmeters, M34×1.5 to 9/16"	2M86680
A	Adapter, for disposable sterilised water systems to AIR flowmeter, M32×1.5 to 9/16"	MP03366
B	Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	MP00416




MEDICAL ASPIRATION

2.1 Bronchial aspiration

Dräger offers an extensive line of bronchial aspirators, while also providing individual solutions to meet your specific needs in the ICU and OR. Generally, you have the choice between vacuum, medical air or oxygen as the drive gas.

We differ in the driving units between the ejectors and the

vacuum regulators. In addition, we can supply the attachments and hose brackets you need to ensure an ergonomically efficient workplace. You can also choose the connection you require and the fitting jar system. We offer reusable solutions as well as disposables.



1	MP00501	VarioVac B DIN
	MP00502	VarioVac B BS
	MP00503	VarioVac B NF
	MP00504	VarioVac B AGA
	MP00514	VarioVac B CARBA
2	MP00505	VarioVac B/OR rail
	MP00660	VarioVac P rail
	MP00516	Dual VarioVac B/OR rail
	MP03222	VarioVac MRI B/OR rail
	MP03223	VarioVac MRI P rail
3	MP00506	VarioVac B compact
	MP00661	VarioVac P compact
4	MP00530	VarioAir B DIN
	MP00531	VarioAir B BS

	MP00532	VarioAir B NF
	MP00533	VarioAir B AGA
	MP00534	VarioAir B UNI
	MP00548	VarioAir B CARBA
5	MP00535	VarioAir B/OR rail
	MP00545	VarioAir P rail
	MP03220	VarioAir MRI B/OR rail
	MP03221	VarioAir MRI P rail
6	MP00550	VarioO2 B DIN
	MP00551	VarioO2 B CARBA
7	MP00552	VarioO2 B/OR rail
8	MP00536	VarioAir B compact
	MP00547	VarioAir P compact
9	2M85056	Secretion jar set

10	M26859	Wall holder
11	M26842	Rail clamp lever type
12	2M85119	Ceiling holder
13	2M86207	Secretion jar, 300 ml
	2M85594	Secretion jar, 700 ml
14	2M85446	CS connection hose holder
	2M85239	Suction hose holder
16	MX23023	Secretion jar VacuSmart, 700 ml
	MX23025	Secretion jar VacuSmart Gel, 700 ml
17	MP14010	Suction tube VacuSmart Tube
18	MP00570	Shut-off valve for VarioVac

BRONCHIAL ASPIRATION

2. MEDICAL ASPIRATION

2.1 BRONCHIAL ASPIRATION

The vacuum regulator is connected directly to a central vacuum supply system or to rails. The vacuum is infinitely variable up to max. -90 kPa (-900 mbar) and is shown on a turnable, manually adjustable pressure gauge. Shut-off valve is included. You can use the VarioSafe disposable filter system to reliably protect the **VarioVac** series and the central vacuum system against contamination. A VarioSafe filter system is included with every VarioVac vacuum regulator.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	55 l/min
Weight:	600 to 800 g
	800 g for rail version
	1,700 g for dual version (MP00516)
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe)
	80 × 340 × 160 (with VarioSafe)
	MP00516 for dual version:
	200 × 210 × 210 (without VarioSafe)
	200 × 340 × 210 (with VarioSafe)
Maximum sound level:	43 dB(A)
Hose nozzle:	Ø 6 mm

Additional information for filter:

Aerosol and fluid retention:	100 % (with VarioSafe)*
Bacterial retention:	99.99997 % (with VarioSafe)**
Viral retention:	99.99922 % (with VarioSafe)**
NaCl retention:	99.8900 % (with VarioSafe)***

* Test was performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

** Test was performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

*** Test was performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



D-10282-2011

A Vacuum regulator VarioVac B DIN, for bronchial suction, gas connection VAC



MP00501

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

- | | | | |
|----------|---|---|----------------|
| A | Vacuum regulator VarioVac B BS,
for bronchial suction, gas connection VAC |  | MP00502 |
| B | Vacuum regulator VarioVac B NF,
for bronchial suction, gas connection VAC |  | MP00503 |
| C | Vacuum regulator VarioVac B AGA, for bronchial suction,
gas connection VAC, Swedish standard |  | MP00504 |
| D | Vacuum regulator VarioVac B CARBA,
for bronchial suction, gas connection VAC |  | MP00514 |

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

VarioVac vacuum regulator for rail.

Technical data:

Maximum vacuum: -90 to 0 kPa (-900 to 0 mbar)
 Maximum suction flow: 55 l/min
 Weight: 800 g for rail version
 1,700 g for dual version

(MP00516)

Dimensions (W/H/D) in mm: for rail version:

80 × 210 × 160 (without VarioSafe)
 80 × 340 × 160 (with VarioSafe)
 for dual version (MP00516):
 200 × 210 × 210 (without VarioSafe)
 200 × 340 × 210 (with VarioSafe)

Maximum sound level: 43 dB(A)

Hose nozzle: Ø 6 mm

Additional information for filter:

Aerosol and fluid retention: 100 % (with VarioSafe)*

Bacterial retention: 99.99997 % (with VarioSafe)**

Viral retention: 99.99922 % (with VarioSafe)**

NaCl retention: 99.8900 % (with VarioSafe)***

* Test was performed by Drägerwerk AG & Co. KGaA,
 Dec 2020, Lübeck, Germany

** Test was performed by Nelson Laboratories Inc.,
 Dec 2020, Salt Lake City, USA

*** Test was performed by Dräger Safety AG & Co. KGaA,
 March 2021, Lübeck, Germany, according to EN ISO 23328-1



- | | | | |
|----------|--|--|----------------|
| A | Vacuum regulator VarioVac B/OR rail,
for bronchial and OR suction, gas connection NIST VAC | | MP00505 |
| B | Vacuum regulator dual VarioVac B/OR rail,
for bronchial and OR suction, gas connection NIST VAC | | MP00516 |
| C | Vacuum regulator VarioVac B/OR rail DISS,
for bronchial and OR suction, gas connection DISS VAC | | MP00631 |

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

VarioVac vacuum regulator for rail.

The gas supply is ensured by VAC connection hose.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

You can use the VarioSafe disposable filter system to reliably protect the VarioVac series and the central vacuum system against contamination.

A VarioSafe filter system is included with every VarioVac vacuum regulator.

Technical data: VarioVac P (MP00660, MP03223)
 Maximum vacuum: -55 to 0 kPa (-550 to 0 mbar)
 Suction flow: 21 l/min
 Maximum sound level: 40 dB(A)

VarioVac B/OP (MP03222)
 Maximum vacuum: -90 to 0 kPa (-900 to 0 mbar)
 Maximum suction flow: 55 l/min
 Maximum sound level: 43 dB(A)
 Weight: 800 g
 Dimensions (W/H/D) in mm: 80 × 210 × 160 (without VarioSafe)
 80 × 340 × 160 (with VarioSafe)
 Hose nozzle: Ø 6 mm

Additional information for filter:

Aerosol and fluid retention: 100 % (with VarioSafe)*
 Bacterial retention: 99.99997 % (with VarioSafe)**
 Viral retention: 99.99922 % (with VarioSafe)**
 NaCl retention: 99.8900 % (with VarioSafe)***

*Test was performed by Drägerwerk AG & Co. KGaA,
 Dec 2020, Lübeck, Germany

**Test was performed by Nelson Laboratories Inc.,
 Dec 2020, Salt Lake City, USA

***Test was performed by Dräger Safety AG & Co. KGaA,
 March 2021, Lübeck, Germany, according to EN ISO 23328-1



**A Vacuum regulator VarioVac P rail,
 for bronchial suction, gas connection NIST VAC,
 for connection to all standard wall rails**  **MP00660**

**A Vacuum regulator VarioVac P rail DISS,
 for bronchial suction, gas connection DISS VAC,
 for connection to all standard wall rails**  **MP00632**

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

These bronchial aspirators are suited for use in MRI. The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the centre of the magnetic field: magnetic flux density of 40 millitesla (400 gauss).

- A Vacuum regulator VarioVac MRI P rail,
for bronchial suction, gas connection NIST VAC,
for connection to all standard wall rails**



MP03223

- B Vacuum regulator VarioVac MRI B/OR rail,
for bronchial and OR suction, gas connection NIST VAC,
for connection to all standard wall rails**



MP03222

For CS hoses please refer to chapter „Accessory for gas supply“.

A

D-10296-2011



B

D-12456-2014



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

VACUUM SUCTION

For connecting via CS vacuum connecting hose.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height). The gas supply is ensured by a VAC connection hose.

You can use the bacterial filter MK00514 to reliably protect the central vacuum system against contamination. Two bacterial filters are included within the scope of delivery. These bronchial aspirators are suited for use in MRI.

The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the centre of the magnetic field: magnetic flux density of 40 millitesla (400 gauss).

Technical data:

Maximum vacuum:	-95 to 0 kPa (-950 to 0 mbar)
Maximum suction flow:	50 l/min
Dimensions (W/H/D) in mm:	130 × 190 × 120
Maximum sound level:	55 dB(A)
Hose nozzle:	Ø 6 mm

Additional information for filter:

Bacterial retention:	99.99997 %*
Viral retention:	99.99997 %*
NaCl retention:	99.9982 %**

* Test was performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

** Test was performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1

A

MT-4533-2005



B

D-10785-2018



A	Vacuum suction NIST, for bronchial suction, gas connection VAC		MK01422
A	Vacuum suction DISS, for bronchial suction, gas connection VAC		MK03140
A	Vacuum suction DISS Canada, for bronchial suction, gas connection VAC		MK03320
B	Vacuum aspirator DISS, version for Atlan A300/A350 and Perseus A500		MP00686
	Vacuum aspirator DISS Canada, version for Atlan A300/A350 and Perseus A500		MP00687
	Vacuum aspirator NIST, version for Atlan A300/A350 and Perseus A500		MP00689

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

The **VarioAir** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -90 kPa (-900 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge.

All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.

The vacuum adjusting knob is also the on/off switch to interrupt the suction without resetting the values.

A new VarioSafe disposable filter system reliably protects the VarioAir series and the patient environment against contamination. One piece of the new VarioSafe filter system is always included.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	57 dB(A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

Additional information for filter:

Aerosol and fluid retention:	100 % (with VarioSafe)*
Bacterial retention:	99.99997 % (with VarioSafe)**
Viral retention:	99.99922 % (with VarioSafe)**
NaCl retention:	99.8900 % (with VarioSafe)***

*Test was performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

**Test was performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

***Test was performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



A Ejector VarioAir B DIN, for bronchial suction, gas connection AIR



MP00530

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

- | | | | |
|----------|--|---|----------------|
| A | Ejector VarioAir B BS,
for bronchial suction, gas connection AIR |  | MP00531 |
| B | Ejector VarioAir B NF,
for bronchial suction, gas connection AIR |  | MP00532 |
| C | Ejector VarioAir B AGA, for bronchial suction,
gas connection AIR, Swedish standard |  | MP00533 |
| D | Ejector VarioAir B UNI,
for bronchial suction, gas connection AIR |  | MP00534 |
| E | Ejector VarioAir B CARBA,
for bronchial suction, gas connection AIR |  | MP00548 |

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

VarioAir ejector for rail.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)

Maximum sound level:	57 dB(A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

Additional information for filter:

Aerosol and fluid retention:	100 % (with VarioSafe)*
Bacterial retention:	99.99997 % (with VarioSafe)**
Viral retention:	99.99922 % (with VarioSafe)**
NaCl retention:	99.8900 % (with VarioSafe)***

* Test was performed by Drägerwerk AG & Co. KGaA,
Dec 2020, Lübeck, Germany

** Test was performed by Nelson Laboratories Inc.,
Dec 2020, Salt Lake City, USA

*** Test was performed by Dräger Safety AG & Co. KGaA,
March 2021, Lübeck, Germany, according to EN ISO 23328-1

A	Ejector VarioAir B/OR rail, for bronchial and OR suction, gas connection NIST AIR		MP00535
B	Ejector VarioO2 B DIN, for bronchial suction, gas connection O₂		MP00550
B	Ejector VarioO2 B CARBA, for bronchial suction, gas connection O₂		MP00551
C	Ejector VarioO2 B/OR rail, for bronchial and OR suction, gas connection NIST O₂		MP00552

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

VarioAir ejector for rail.

The gas supply is ensured by AIR connection hose. This rail version can be connected to all standard wall rails (10 mm width and 25 mm height). You can use the VarioSafe disposable filter system to reliably protect the VarioAir series and the central vacuum system against contamination.

Technical data: VarioAir P (MP00545, MP03221)
 Maximum vacuum: -54 to 0 kPa (-540 to 0 mbar)
 Suction flow: 22 l/min
 Maximum gas consumption: 40 l/min
 Maximum sound level: 47 dB(A)

VarioAir B/OP (MP03220)
 Maximum vacuum: -90 to 0 kPa (-900 to 0 mbar)
 Maximum suction flow: 40 l/min
 Maximum gas consumption: 55 l/min
 Maximum sound level: 57 dB(A)

Inlet pressure range: 4 to 5.5 bar
 Weight: 800 g
 Dimensions (W/H/D) in mm: 80 × 200 × 160 (without VarioSafe)
 80 × 330 × 160 (with VarioSafe)

Hose nozzle: Ø 6 mm
 Pressure relief valve: from 0.1 kPa on (1 mbar)

Additional information for filter:

Aerosol and fluid retention: 100 % (with VarioSafe)*
 Bacterial retention: 99.99997 % (with VarioSafe)**
 Viral retention: 99.99922 % (with VarioSafe)**
 NaCl retention: 99.8900 % (with VarioSafe)***

* Test was performed by Drägerwerk AG & Co. KGaA,
 Dec 2020, Lübeck, Germany

** Test was performed by Nelson Laboratories Inc.,
 Dec 2020, Salt Lake City, USA

*** Test was performed by Dräger Safety AG & Co. KGaA,
 March 2021, Lübeck, Germany, according to EN ISO 23328-1



**A Ejector VarioAir P rail,
 for bronchial suction, gas connection NIST AIR,
 for connection to all standard wall rails**  **MP00545**

**A Ejector VarioAir P rail DISS,
 for bronchial suction, gas connection DISS AIR,
 for connection to all standard wall rails**  **MP00639**

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

These bronchial aspirators are suited for use in MRI. The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the centre of the magnetic field: magnetic flux density of 40 millitesla (400 gauss).

- A Ejector VarioAir MRI B/OR rail,
for bronchial suction, gas connection NIST AIR,
for connection to all standard wall rails**



MP03220

- A Ejector VarioAir MRI P rail,
for bronchial suction, gas connection NIST AIR,
for connection to all standard wall rails**



MP03221

For CS hoses please refer to chapter „Accessory for gas supply“.

A

D-28521-2009



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

EJECTOR SUCTION

For connecting via CS vacuum connecting hose.
The gas supply is ensured by AIR connection hose.
You can use the bacterial filter MK00514 to reliably protect the central vacuum system against contamination.
Two bacterial filters are included within the scope of delivery.
These bronchial aspirators are suited for use in MRI.
The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the centre of the magnetic field: magnetic flux density of 40 millitesla (400 gauss).

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	30 l/min
Pressure range:	2.7 to 6.9 bar
Maximal gas consumption:	60 l/min
Dimensions (W/H/D) in mm:	130 × 190 × 120
Maximum sound level:	55 dB(A)
Pressure relief valve:	ex 1 kPa (10 mbar)
Hose nozzle:	Ø 6 mm

Additional information for filter:

Bacterial retention:	99.99997 %*
Viral retention:	99.99997 %*
NaCl retention:	99.9982 %**

* Test was performed by Nelson Laboratories Inc.,
Dec 2020, Salt Lake City, USA

** Test was performed by Dräger Safety AG & Co. KGaA,
March 2021, Lübeck, Germany, according to EN ISO 23328-1



A

MT-4533-2005

- | | | | |
|---|--|--|-----------------------|
| A | Ejector suction NIST AIR O₂
for bronchial suction, gas connection AIR/O₂,
for connection to all standard wall rails | | <u>MK01418</u> |
| A | Ejector suction NIST
for bronchial suction, gas connection AIR,
for connection to all standard wall rails | | <u>MK01420</u> |
| A | Ejector suction NIST,
for bronchial suction, gas connection AIR,
version for Atlan A300/A350 and Perseus A500 | | <u>MP00688</u> |

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

Drive unit (VarioVac or VarioAir) and jar set are joined together, so that you have a complete, convenient, and easy solution. The ergonomically shaped handle is positioned exactly at the unit's centre of gravity, making it easy to transport the aspirator quickly. The gas supply is ensured by a CS connection hose. You can use the VarioSafe disposable filter system to reliably protect the device and the patient environment against contamination. This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

Technical data:

Weight: 1,600 g (empty)
 Dimensions (W/H/D) in mm: 300 × 440 × 160
 Hose nozzle: Ø 6 mm

Additional information for filter:

Aerosol and fluid retention: 100 % (with VarioSafe)*
 Bacterial retention: 99.99997 % (with VarioSafe)**
 Viral retention: 99.99922 % (with VarioSafe)**
 NaCl retention: 99.8900 % (with VarioSafe)***

*Test was performed by Drägerwerk AG & Co. KGaA,
 Dec 2020, Lübeck, Germany

**Test was performed by Nelson Laboratories Inc.,
 Dec 2020, Salt Lake City, USA

***Test was performed by Dräger Safety AG & Co. KGaA,
 March 2021, Lübeck, Germany, according to EN ISO 23328-1



A Vacuum regulator VarioVac B compact, for bronchial suction, gas connection NIST VAC, including secretion jar set and integrated vacuum regulator



MP00506

Technical data:

Maximum vacuum: -90 to 0 kPa (-900 to 0 mbar)
 Maximum suction flow: 55 l/min
 Maximum sound level: 43 dB(A)

A Vacuum regulator VarioVac P compact, for bronchial suction, gas connection NIST VAC, including secretion jar set and integrated vacuum regulator



MP00661

Technical data:

Maximum vacuum: -55 to 0 kPa (-550 to 0 mbar)
 Suction flow: 21 l/min
 Maximum sound level: 40 dB(A)

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

A Ejector VarioAir B compact, for bronchial suction, gas connection NIST AIR, including secretion jar set and integrated ejector


MP00536

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 l/min
Maximum sound level:	57 dB(A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

A

D-33493-2009



A Ejector VarioAir P compact, for bronchial suction, gas connection NIST AIR, including secretion jar set and integrated ejector


MP00547

Technical data:

Maximum vacuum:	-54 to 0 kPa (-540 to 0 mbar)
Suction flow:	22 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	40 l/min
Maximum sound level:	47 dB(A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

Extra lightweight portable secretion jar set for bronchial aspiration. The set is made of high quality and extremely robust plastic and can be autoclaved at up to 134 °C. The two 700 ml jars, which are used as secretion and rinsing jars, are identical, making hospital logistics considerably easier. The jars are made of high-quality polysulfone, are reusable, extremely robust and implosion-proof. The long service life makes the jars both environmentally friendly and cost effective.

An automatic overflow safeguard is fitted in the secretion jar cap to prevent secretion from entering the drive unit and the piped medical gas supply. The ergonomically shaped handle is positioned exactly at the unit's centre of gravity, making it easy to transport the secretion jar set quickly.



- A Secretion jar set, with 700 ml secretion jars (2 pcs.) and 1.5 m suction hose, maximum capacity up to the overflow safeguard 2 × 1,000 ml, scale in steps of 10 ml up to max. 700 ml**



2M85056



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

A	<u>Secretion jar set with clamp</u>	<u>MP00646</u>
B	<u>Carrier rack CD</u>	<u>2M85380</u>
C	<u>Carrying rack bronchial suction</u>	<u>2M85381</u>



BRONCHIAL ASPIRATION

Holders for attaching a compact bronchial aspirator or a secretion jar set to the wall/rail or to a rail on a ceiling supply unit. The devices are latched and can be detached and moved easily if this is required.

A	Wall holder, with fixing screws, for compact suction unit and secretion jar set	M26859
B	Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set	M26842
C	Ceiling holder*, rail holder for compact suction systems and secretion jar sets	2M85119
Holders for holding a central supply connecting hose or an aspiration hose. For attachment to an intensive care rail or compact rail.		
D	CS connection hose holder	2M85446
E	Suction hose holder, suitable for various diameters	2M85239

*Tradeware



BRONCHIAL ASPIRATION

VacuSmart disposable cartridge for bronchial suction

VacuSmart is a disposable cartridge for 700 ml secretion jars. This product has been specifically designed and thoroughly tested to work with Dräger suction units. Therefore, there is absolutely no need to modify the installed base. An integrated hydrophobic filter acts as overflow safeguard by stopping the suction of secretion once maximum capacity has been reached. The closed and leak-proof system, optional with an integrated gelling agent, reduces the risk of cross contamination to a minimum. The optional gelling agent prevent leakages, e.g., during the waste disposal in a waste press. The gelling agent is secured in a water-soluble bag.

Technical data:

Maximum capacity:	700 ml
Maximum capacity up to the overflow safeguard:	1,000 ml
Overflow safeguard:	Integrated, hydrophobic filter
Recommended duration of use:	24 h
Gelling agent:	Sodium polyacrylate

A	Secretion jar VacuSmart, PE (polyethylene), disposable, 700 ml, 25 pcs.	MX23023
B	Secretion jar VacuSmart gel, PE (polyethylene), disposable, 700 ml, 25 pcs.	MX23025
C	VacuSmart tube 2 m, suction tube, PE (polyethylene), disposable, w. fingertip, 25 pcs.	MP14010
You can also enjoy some smart savings by choosing any of the following packing unit 25 pieces sets:		
D	Suction set, disposable, VacuSmart, 700 ml and VacuSmart tube, 25 pcs. each	MP00061
E	Set VacuSmart gel and tube, 25 pcs.	MP03211



BRONCHIAL ASPIRATION

A Bacterial filter 767, 5 pcs. 6723976

A Bacterial filter 767, disposable, for ejectors (model range until 2010) CH00102

The filter 767 reliably protects the ejector and the patient environment against contamination.

Technical data:

Material: PS (polystyrene)

Recommended duration of use: 7 days

Additional information for filter:

Bacterial retention: 99.992 %***

Viral retention: 99.99 %***

***According to EN 1822-1:1998 Filter for suspended particles (HEPA and ULPA)

B Bacterial filter disposable, 20 pcs. MK00514

You can use the bacterial filter to reliably protect the suction devices against contamination.

Technical data:

Material: Acryl

Recommended duration of use: 7 days

Additional information for filter:

Bacterial retention: 99.99997 %*

Viral retention: 99.99997 %*

NaCl retention: 99.9982 %**

* Test was performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

** Test was performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1

C Bacterial and viral filter system VarioSafe, for VarioAir, VarioVac, VarioO2, disposable, 10 pcs. MP00555

The new VarioSafe disposable filter system reliably protects the VarioAir, VarioVac and VarioO2 series and the patient environment against contamination.

Technical data:

Material: PP (Polypropylene)

Recommended duration of use: 7 days

Maximum capacity: 90 ml

Additional information for filter:

Aerosol and fluid retention: 100 % (with VarioSafe)*

Bacterial retention: 99.99997 % (with VarioSafe)**

Viral retention: 99.99922 % (with VarioSafe)**

NaCl retention: 99.8900 % (with VarioSafe)***

* Test was performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany




** Test was performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

*** Test was performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



BRONCHIAL ASPIRATION

A	Suction hose, silicone, reusable, 1.5 m length, ID 6 mm, wall thickness 2 mm	M25780
B	Connection hose, silicone, reusable, ID 5 mm, wall thickness 2 mm, by metre	1203606
	Silicone hose 6 × 2.5, 2 m	5001330
C	Cap, for 700 ml secretion jar, with overflow safeguard	2M85011
D	Cap, for secretion jar, for fistula indicator for continuous and thoracic drainage	2M85013
E	Cap, for secretion jar, w/ overflow safeguard and pressure relief valve (≥ 0.1 kPa)	2M85012



BRONCHIAL ASPIRATION

A	Secretion jar, PSU (polysulfone), reusable, 300 ml, autoclavable up to 134°C	2M86207
B	Secretion jar, PSU (polysulfone), reusable, 700 ml, autoclavable up to 134°C	2M85594
C	Elbow, angled hose connection for secretion jar caps	2M19063
D	Shut-off valve for VarioVac, for temporary opening and closing of suction flow	MP00570
E	Secretion control glass	M07582



BRONCHIAL ASPIRATION

- | | | |
|----------|---|----------------|
| A | Pressure gauge for VarioVac + VarioAir,
double scale kPa/mmHg, -100 kPa (-1000 mbar) | MP00578 |
| B | Pressure gauge for VarioVac + VarioAir,
double scale kPa/mmHg, -60 kPa (-600 mbar) | MP00580 |
| C | Pressure gauge -100 kPa MRI,
double scale kPa/mmHg, -100 kPa (-1000 mbar) | MP03589 |
| D | Pressure gauge -60 kPa MRI,
double scale kPa/mmHg, -60 kPa (-600 mbar) | MP03587 |

A

D-28496-2009

**B**

D-33499-2009

**C**

D-10414-2016

**D**

D-10413-2016



BRONCHIAL ASPIRATION

A	Universal holder with groove 25 × 5 for wall rails 25 × 8 to 35 × 10 mm, for compact suction system and secretion jar set	2M86757
B	Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm	MP00634
C	Universal holder for wall rails 25 × 8 to 35 × 10 mm with M5 drill hole 15 mm distance	MP00635
D	Universal holder for wall rails 25 × 8 to 35 × 10 mm with M5 drill hole 22 mm distance	MP00636
E	Universal holder flex 15 for wall rails 25 × 8 to 35 × 10 mm with bottle screw	MP00637
F	Rail trolley, 4 wheels, 2 w. brakes, 2 DIN standard rails 50 cm each	MP14098




MEDICAL ASPIRATION

2.2 OR aspiration

During surgical, endoscopic, and minimally invasive procedures you do not have to abandon the easy use of these products. A modular design facilitates the easy replacement of components and allows the system to be upgraded with any of Dräger's rail-mounted accessories. The negative pressure can be generated either by a vacuum regulator or an ejector.

An overflow safeguard in the secretion jar and an additional protection jar reduces the risk of contamination of the drive element and the pressure or vacuum generating system.

The OR aspirators can be connected either to the central vacuum system or, when used with an ejector drive unit, to the piped oxygen or medical air supply system.



1	MP00505	VarioVac B/OR rail
	MP00516	Dual VarioVac B/OR rail
2	MP00535	VarioAir B/OR rail
3	MP00552	VarioO2 B/OR rail
4	2M85441	Trolley, for OR suction unit
5	MP03231	Cap secretion jar Medela
6	MP03230	Secretion jar 3 L Medela

7	MP03233	Connection hose Medela
8	MP03232	Switchover valve Medela
9	MP00634	Universal holder profile 30 × 5
10	2M85446	CS connection hose holder
11	2M85239	Suction hose holder
12	MX37021	Bacterial filter, disposable, for Evac 40

OR ASPIRATION

2.2 OR ASPIRATION

A Vacuum regulator VarioVac B/OR rail, for bronchial and OR suction, gas connection NIST VAC MP00505

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	55 l/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without Safe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	43 dB(A)
Hose nozzle:	Ø 6 mm

Additional information for filter:

Aerosol and fluid retention:	100 % (with VarioSafe)*
Bacterial retention:	99.99997 % (with VarioSafe)**
Viral retention:	99.99922 % (with VarioSafe)**
NaCl retention:	99.8900 % (with VarioSafe)***

*Test was performed by Drägerwerk AG & Co. KGaA,
Dec 2020, Lübeck, Germany

** Test was performed by Nelson Laboratories Inc.,
Dec 2020, Salt Lake City, USA

*** Test was performed by Dräger Safety AG & Co. KGaA,
March 2021, Lübeck, Germany, according to EN ISO 23328-1

B Vacuum regulator dual VarioVac B/OR rail, for bronchial and OR suction, gas connection NIST VAC MP00516

Weight:	1,700 g
Dimensions (W/H/D) in mm:	200 × 210 × 210 (without VarioSafe) 200 × 340 × 210 (with VarioSafe)

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

OR ASPIRATION

A Ejector VarioAir B/OR rail, for bronchial and OR suction, gas connection NIST AIR  **MP00535**

A Ejector VarioO2 B/OR rail, for bronchial and OR suction, gas connection NIST O₂  **MP00552**

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	57 dB(A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

Additional information for filter:

Aerosol and fluid retention:	100 % (with VarioSafe)*
Bacterial retention:	99.99997 % (with VarioSafe)**
Viral retention:	99.99922 % (with VarioSafe)**
NaCl retention:	99.8900 % (with VarioSafe)**

*Test was performed by Drägerwerk AG & Co. KGaA,
Dec 2020, Lübeck, Germany

** Test was performed by Nelson Laboratories Inc.,
Dec 2020, Salt Lake City, USA

*** Test was performed by Dräger Safety AG & Co. KGaA,
March 2021, Lübeck, Germany, according to EN ISO 23328-1



For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

OR ASPIRATION

A	Trolley*, for OR suction unit, with protection jar, w/o 4 L secretion jars	2M85441
B	Secretion jar 3 L Medela*	MP03230
C	Cap secretion jar Medela*	MP03231
D	Switchover valve Medela*	MP03232
	Connection hose Medela*	MP03233

*Tradeware



OR ASPIRATION

- | | |
|--|----------------|
| A Universal holder with groove 25 × 5
for wall rails 25 × 8 to 35 × 10 mm,
for compact suction system and secretion jar set | 2M86757 |
| B Universal holder profile 30 × 5
for wall rails 25 × 8 to 35 × 10 mm | MP00634 |



OR ASPIRATION

A	Bacterial filter*, disposable, for Evac 40, 10 pcs.	MX37021
B	CS connection hose holder	2M85446
C	Suction hose holder, suitable for various diameters	2M85239

*Tradeware




MEDICAL ASPIRATION

2.3 Continuous and thoracic drainages

Continuous drainages are used for drainage of secretion, blood and/or air from body cavities over long periods, following operations, particularly after open-thorax surgery. All of Dräger's continuous drainages are made from

high-quality materials and are designed with space in mind. Individual solutions allow you to choose between pneumatic or electrical driven drainages, while also assisting you in optimising your specific needs and requirements.



1	MP00507	VarioVac D DIN
	MP00508	VarioVac D BS
	MP00509	VarioVac D NF
	MP00510	VarioVac D AGA
	MP00515	VarioVac D CARBA
	MP00664	VarioVac T DIN
2	MP00511	VarioVac D rail
	MP00663	VarioVac T rail
3	MP00512	VarioVac T rail WV
4	MP00537	VarioAir D DIN
	MP00538	VarioAir D BS
	MP00539	VarioAir D NF
	MP00540	VarioAir D AGA
	MP00541	VarioAir D UNI
	MP00549	VarioAir D CARBA
	MP00553	VarioAir T DIN
5	MP00542	VarioAir D rail
	MP00543	VarioAir T rail
6	MP00544	VarioAir T rail WV

7	2M85153	Continuous drainage 3
8	2M85151	Continuous drainage 1
9	2M85056	Secretion jar set
10	2M85163	Secretion jar set, with rail holder and secretion jar 700 ml
11	MP00518	Water vacuum gauge
12	M26859	Wall holder
13	M26842	Rail clamp lever type
14	2M85119	Ceiling holder
15	2M85446	CS connection hose holder
16	2M85239	Suction hose holder
17	6723976	Bacterial filter 767

Not all articles are available worldwide.

CONTINUOUS AND THORACIC DRAINAGES

2.3 CONTINUOUS AND THORACIC DRAINAGES

The vacuum regulator is directly connected to a central vacuum supply or mounted on a rail. The smoothly adjustable vacuum, up to max. -160 mbar (-16 kPa), is displayed on a rotating manometer, legible from all sides.

All vacuum regulators include a shut-off valve.

You can use the VarioSafe disposable filter system to reliably protect the **VarioVac** series and the central vacuum system against contamination. A VarioSafe filter system is included with every VarioVac vacuum regulator.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 l/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB(A)
Hose nozzle:	Ø 6 mm

Additional information for filter:

Aerosol and fluid retention:	100 % (with VarioSafe)*
Bacterial retention:	99.99997 % (with VarioSafe)**
Viral retention:	99.99922 % (with VarioSafe)**
NaCl retention:	99.8900 % (with VarioSafe)***

*Test was performed by Drägerwerk AG & Co. KGaA,
Dec 2020, Lübeck, Germany

**Test was performed by Nelson Laboratories Inc.,
Dec 2020, Salt Lake City, USA

***Test was performed by Dräger Safety AG & Co. KGaA,
March 2021, Lübeck, Germany, according to EN ISO 23328-1



A **Vacuum regulator VarioVac D DIN, for continuous and wound drainage, gas connection VAC** **MP00507**

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

CONTINUOUS AND THORACIC DRAINAGES

- | | | | |
|----------|---|---|----------------|
| A | Vacuum regulator VarioVac D BS,
for continuous and wound drainage, gas connection VAC |  | MP00508 |
| B | Vacuum regulator VarioVac D NF,
for continuous and wound drainage, gas connection VAC |  | MP00509 |
| C | Vacuum regulator VarioVac D AGA,
for continuous and wound drainage, gas connection VAC |  | MP00510 |
| D | Vacuum regulator VarioVac D CARBA,
for continuous and wound drainage, gas connection VAC |  | MP00515 |
| E | Vacuum regulator VarioVac D rail,
for continuous and wound drainage, gas connection VAC |  | MP00511 |

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

CONTINUOUS AND THORACIC DRAINAGES

A Vacuum regulator VarioVac T rail, for thoracic drainage, gas connection VAC, for connection to all standard wall rails


MP00663

For connecting via CS vacuum connecting hose.
The gas supply is ensured by VAC connection hose.

Technical data:

Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum Flow:	15 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB(A)
Hose nozzle:	Ø 6 mm

Additional information for filter:

Aerosol and fluid retention:	100 % (with VarioSafe)*
Bacterial retention:	99.99997 % (with VarioSafe)**
Viral retention:	99.99922 % (with VarioSafe)**
NaCl retention:	99.8900 % (with VarioSafe)***

* Test was performed by Drägerwerk AG & Co. KGaA,
Dec 2020, Lübeck, Germany

** Test was performed by Nelson Laboratories Inc.,
Dec 2020, Salt Lake City, USA

*** Test was performed by Dräger Safety AG & Co. KGaA,
March 2021, Lübeck, Germany, according to EN ISO 23328-1

A

D-12453-2014


B

D-12452-2014



B Vacuum regulator VarioVac T DIN, for thoracic drainage, gas connection VAC, for connecting to the central vacuum supply


MP00664

Technical data:

Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum Flow:	15 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB(A)
Hose nozzle:	Ø 6 mm

Additional information for filter:

Aerosol and fluid retention:	100 % (with VarioSafe)*
Bacterial retention:	99.99997 % (with VarioSafe)**
Viral retention:	99.99922 % (with VarioSafe)**
NaCl retention:	99.8900 % (with VarioSafe)***

* Test was performed by Drägerwerk AG & Co. KGaA,
Dec 2020, Lübeck, Germany

** Test was performed by Nelson Laboratories Inc.,
Dec 2020, Salt Lake City, USA

*** Test was performed by Dräger Safety AG & Co. KGaA,
March 2021, Lübeck, Germany, according to EN ISO 23328-1

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

CONTINUOUS AND THORACIC DRAINAGES

A Vacuum regulator VarioVac T rail WV, for thoracic drainage, gas connection VAC, water vacuum gauge included, for connection to all standard wall rails, double-scaled immersion pipe (kPa and cmH₂O)

MP00512

For connecting via CS vacuum connection hose.
The filter MK00514 protects the product and the central vacuum supply against contamination.
Two filters are included in the scope of delivery.

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Minimum suction flow:	15 l/min
Weight:	1,100 g
Dimensions (W/H/D) in mm:	80 × 860 × 160
Maximum sound level:	40 dB(A)
Hose nozzle:	Ø 6 mm

Additional information for filter:

Bacterial retention:	99.99997 %*
Viral retention:	99.99997 %*
NaCl retention:	99.9982 %**

* Test was performed by Nelson Laboratories Inc.,
Dec 2020, Salt Lake City, USA

** Test was performed by Dräger Safety AG & Co. KGaA,
March 2021, Lübeck, Germany, according to EN ISO 23328-1



For CS hoses please refer to chapter „Accessory for gas supply“.

CONTINUOUS AND THORACIC DRAINAGES

The **VarioAir** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -16 kPa (-160 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side. A new VarioSafe disposable filter system reliably protects the VarioAir series and the patient environment against contamination. One piece of the new VarioSafe filter system is always included.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	25 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	45 dB(A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

Additional information for filter:

Aerosol and fluid retention:	100 % (with VarioSafe)*
Bacterial retention:	99.99997 % (with VarioSafe)**
Viral retention:	99.99922 % (with VarioSafe)**
NaCl retention:	99.8900 % (with VarioSafe)***

* Test was performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

** Test was performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

***Test was performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



A Ejector VarioAir D DIN, for continuous and wound drainage, gas connection AIR **MP00537**

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

CONTINUOUS AND THORACIC DRAINAGES

A	Ejector VarioAir D BS, for continuous and wound drainage, gas connection AIR		MP00538
B	Ejector VarioAir D NF, for continuous and wound drainage, gas connection AIR		MP00539
C	Ejector VarioAir D AGA, for continuous and wound drainage, gas connection AIR		MP00540
D	Ejector VarioAir D UNI, for continuous and wound drainage, gas connection AIR		MP00541
E	Ejector VarioAir D CARBA, for continuous and wound drainage, gas connection AIR		MP00549
F	Ejector VarioAir D rail, for continuous and wound drainage, gas connection AIR, for connection to all standard wall rails		MP00542
	For gas supply via CS vacuum connection hose. Connection thread: NIST.		

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

CONTINUOUS AND THORACIC DRAINAGES

A Ejector VarioAir T rail, for thoracic drainage, gas connection NIST AIR, for connection to all standard wall rails



MP00543

The gas supply is ensured by AIR connection hose.

Technical data:

Maximum vacuum: -7 to 0 kPa (-70 to 0 mbar)

Minimum suction flow: 15 l/min

Maximum gas consumption: 30 l/min

Maximum sound level: 40 dB(A)

Additional information for filter:

Aerosol and fluid retention: 100 % (with VarioSafe)*

Bacterial retention: 99.99997 % (with VarioSafe)**

Viral retention: 99.99922 % (with VarioSafe)**

NaCl retention: 99.8900 % (with VarioSafe)***

* Test was performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

** Test was performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

*** Test was performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1

A

D-48572-2015



B

D-48571-2015



B Ejector VarioAir T DIN, for thoracic drainage, gas connection DIN, for connecting to the central AIR supply according to DIN standard



MP00553

Technical data:

Maximum vacuum: -7 to 0 kPa (-70 to 0 mbar)

Minimum suction flow: 15 l/min

Maximum gas consumption: 30 l/min

Maximum sound level: 40 dB(A)

Additional information for filter:

Aerosol and fluid retention: 100 % (with VarioSafe)*

Bacterial retention: 99.99997 % (with VarioSafe)**

Viral retention: 99.99922 % (with VarioSafe)**

NaCl retention: 99.8900 % (with VarioSafe)***

* Test was performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

** Test was performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

*** Test was performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

CONTINUOUS AND THORACIC DRAINAGES

A Ejector VarioAir T rail WV, for thoracic drainage, with water vacuum gauge, for connection to all standard wall rails

MP00544

For gas supply via CS vacuum connection hose.

Connection thread: NIST.

Double-scaled immersion pipe (kPa and cmH₂O).

The filter MK00514 protects the product and the central vacuum supply against contamination.

Two filters are included in the scope of delivery.

Technical data:

Maximum vacuum: -5 to 0 kPa (-50 to 0 mbar)

Minimum suction flow: 15 l/min

Maximum gas consumption: 30 l/min

Weight: 1,100 g

Dimensions (W/H/D) in mm: 80 × 860 × 160

Maximum sound level: 50 dB(A)

Hose nozzle: Ø 6 mm

Additional information for filter:

Bacterial retention: 99.99997 %*

Viral retention: 99.99997 %*

NaCl retention: 99.9982 %**

* Test was performed by Nelson Laboratories Inc.,
Dec 2020, Salt Lake City, USA

** Test was performed by Dräger Safety AG & Co. KGaA,
March 2021, Lübeck, Germany, according to EN ISO 23328-1



For CS hoses please refer to chapter „Accessory for gas supply“.

CONTINUOUS AND THORACIC DRAINAGES

The vacuum can either be generated by an ejector or via a vacuum regulator. When used with the ejector, a bacterial filter reliably protects against contamination of the environment. All these pneumatic continuous drainages can be used in potentially explosive areas.

All parts which may become contaminated can be autoclaved at up to 134 °C.

The continuous drainage systems 1 and 3 can be used for continuous and wound drainage as well as for thoracic drainage in combinations with a regulator from the VarioVac D and VarioAir D series. An additional precision regulator makes it easy to adjust the lowest vacuum levels.

- A Continuous drainage 1,
for continuous and wound drainage,
precision regulator, fistula indicator
and bacterial filter 767 included, capacity 700 ml,
maximum capacity up to the overflow safeguard 1,000 ml,
scale in steps of 10 ml up to max. 700 ml**



2M85151

Technical data:

Maximum vacuum:	-10 to 0 kPa (-100 to 0 mbar)
Maximum suction flow:	14 l/min
Weight:	3 kg (empty)
Dimensions (W/H/D) in mm:	285 × 340 × 160

- B Continuous drainage 3,
for continuous, wound, and thoracic drainage,
precision regulator, water vacuum meter, fistula indicator
and bacterial filter 767 included, capacity 700 ml,
maximum capacity up to the overflow safeguard 1,000 ml,
scale in steps of 10 ml up to max. 700 ml**



2M85153

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Maximum suction flow:	14 l/min
Weight:	5.5 kg (empty)
Dimensions (W/H/D) in mm:	260 × 800 × 180

A

D-35826-2011



B

MT-3702-2008



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

CONTINUOUS AND THORACIC DRAINAGES

- A Vacuum regulator VarioVac T rail WV, for thoracic drainage, gas connection VAC, water vacuum gauge included, for connection to all standard wall rails, double-scaled immersion pipe (kPa and cmH₂O)** **MP00512**

For connecting via CS vacuum connection hose.
The filter MK00514 protects the product and the central vacuum supply against contamination.
Two filters are included in the scope of delivery.

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Minimum suction flow:	15 l/min
Weight:	1,100 g
Dimensions (W/H/D) in mm:	80 × 860 × 160
Maximum sound level:	40 dB(A)
Hose nozzle:	Ø 6 mm

Additional information for filter:

Bacterial retention:	99.99997 %*
Viral retention:	99.99997 %*
NaCl retention:	99.9982 %**

* Test was performed by Nelson Laboratories Inc.,
Dec 2020, Salt Lake City, USA

** Test was performed by Dräger Safety AG & Co. KGaA,
March 2021, Lübeck, Germany, according to EN ISO 23328-1
For CS hoses please refer to chapter „Accessory for gas supply“.



- B Water vacuum gauge, for thoracic drainage, combination w/ VarioVac D and VarioAir D, for connection to all standard wall rails, double-scaled immersion pipe (kPa and cmH₂O)** **MP00518**

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Maximum suction flow:	10 l/min
Pressure relief valve:	from 0.1 kPa on (1 mbar)
Hose nozzle:	2 × Ø 6 mm
Weight:	1 kg (empty)
Dimensions (W/H/D) in mm:	80 × 860 × 160

- C Secretion jar set, with rail holder and secretion jar 700 ml, for continuous drainage units** **2M85163**

- D Cylinder support** **2M85180**

CONTINUOUS AND THORACIC DRAINAGES

A Bacterial filter 767, 5 pcs. 6723976

A Bacterial filter 767, disposable, for ejectors (model range until 2010) CH00102

The filter 767 reliably protects the ejector and the patient environment against contamination.

Technical data:

Material: PS (polystyrene)

Recommended duration of use: 7 days

Additional information for filter:

Bacterial retention: 99.992 %****

Viral retention: 99.99 %****

****According to EN 1822-1:1998 Filter for suspended particles (HEPA and ULPA)

B Bacterial filter disposable, 20 pcs. MK00514

You can use the bacterial filter to reliably protect the suction devices against contamination.

Technical data:

Material: Acryl

Recommended duration of use: 7 days

Additional information for filter:

Bacterial retention: 99.99997 %*

Viral retention: 99.99997 %*

NaCl retention: 99.9982 %**

* Test was performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

** Test was performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1

C Bacterial and viral filter system VarioSafe, for VarioAir, VarioVac, VarioO2, disposable, 10 pcs. MP00555

The new VarioSafe disposable filter system reliably protects the VarioAir, VarioVac and VarioO2 series and the patient environment against contamination.

Technical data:

Material: PP (Polypropylene)

Recommended duration of use: 7 days

Maximum capacity: 90 ml

Additional information for filter:

Aerosol and fluid retention: 100 % (with VarioSafe)*

Bacterial retention: 99.99997 % (with VarioSafe)**

Viral retention: 99.99922 % (with VarioSafe)**

NaCl retention: 99.8900 % (with VarioSafe)***

* Test was performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany



** Test was performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

*** Test was performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1




CONTINUOUS AND THORACIC DRAINAGES

A	Immersion tube, for continuous drainages, not scaled	M16395
	Rubber plug, for immersion tube of water vacuum gauge	2M85139
B	Water container, for continuous drainage system 2 – 4, w/o screw thread	M20668
C	Pressure gauge for VarioVac + VarioAir, double scale kPa/mmHg, -16 kPa (-160 mbar)	MP00579
D	Pressure gauge for VarioVac + VarioAir, double scale kPa/mmHg, -8 kPa (-80 mbar)	MP03597



CONTINUOUS AND THORACIC DRAINAGES

A	Immersion tube, for water vacuum gauge of for VarioVac T + VarioAir T, scaled	MP00569
B	Locking screw, for immersion tube, with gaskets, for VarioVac T rail WV (MP00512), VarioAir T rail WV (MP00544) and water vacuum gauge (MP00518)	MP00596
C	Water container with screw thread + gaskets, for VarioVac T rail WV (MP00512), VarioAir T rail WV (MP00544) and water vacuum gauge (MP00518)	MP00565
D	Cap for water vacuum gauge, for VarioVac T rail WV (MP00512), VarioAir T rail WV (MP00544) and water vacuum gauge (MP00518), including gaskets, combination possible with filter MK00514 and plug nozzle MP00566	MP00595
E	Plug nozzle water vacuum gauge, for VarioVac T rail WV (MP00512), VarioAir T rail WV (MP00544) and water vacuum gauge (MP00518)	MP00566
E	Hose nozzle 8 mm small, connection nozzle double sided 8 mm	5000833



ACCESSORY FOR GAS SUPPLY

3. ACCESSORY FOR GAS SUPPLY

3.1 CS HOSES

**Dräger supply hoses,
selectable by the adjacent configuration number**

8601697

Design, colour coding and connection thread of all Dräger supply hoses comply with the respective legal regulations in the indicated countries.

3.1.1 GERMAN STANDARD

A	O ₂ CS hose 0.9 m (2.95 ft) NIST EN DIN	M36729
	O ₂ CS hose 1.5 m (4.9 ft) NIST EN DIN	M35489
	O ₂ CS hose 3 m (9.8 ft) NIST EN DIN	M35490
	O ₂ CS hose 5 m (16.4 ft) NIST EN DIN	M35491
B	AIR CS hose 0.9 m (2.95 ft) NIST EN DIN	M36730
	AIR CS hose 1.5 m (4.9 ft) NIST EN DIN	M35495
	AIR CS hose 3 m (9.8 ft) NIST EN DIN	M35496
	AIR CS hose 5 m (16.4 ft) NIST EN DIN	M35497
C	VAC CS hose 1.5 m (4.9 ft) NIST EN DIN	M35498
	VAC CS hose 3 m (9.8 ft) NIST EN DIN	M35499
	VAC CS hose 5 m (16.4 ft) NIST EN DIN	M36000
D	N ₂ O CS hose 0.9 m (2.95 ft) NIST EN DIN	M36731
	N ₂ O CS hose 1.5 m (4.9 ft) NIST EN DIN	M35492
	N ₂ O CS hose 3 m (9.8 ft) NIST EN DIN	M35493
	N ₂ O CS hose 5 m (16.4 ft) NIST EN DIN	M35494



ACCESSORY FOR GAS SUPPLY

A	O₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36004
	O₂ CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36005
	O₂ CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36006
B	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36010
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36011
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36012
C	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36013
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36014
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36015
D	N₂O CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36007
	N₂O CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36008
	N₂O CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36009



ACCESSORY FOR GAS SUPPLY

3.1.2 FRENCH STANDARD

A	O₂ CS hose 1.5 m (4.9 ft) NIST EN NF	M35416
	O₂ CS hose 3 m (9.8 ft) NIST EN NF	M35417
	O₂ CS hose 5 m (16.4 ft) NIST EN NF	M35330
B	AIR CS hose 1.5 m (4.9 ft) NIST EN NF	M35420
	AIR CS hose 3 m (9.8 ft) NIST EN NF	M35421
	AIR CS hose 5 m (16.4 ft) NIST EN NF	M35332
C	VAC CS hose 1.5 m (4.9 ft) NIST EN NF	M35422
	VAC CS hose 3 m (9.8 ft) NIST EN NF	M35423
	VAC CS hose 5 m (16.4 ft) NIST EN NF	M35424
D	N₂O CS hose 1.5 m (4.9 ft) NIST EN NF	M35418
	N₂O CS hose 3 m (9.8 ft) NIST EN NF	M35419
	N₂O CS hose 5 m (16.4 ft) NIST EN NF	M35331
E	O₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35434
	O₂ CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35435
	O₂ CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35436
F	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35452
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35453
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35454
G	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35455
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35456
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35457

A

D-2294-2014

**B**

D-2295-2014

**C**

D-2296-2014

**D**


D-10448-2016

**E**

D-2297-2014

**F**

D-2298-2014


**G**

D-2299-2014



ACCESSORY FOR GAS SUPPLY

A	N₂O CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35437
	N₂O CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35438
	N₂O CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35439
B	O₂ CS hose 0.9 m (2.95 ft) NF EN NF	M36723
	O₂ CS hose 1.5 m (4.9 ft) NF EN NF	M35425
	O₂ CS hose 3 m (9.8 ft) NF EN NF	M35426
	O₂ CS hose 5 m (16.4 ft) NF EN NF	M35342
C	AIR CS hose 0.9 m (2.95 ft) NF EN NF	M36724
	AIR CS hose 1.5 m (4.9 ft) NF EN NF	M35429
	AIR CS hose 3 m (9.8 ft) NF EN NF	M35430
	AIR CS hose 5 m (16.4 ft) NF EN NF	M35343
D	VAC CS hose 1.5 m (4.9 ft) NF EN NF	M35431
	VAC CS hose 3 m (9.8 ft) NF EN NF	M35432
	VAC CS hose 5 m (16.4 ft) NF EN NF	M35433
E	N₂O CS hose 0.9 m (2.95 ft) NF EN NF	M36725
	N₂O CS hose 1.5 m (4.9 ft) NF EN NF	M35427
	N₂O CS hose 3 m (9.8 ft) NF EN NF	M35428
	N₂O CS hose 5 m (16.4 ft) NF EN NF	M35344



ACCESSORY FOR GAS SUPPLY

3.1.3 BRITISH STANDARD

A	O₂ CS hose 0.9 m (2.95 ft) NIST EN BS	M36726
	O₂ CS hose 1.5 m (4.9 ft) NIST EN BS	M35389
	O₂ CS hose 3 m (9.8 ft) NIST EN BS	M35390
	O₂ CS hose 5 m (16.4 ft) NIST EN BS	M35333
B	AIR CS hose 0.9 m (2.95 ft) NIST EN BS	M36727
	AIR CS hose 1.5 m (4.9 ft) NIST EN BS	M35393
	AIR CS hose 3 m (9.8 ft) NIST EN BS	M35394
	AIR CS hose 5 m (16.4 ft) NIST EN BS	M35335
C	VAC CS hose 1.5 m (4.9 ft) NIST EN BS	M35395
	VAC CS hose 3 m (9.8 ft) NIST EN BS	M35396
	VAC CS hose 5 m (16.4 ft) NIST EN BS	M35397
D	N₂O CS hose 0.9 m (2.95 ft) NIST EN BS	M36728
	N₂O CS hose 1.5 m (4.9 ft) NIST EN BS	M35391
	N₂O CS hose 3 m (9.8 ft) NIST EN BS	M35392
	N₂O CS hose 5 m (16.4 ft) NIST EN BS	M35334



ACCESSORY FOR GAS SUPPLY

A	O₂ CS hose 1.5 m (4.9 ft) NIST EN BS straight	M35398
	O₂ CS hose 3 m (9.8 ft) NIST EN BS straight	M35399
	O₂ CS hose 5 m (16.4 ft) NIST EN BS straight	M35339
B	AIR CS hose 1.5 m (4.9 ft) NIST BS straight	M35402
	AIR CS hose 3 m (9.8 ft) NIST BS straight	M35403
	AIR CS hose 5 m (16.4 ft) NIST BS straight	M35340
C	VAC CS hose 1.5 m (4.9 ft) NIST BS straight	M35404
	VAC CS hose 3 m (9.8 ft) NIST BS straight	M35405
	VAC CS hose 5 m (16.4 ft) NIST BS straight	M35406
D	N₂O CS hose 1.5 m (4.9 ft) NIST EN BS straight	M35400
	N₂O CS hose 3 m (9.8 ft) NIST EN BS straight	M35401
	N₂O CS hose 5 m (16.4 ft) NIST EN BS straight	M35341



ACCESSORY FOR GAS SUPPLY

3.1.4 SWEDISH STANDARD

A	O ₂ CS hose 1.5 m (4.9 ft) NIST EN SS	M35375
	O ₂ CS hose 3 m (9.8 ft) NIST EN SS	M35376
	O ₂ CS hose 5 m (16.4 ft) NIST EN SS	M35377
B	AIR CS hose 1.5 m (4.9 ft) NIST EN SS	M35383
	AIR CS hose 3 m (9.8 ft) NIST EN SS	M35384
	AIR CS hose 5 m (16.4 ft) NIST EN SS	M35385
C	VAC CS hose 1.5 m (4.9 ft) NIST EN SS	M35386
	VAC CS hose 3 m (9.8 ft) NIST EN SS	M35387
	VAC CS hose 5 m (16.4 ft) NIST EN SS	M35388
D	N ₂ O CS hose 1.5 m (4.9 ft) NIST EN SS	M35378
	N ₂ O CS hose 3 m (9.8 ft) NIST EN SS	M35379
	N ₂ O CS hose 5 m (16.4 ft) NIST EN SS	M35382



ACCESSORY FOR GAS SUPPLY

3.1.5 SWISS STANDARD

A	O₂ CS hose 1.5 m (4.9 ft) NIST EN Carba	M35469
	O₂ CS hose 3 m (9.8 ft) NIST EN Carba	M35472
	O₂ CS hose 5 m (16.4 ft) NIST EN Carba	M35345
B	AIR CS hose 1.5 m (4.9 ft) NIST EN Carba	M35475
	AIR CS hose 3 m (9.8 ft) NIST EN Carba	M35476
	AIR CS hose 5 m (16.4 ft) NIST EN Carba	M35346
C	VAC CS hose 1.5 m (4.9 ft) NIST EN Carba	M35477
	VAC CS hose 3 m (9.8 ft) NIST EN Carba	M35478
	VAC CS hose 5 m (16.4 ft) NIST EN Carba	M35479
D	N₂O CS hose 1.5 m (4.9 ft) NIST EN Carba	M35473
	N₂O CS hose 3 m (9.8 ft) NIST EN Carba	M35474
	N₂O CS hose 5 m (16.4 ft) NIST EN Carba	M35347



ACCESSORY FOR GAS SUPPLY

3.1.6 ITALIAN STANDARD


A	O ₂ CS hose 1.5 m (4.9 ft) NIST EN UNI	M35407
	O ₂ CS hose 3 m (9.8 ft) NIST EN UNI	M35408
	O ₂ CS hose 5 m (16.4 ft) NIST EN UNI	M35357
B	AIR CS hose 1.5 m (4.9 ft) NIST EN UNI	M35411
	AIR CS hose 3 m (9.8 ft) NIST EN UNI	M35412
	AIR CS hose 5 m (16.4 ft) NIST EN UNI	M35358
C	VAC CS hose 1.5 m (4.9 ft) NIST EN UNI	M35413
	VAC CS hose 3 m (9.8 ft) NIST EN UNI	M35414
	VAC CS hose 5 m (16.4 ft) NIST EN UNI	M35415
D	N ₂ O CS hose 1.5 m (4.9 ft) NIST EN UNI	M35409
	N ₂ O CS hose 3 m (9.8 ft) NIST EN UNI	M35410
	N ₂ O CS hose 5 m (16.4 ft) NIST EN UNI	M35359



ACCESSORY FOR GAS SUPPLY

3.1.7 AUSTRALIAN STANDARD


A	O₂ CS hose 1.5 m (4.9 ft) NIST EN AS	M36153
	O₂ CS hose 3 m (9.8 ft) NIST EN AS	M36152
	O₂ CS hose 5 m (16.4 ft) NIST EN AS	M36151
B	AIR CS hose 1.5 m (4.9 ft) NIST EN AS	M36150
	AIR CS hose 3 m (9.8 ft) NIST EN AS	M36149
	AIR CS hose 5 m (16.4 ft) NIST EN AS	M36148
C	N₂O CS hose 1.5 m (4.9 ft) NIST EN AS	M36156
	N₂O CS hose 3 m (9.8 ft) NIST EN AS	M36155
	N₂O CS hose 5 m (16.4 ft) NIST EN AS	M36154
D	VAC CS hose 1.5 m (4.9 ft) NIST EN AS	M36826
	VAC CS hose 3 m (9.8 ft) NIST EN AS	M36827
	VAC CS hose 5 m (16.4 ft) NIST EN AS	M36828



ACCESSORY FOR GAS SUPPLY

3.1.8 JAPANESE STANDARD

A	O ₂ CS hose 1.5 m (4.9 ft) DISS US KAWA	M35806
	O ₂ CS hose 3 m (9.8 ft) DISS US KAWA	M35805
	O ₂ CS hose 5 m (16.4 ft) DISS US KAWA	M35804
	O ₂ CS hose 8 m (26.25 ft) DISS US KAWA	M35866
B	AIR CS hose 1.5 m (4.9 ft) DISS US KAWA	M35803
	AIR CS hose 3 m (9.8 ft) DISS US KAWA	M35802
	AIR CS hose 5 m (16.4 ft) DISS US KAWA	M35801
	AIR CS hose 8 m (26.25 ft) DISS US KAWA	M35865
C	N ₂ O CS hose 1.5 m (4.9 ft) DISS US KAWA	M35809
	N ₂ O CS hose 3 m (9.8 ft) DISS US KAWA	M35808
	N ₂ O CS hose 5 m (16.4 ft) DISS US KAWA	M35807
	N ₂ O CS hose 8 m (26.25 ft) DISS US KAWA	M35867
D	VAC CS hose 5 m (16.4 ft) DISS JIS KAWA	M35820





ACCESSORY FOR GAS SUPPLY

3.1.9 US AMERICAN STANDARD

A	O₂ CS hose DISS N/DISS N 10 ft*	4185140
	O₂ CS hose DISS N/DISS N 15 ft*	4185141
	O₂ CS hose DISS N/DISS N 20 ft*	4199714
B	O₂ CS hose DISS HAND 10 ft*	4199592
	O₂ CS hose DISS HAND 15 ft*	4199591
C	AIR CS hose DISS N/DISS N 10 ft*	4199605
	AIR CS hose DISS N/DISS N 15 ft*	4199604
	AIR CS hose DISS N/DISS N 20 ft*	4199712
D	AIR CS hose DISS HAND 10 ft*	4199594
	AIR CS hose DISS HAND 15 ft*	4199593
E	VAC CS hose DISS N/DISS N 10 ft*	4199602
	VAC CS hose DISS N/DISS N 15 ft*	4199601
	VAC CS hose DISS N/DISS N 20 ft*	4199600
F	VAC CS hose DISS HAND 10 ft*	4199590
	VAC CS hose DISS HAND 15 ft*	4199589

*Tradeware



ACCESSORY FOR GAS SUPPLY

A	N ₂ O CS hose DISS N/DISS N 10 ft*	4185142
	N ₂ O CS hose DISS N/DISS N 15 ft*	4185143
	N ₂ O CS hose DISS N/DISS N 20 ft*	4199713
B	N ₂ O CS hose DISS HAND 10 ft*	4199596
	N ₂ O CS hose DISS HAND 15 ft*	4199595
C	Hose ASM-WAGD DISS N/ DISS N 10 ft*	MP20022
	Hose ASM-WAGD DISS N/ DISS N 15 ft*	MP20023
	Hose ASM-WAGD DISS N/ DISS N 20 ft*	MP20024
D	Hose ASM-WAGD HAND DISS N 10 ft*	MP20029
	Hose ASM-WAGD HAND DISS N 15 ft*	MP20030

*Tradeware



ACCESSORY FOR GAS SUPPLY

3.1.10 CANADIAN STANDARD

With check valve as standard.

A	O₂ CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36290
	O₂ CS hose 3 m (9.8 ft) DISSB EN HAND	M36291
	O₂ CS hose 5 m (16.4 ft) DISSB EN HAND	M36292
B	AIR CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36296
	AIR CS hose 3 m (9.8 ft) DISSB EN HAND	M36297
	AIR CS hose 5 m (16.4 ft) DISSB EN HAND	M36298
C	VAC CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36299
	VAC CS hose 3 m (9.8 ft) DISSB EN HAND	M36300
	VAC CS hose 5 m (16.4 ft) DISSB EN HAND	M36301
D	N₂O CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36293
	N₂O CS hose 3 m (9.8 ft) DISSB EN HAND	M36294
	N₂O CS hose 5 m (16.4 ft) DISSB EN HAND	M36295
E	Hose ASM-WAGD HAND DISS N 10 ft*	MP20029
	Hose ASM-WAGD HAND DISS N 15 ft*	MP20030

*Tradeware



ACCESSORY FOR GAS SUPPLY

3.1.11 CHINESE STANDARD

A	O ₂ CS hose 3 m (9.8 ft) NIST GB BS	M36732
	O ₂ CS hose 5 m (16.4 ft) NIST GB BS	M36733
	AIR CS hose 3 m (9.8 ft) NIST GB BS	M36736
	AIR CS hose 5 m (16.4 ft) NIST GB BS	M36737
	N ₂ O CS hose 3 m (9.8 ft) NIST GB BS	M36734
	N ₂ O CS hose 5 m (16.4 ft) NIST GB BS	M36735
	O ₂ CS hose 0.9 m (2.95 ft) NIST GB DIN	M36784
	O ₂ CS hose 1.5 m (4.9 ft) NIST GB DIN	M36785
	O ₂ CS hose 3 m (9.8 ft) NIST GB DIN	M36738
	O ₂ CS hose 5 m (16.4 ft) NIST GB DIN	M36739
B	N ₂ O CS hose 0.9 m (2.95 ft) NIST GB DIN	M36788
	N ₂ O CS hose 1.5 m (4.9 ft) NIST GB DIN	M36789
	N ₂ O CS hose 3 m (9.8 ft) NIST GB DIN	M36740
	N ₂ O CS hose 5 m (16.4 ft) NIST GB DIN	M36741
	AIR CS hose 0.9 m (2.95 ft) NIST GB DIN	M36786
	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36010
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36011
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36012



ACCESSORY FOR GAS SUPPLY

3.2 ADAPTER

A	Adapter DISS M/QC-N₂O-Chemetron*	4119065
	Adapter DISS M/QC-AIR-Chemetron*	4119066
	Adapter DISS M/QC-VAC-Chemetron*	4119067
	Adapter DISS M/QC-O₂-Chemetron*	4119068
	Adapter DISS M/QC-EVAC-Chemetron*	4119069
B	Adapter DISS M/QC-N₂O-Ohmeda*	4119070
	Adapter DISS M/QC-AIR-Ohmeda*	4119071
	Adapter DISS M/QC-VAC-Ohmeda*	4119072
	Adapter DISS M/QC-O₂-Ohmeda*	4119073
	Adapter DISS M/QC-EVAC-Ohmeda*	4119074
C	Adapter DISS M/QC-N₂O-Pur Ben*	4119075
	Adapter DISS M/QC-AIR-Pur Ben*	4119076
	Adapter DISS M/QC-VAC-Pur Ben*	4119077
	Adapter DISS M/QC-O₂-Pur Ben*	4119078
	Adapter DISS M/QC-EVAC-Pur Ben*	4119079
	Adapter DISS M/QC-N₂O-Schrader*	4119080
	Adapter DISS M/QC-AIR-Schrader*	4119081
	Adapter DISS M/QC-VAC-Schrader*	4119082
	Adapter DISS M/QC-O₂-Schrader*	4119083
D	Double-Plug coupling AIR	G01166
	Double-Plug coupling O₂	G01168
	Double-Plug coupling VAC	G01169

*Tradeware




ACCESSORY FOR GAS SUPPLY

A	Adapter O₂ NIST/DIN	M32493
	Adapter N₂O NIST/DIN	M32494
	Adapter AIR NIST/DIN	M32495
	Adapter VAC NIST/DIN	M32496
B	Adapter O₂, DISS-NIST	M34875
	Adapter N₂O, DISS-NIST	M34876
	Adapter AIR, DISS-NIST	M34877
	Adapter VAC, DISS-NIST	M34878
C	Adapter NIST to DIN CS-coupling O₂	M35056
	Adapter N₂O NIST/DIN	M35057
	Adapter NIST to DIN CS-coupling AIR	M35058
D	T-piece AIR NIST*	M36056
E	Adapter O₂ NF/NIST*	M35336
	Adapter N₂O NF/NIST*	M35337
	Adapter AIR NF/NIST*	M35338

*Tradeware







Rail accessories and examination lights

We can help you conceptualise your hospital installations with intelligent workstations integrated with complementary accessory products for safer and more optimised patient care.

Hospital lighting has a vital impact on the health and well-being of your patients. Our smart solutions equip you with ideally suited lighting, giving you excellent illumination and working conditions.

Sophisticated without being complicated, our Quickstop hinged arms are easy to handle, allowing you more flexibility for improved patient care. Giving you all the flexibility you need to care for your patients, rail accessories are **an essential part of creating intelligent workstations.**

**RAIL ACCESSORIES
AND EXAMINATION LIGHT**

1. Rail accessories	359
2. Examination light	360
3. Hinged arms	362
4. Device related accessories	363

RAIL ACCESSORIES AND EXAMINATION LIGHT

1. RAIL ACCESSORIES


A	Rail clamp, for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm	2M85274
B	Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set	M26842
C	CS connection hose holder	2M85446
D	Suction hose holder, suitable for various diameters	2M85239
E	Ceiling holder, rail holder for compact suction systems and secretion jar sets	2M85119

Wire baskets*

The wire baskets are used for storage of disposable catheters or disposable gloves. The catheters can be simply stored in bundles and are then easy to take out one by one. The baskets are chrome plated and are thus, easy to clean and can be autoclaved at up to 134 °C. The amount of space for a basket on the rails is around 150 mm (5.9 in).

F	Basket 200, 15 × 20 × 10 cm, e.g., for disposable gloves	M26146
F	Basket 280, 15 × 28 × 10 cm, e.g., for 300 mm catheters	M26145
F	Basket 480, 15 × 48 × 10 cm, e.g., for 600 mm catheters	M25121
G	Litter bag holder, stainless steel, with base plate and litter bags, 100 pcs.	M24695
	Litter bags, disposable, for litter bag holder, 100 pcs.	M26240

*Tradeware



RAIL ACCESSORIES AND EXAMINATION LIGHT

2. EXAMINATION LIGHT

The Dräger **VarioLux** offers a cool, highly efficient, and variable intensity examination light that was specially designed for use in neonatology and paediatric patient settings. Made for single-handed operation, it features adjustable colour temperature settings as well as a dimmer function.

Operating mode:	Continuous operation
Weight:	1.5 kg (3.3 lbs)
Electrical values:	100 – 240 V, 50/60 Hz
Max. illumination intensity E_c at 0.5 m:	30,000 lx
Dimming levels:	30,000 lx, 24,000 lx, 18,000 lx, 12,000 lx, 7,000 lx
Light field diameter d_{10} at 0.5 m:	20 cm (7.9 in)
Light field diameter d_{50} at 0.5 m:	9 cm (3.5 in)
Colour temperature adjustable:	Cool white (blue) 4,700 K, Neutral white (white) 4,100 K, Warm white (red) 3,500 K
Min. service life of bulb (LEDs):	> 50,000 h
Colour reproduction index:	$R_a \geq 96$ (at 3,500 K) $R_9 = 89$ (at 3,500 K)
Max. radiant power at 0.5 m:	105 W/m ²

A	Medical examination light VarioLux with LED technology, EU		MP00601
	Medical examination light VarioLux with LED technology, US		MP00602
	Medical examination light VarioLux with LED technology, GB		MP00603
	Medical examination light VarioLux with LED technology, AUS		MP00606
	Medical examination light VarioLux with LED technology, JPN		MP00608
	Power cable EU, 1.8 m, 2 pin		MP00591
	Power cable US/JPN, 1.8 m, 2 pin		MP00592
	Power cable GB, 1.8 m, 2 pin		MP00593
	Power cable AUS, 1.8 m, 2 pin		MP00626





Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

RAIL ACCESSORIES AND EXAMINATION LIGHT

A	Rail claw for lamp	MP00615
B	Turn knob, compl.	MP00587
C	Control panel	MP00589
D	Rail clamp, for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm	2M85274
E	Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg	2M85337



RAIL ACCESSORIES AND EXAMINATION LIGHT

3. HINGED ARMS

Keeping everything close at hand. To leave your hands free to care for the patient, all the joints can be fixed into place and released with just one quick hand movement. All cables, lines and hose systems can be arranged in such a way as to more or less completely prevent accidental disconnection.

- | | |
|---|----------------|
| A Hinged arm Infinity ACS, for positioning and fixation of breathing hoses. This arm can be fixed in place without manual adjustment, thanks to a patented friction torque-braking system, length 1,080 mm, max. load 0.5 kg, includes hose clamps: MP00693 (1×), 8417396 (2×) | MP00690 |
| B Hinged arm 240°, 3 hinges, fixable, ball holder system, length 1,155 mm, max. load 0.3 kg, includes hose clamps: MP00493 (1×), 8409841 (1×) | 8409609 |
| C Hinged arm Quickstop 2, with universal ball holder system for optional accessories, length 858 mm, max. load 0.4 kg, includes hose clamps: MP00493 (1×), 8404761 (2×), 8409841 (1×) | 2M85706 |
| D Hinged arm Quickstop short, with mounted universal tube holder plate, for various tube dimensions/coaxial hoses, specifically designed for OR tables, length 323 mm, max. load 1 kg | 2M86463 |



DEVICE RELATED ACCESSORIES

4. DEVICE RELATED ACCESSORIES

A Disposable handle Polaris, dual, for Polaris 100/200, 600 and Multimedia, adapter required, 60 pcs. MP05700

Material:

Ring with recessed grip PP

Protective cover bag PE

Unit weight:

Ring with recessed grip 27 g

Protective cover bag 1.2 g



A Disposable handle Polaris, single, for Polaris 100/200, 600 and Multimedia, adapter required, 120 pcs. MP05701

Material:

Ring with recessed grip PP

Protective cover bag PE

Unit weight:

Ring with recessed grip 27 g

Protective cover bag 1.2 g



CONVERSION KITS


B Upgrade to Polaris disposable handle from Polaris 100 with sterilisable handle (G92099), 1 pc. G35332

B Upgrade to Polaris disposable handle from Polaris 200 with sterilisable handle (G92099), 1 pc. G35614

B Upgrade to Polaris disposable handle from Polaris Multimedia (display adapter) with sterilisable handles (G92099 or G36993), 1 pc. G35333

Modi-Se to Polaris disposable handle from Polaris 600 with sterilisable handles (G92099 or G36993), 1 pc. G35324

Modi-Set to Polaris disposable handle from Polaris 100/200 with sterilisable handle E (G36993), 1 pc. G35325





Neonatal care accessories

The majority of all neonatal deaths (75 %) occurs during the first week of life¹⁾. This sobering reality drives us to develop gentle and efficient solutions for improving acute care in neonatal intensive care units. Together with you, our goal is to lower morbidity and mortality rates while reducing stress for newborns and clinical staff. We understand that "small" doesn't mean less important. And that's why we give our accessories and consumables the highest level of attention as they are **an essential part of protecting your smallest of patients.**

When you need to give your tiniest patients the best possible care, you can rely on our smallest products for:

- thermoregulation,
- neonatal respiratory support,
- vital sign monitoring,
- jaundice treatment,
- and so much more.

To help you do just that – save lives.

¹⁾<https://www.who.int/news-room/fact-sheets/detail/newborns-reducing-mortality>

NEONATAL CARE ACCESSORIES

1. Warming therapy and jaundice management	367
Phototherapy	367
BabyLeo TN500	368
Babyroo TN300	370
Isolette 8000/8000 plus	372
Isolette C2000/8000	374
Isolette TI 500	376
Babytherm 8000 WB/8004/8010	378
Resuscitaire	381
Caleo	384
Globe-Trotter GT5400	386
TI 500 Globe-Trotter	389
Developmental care	392
Miscellaneous	393
2. Ventilation accessories	394
3. Monitoring accessories	424
4. Ward equipment	432
5. Rail accessories and examination light	447

PHOTOTHERAPY

1. WARMING THERAPY AND JAUNDICE MANAGEMENT

PHOTOTHERAPY

A	Light shield curtain for BiliLux, reusable	MP03760
B	Phototherapy mask Eyemax 2*, disposable, micro, head circumference 20-25 cm, 20 pcs.	MP03770
C	Phototherapy mask Eyemax 2*, disposable, preemie, head circumference 26-32 cm, 20 pcs.	MP03771
D	Phototherapy mask Eyemax 2*, disposable, regular, head circumference 33-38 cm, 20 pcs.	MP03772

*Tradeware



BABYLEO TN500

BABYLEO TN500

A	Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.	MX11000
B	Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	MX11001
C	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944
D	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943
E	Mattress SoftBed, for Babyleo TN500, reusable	2M60390
	Heated Mattress (part number for new devices only)	2M60170
	Heated Mattress (part number for replacement/spare part)	2M60836
F	Incubator cover for Babyleo TN500, reusable	MP03730
G	Cuddling toy Babyleo TN500*, lion, orange	MP03737

*Tradeware



Not all articles are available worldwide.

BABYLEO TN500


A	O₂ sensor Oxycell TN, for Babyleo TN500	6873065
B	Ventilation hose holder, reusable, 40 cm	8411075
C	Air intake filter for Caleo and Babyleo TN500, reusable, 20 pcs.	MX17015
D	Transition set, disposable, 20 pcs.	MX17018
E	Multipurpose holder	2M60180
F	Rail, 200 mm (7.9 in), swiveling, for mounting on GCX profile	4118453
G	Rail, 100 mm for GCX profile	4118555
	Clamp for GCX rail, 5 pcs.	2M60401



BABYROO TN300

BABYROO TN300

A	Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.	MX11000
B	Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	MX11001
C	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944
D	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943
E	Mattress SoftBed, for BabyRoo TN300, reusable	MP16297
F	Gel mattress for BabyTherm 8000/8010 and Babyroo TN300, reusable	2M20827
G	Cuddling toy BabyRoo, kangaroo	MP16090



BABYROO TN300

A	VentStar Autobreath N for Resuscitaire and TN300, disposable, 25 pcs.	MU10841
B	VentStar Resus Neo, disposable, N, 1 m, 25 pcs., not made with natural rubber latex	MP00310
C	VentStar Resus Heated, N, disposable, Manual PEEP Valve, 1.8 m, 10 pcs.	MP17030
D	VentStar AutoBreath Heated, N, disposable, AutoBreath Valve, 1.8 m, 10 pcs.	MP17031
E	Silicone mask, reusable, size 00, premature baby	MP02900
E	Silicone mask, reusable, size 0, small neonate	MP01910
E	Silicone mask, reusable, size 1, large neonate	MP01911
	F&P configuration* for MR810, MR850 and F&P 950	8414144
F	Suction bottle with filter and tube, 800 ml (27.05 fl. oz.), 20 pcs.	MU10918
	Suction canister holder for GCX	3702751



*Tradeware



ISOLETTE 8000/8000 PLUS

ISOLETTE 8000/8000 PLUS

A	Skin temperature probe Premi-Probe for Isolette 8000 plus, disposable, yellow, central, 10 pcs.	MU26041
B	Skin temperature probe Premi-Probe for Isolette 8000 plus, disposable, white, peripheral, 10 pcs.	MU26042
C	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944
D	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943
E	Mattress SoftBed, for Isolette C2000, 8000 and 8000 plus, reusable	MP01401
F	Incubator cover for Isolette C2000, 8000 and 8000 plus, reusable	MP01424



ISOLETTE 8000/8000 PLUS

A	Tubing grommet for Isolette C2000, 8000 and 8000 plus, reusable	MU12609
B	O₂ sensor for Isolette C2000, 8000 and 8000 plus, reusable, 2 pcs.	MU24903
C	Air intake filter for Isolette C2000, 8000 and 8000 plus, reusable, 4 pcs.	MU12504
D	Condensate management hose for Isolette 8000 and 8000 plus, disposable, 20 pcs.	MU21120
E	Suction bottle with filter and tube, 800 ml (27.05 fl. oz.), 20 pcs.	MU10918
F	Iris port sleeve, disposable, 100 pcs.	MU03876

A

D-22629-2010

**B**

MT-7727-2006

**C**

MT-1146-2005

**D**

D-22626-2010.tif

**E**

MT-1980-2005

**F**

MT-1157-2005



ISOLETTE C2000/8000

ISOLETTE C2000/8000

A	Skin temperature probe Premi-Probe 5, reusable	MU12533
B	Skin temperature probe Premi-Probe 5, disposable, 10 pcs.	MU12551
C	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944
D	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943
E	Mattress SoftBed, for Isolette C2000, 8000 and 8000 plus, reusable	MP01401
F	Incubator cover for Isolette C2000, 8000 and 8000 plus, reusable	MP01424
G	Cuddling toy Isi*, deer, green	MP03738

*Tradeware



Not all articles are available worldwide.

ISOLETTE C2000/8000

A	Tubing grommet for Isolette C2000, 8000 and 8000 plus, reusable	MU12609
B	O₂ sensor for Isolette C2000, 8000 and 8000 plus, reusable, 2 pcs.	MU24903
C	Air intake filter for Isolette C2000, 8000 and 8000 plus, reusable, 4 pcs.	MU12504
	Humidifier chamber for Isolette C2000, reusable	MU17191
D	Condensate management hose for Isolette 8000 and 8000 plus, disposable, 20 pcs.	MU21120
E	Suction bottle with filter and tube, 800 ml (27.05 fl. oz.), 20 pcs.	MU10918
F	Iris port sleeve, disposable, 100 pcs.	MU03876
G	Hand port cuff, disposable, oval, 100 pcs.	MU06570

A

D-22629-2010



B

MT-7727-2006



C

MT-1146-2005



D

D-22626-2010



E

MT-1980-2005



F

MT-1157-2005



G

MT-1110-2005



ISOLETTE TI 500

ISOLETTE TI 500

A	Skin temperature probe Premi-Probe 1, disposable, 10 pcs.	MU06933
B	Skin temperature probe Premi-Probe 1, reusable	MU06951
C	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944
	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943
D	Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable	MP01419
	Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366
E	Air intake filter for TI 500 and TI 500 Globe-Trotter, disposable, 6 pcs.	MU04472
F	Iris port sleeve, disposable, 100 pcs.	MU03876
G	Hand port cuff, disposable, oval, 100 pcs.	MU06570



ISOLETTE TI 500

- A

Humidity pad, disposable, antibacterial, 25 pcs.

MU06008
- B

Restraint strap, disposable, 10 pcs.


MU06011



BABYTHERM 8000 WB/8004/8010

BABYTHERM 8000 WB/8004/8010

A	Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.	MX11000
B	Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	MX11001
C	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944
D	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943
E	Gel mattress for BabyTherm 8000/8010 and Babyroo TN300, reusable	2M20827
F	Mattress SoftBed, for Babytherm, reusable	2M21012
F	Mattress SoftBed, for BabyRoo TN300, reusable	MP16297



BABYTHERM 8000 WB/8004/8010

A	Holder for hinged hood for Babytherm 8000 WB, 8004 and 8010, reusable, neonatal, mounts to hand rail	2M21342
B	Deposit plate for Babytherm 8000	2M21158
C	Handle, complete for Babytherm 8000	2M21161
D	Breathing hose holder for Babytherm, neonatal, for 10 mm breathing hose	2M21191
	Tubing grommet, reusable	2M20434



BABYTHERM 8000 WB/8004/8010

A	Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514
B	Infusion bottle holder for Babytherm, reusable, neonatal	2M16520
C	Swivel table, reusable, for poles with Ø 38 mm	2M21186



RESUSCITAIRE



RESUSCITAIRE

A	Skin temperature probe Premi-Probe 3, reusable	MU11225
B	Skin temperature probe Premi-Probe 3, disposable, 10 pcs.	MU11228
C	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944
D	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943
E	Mattress SoftBed, for Resuscitaire, reusable, with scale	MP01404
E	Mattress SoftBed, for Resuscitaire, reusable, without scale	MP01402



RESUSCITAIRE

A	VentStar Autobreath N for Resuscitaire and TN300, disposable, 25 pcs.	MU10841
B	VentStar Resus Neo, disposable, N, 1 m, 25 pcs., not made with natural rubber latex	MP00310
C	VentStar Resus Neo with pressure measurement line, disposable, N, 1 m, 25 pcs., not made with natural rubber latex	MP00311
D	VentStar Resus Heated, N, disposable, Manual PEEP Valve, 1.8 m, 10 pcs.	MP17030
E	VentStar AutoBreath Heated, N, disposable, AutoBreath Valve, 1.8 m, 10 pcs.	MP17031
F	Silicone mask, reusable, size 00, premature baby	MP02900
F	Silicone mask, reusable, size 0, small neonate	MP01910
F	Silicone mask, reusable, size 1, large neonate	MP01911



RESUSCITAIRE

A	T-connector, disposable, Ø 15 mm, 25 pcs.	MU10902
B	Suction bottle with holder for Resuscitaire, disposable, 40 ml	MU10916
C	Suction bottle, disposable, 40 ml, 10 pcs.	MU10917
D	Filter for suction bottle 40 ml for Resuscitaire, disposable, 10 pcs.	MU10915
E	Suction bottle with filter and tube, 800 ml (27.05 fl. oz.), 20 pcs.	MU10918



CALEO


CALEO

A	Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.	MX11000
B	Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	MX11001
C	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944
	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943
D	Mattress SoftBed, for Caleo, reusable	MX17012
E	Incubator cover for Caleo, reusable	MP01423
F	Tubing grommet for Caleo, reusable, angle	2M50385
G	Tubing grommet for Caleo, reusable, flap	2M50412



CALEO

A	Ventilation hose holder, reusable, 40 cm	8411075
B	O₂ sensor OxyTrace INCU, for Caleo thermoregulator	MX01050
C	Air intake filter for Caleo and Babyleo TN500, reusable, 20 pcs.	MX17015
D	Transition set, disposable, 20 pcs.	MX17018
E	Water tank and water transfer hose, for Caleo, reusable	2M50040
F	Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514
G	Swivel table, reusable, for poles with Ø 38 mm	2M21186



Not all articles are available worldwide.

GLOBE-TROTTER GT5400**GLOBE-TROTTER GT5400**

A	Skin temperature probe Premi-Probe 1, disposable, 10 pcs.	MU06933
B	Skin temperature probe Premi-Probe 1, reusable	MU06951
C	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944
	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943
D	Mattress SoftBed, for GT5400, reusable	MP01419
E	Restraint strap, disposable, 10 pcs.	MU06011
	Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366
F	Iris port sleeve, disposable, 100 pcs.	MU03876
G	Hand port cuff, disposable, oval, 100 pcs.	MU06570



GLOBE-TROTTER GT5400

- A

Air intake filter for TI 500 and TI 500 Globe-Trotter, disposable, 6 pcs.

MU04472
- B

Humidity pad, disposable, antibacterial, 25 pcs.

MU06008



GLOBE-TROTTER GT5400

A	SpO₂ adhesive sensor* Masimo LNCS Neo, disposable, neonate, 20 pcs.	MP00792
B	SpO₂ adhesive sensor* Masimo LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794

*Tradeware



TI 500 GLOBE-TROTTER

TI 500 GLOBE-TROTTER

A	Skin temperature probe Premi-Probe 1, disposable, 10 pcs.	MU06933
B	Skin temperature probe Premi-Probe 1, reusable	MU06951
C	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944
D	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943
E	Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable	MP01419
	Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366
	Breathing hose for TI 500 Globe-Trotter, disposable, 20 pcs.	MU04771

A

D-7474-2016



B

MT-1968-2005



C

MT-1967-2005



D

MT-1965-2005



E

D-27575-2017



TI 500 GLOBE-TROTTER

A	Air intake filter for TI 500 and TI 500 Globe-Trotter, disposable, 6 pcs.	MU04472
B	Iris port sleeve, disposable, 100 pcs.	MU03876
C	Hand port cuff, disposable, oval, 100 pcs.	MU06570



TI 500 GLOBE-TROTTER

- A

Humidity pad, disposable, antibacterial, 25 pcs.

MU06008
- B

Restraint strap, disposable, 10 pcs.

MU06011



DEVELOPMENTAL CARE

DEVELOPMENTAL CARE

A	Cuddling toy Cally*, reusable, light blue or pink	2M30462
B	Cuddling toy Babyleo TN500*, lion, orange	MP03737
C	Cuddling toy Isi*, deer, green	MP03738
D	Cuddling toy BabyRoo, kangaroo	MP16090
E	Incubator cover for Babyleo TN500, reusable	MP03730
F	Incubator cover for Caleo, reusable	MP01423
G	Incubator cover for Isolette C2000, 8000 and 8000 plus, reusable	MP01424

*Tradeware



Not all articles are available worldwide.

MISCELLANEOUS

MISCELLANEOUS

A	Warming mattress TransWarmer*, disposable, self-warming for approx. 2 h, 6 pcs.	MP01414
B	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944
C	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943

*Tradeware



VENTILATION ACCESSORIES

2. VENTILATION ACCESSORIES

OXYMIXER*

Oxymixer enables a continuous and individually adjusted mixture of medical air and medical oxygen to be administered to infants, children and adults. The O₂ concentration is easily adjusted to a highly accurate flow – even with flow rates of less than 3 l/min.

Oxymixer configuration

Free choice of low-flow or high-flow blender with: 1 or 2 flowmeters, NIST or DISS gas inlet, monitor, bleed switch, nozzle, and sound damper. The rail fixation is included.

A Oxymixer low-flow

Including: rail clamp, flowmeter 0 – 3 l/min right, flowmeter 0 – 15 l/min left, bleed on/off switch. NIST gas inlet.

B Oxymixer low-flow with monitor

Including: rail clamp, flowmeter 0 – 3 l/min right, flowmeter 0 – 15 l/min left, bleed on/off switch, monitor, oxygen sensor, oxygen sensor cable, sensor receptacle. NIST gas inlet.

C Oxymixer low-flow with 1 – 15 l flowmeter right, rail clamp

NIST gas inlet.

MP04200

MP04203

MP04204

MP04229

Several hoses available to connect Oxymixer with the central supply.
For CS hoses please refer to chapter "Accessory for gas supply".

*Tradeware



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

VENTILATION ACCESSORIES

OXYMIXER*

A	Oxymixer sound damper 9/16"	MP04218
B	Oxymixer sound damper 22 and 15 mm	MP04219
C	Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	MP00416
D	Oxymixer oxygen sensor (spare part)	MP04221

*Tradeware



VENTILATION ACCESSORIES

SEATTLE PAP PLUS – BUBBLE CPAP SYSTEM

Helping infants with respiratory distress breathe easier. The Seattle-Positive Airway Pressure (PAP) system is an innovation which uses the proven advantages of Bubble CPAP therapy, such as oscillatory effects similar to high-frequency ventilation, and combines them with a unique design.

Seattle-PAP plus is safe, effective and easy to use.

It was designed to:

- Promote infant safety with a uniquely designed pressure manifold with a pressure relief valve.
- Secure the PEEP level with a safety tube lock to avoid unintended changes.
- Provide comfort and optimum CPAP support to the infant using disposable BabyFlow Plus interfaces that complement the system.
- Include a funnel with the filling tube to minimise spillages.
- Prevent unnecessary disconnections and pressure loss with the swivel connector to the expiratory limb.
- Prevents unwanted pressure peaks caused by condensation in the expiratory limb using a water trap.

It requires only oxygen and compressed air, both to be administered by an O₂ blender like the Oxy mixer from Dräger and a humidification source for the circuit.




A	Seattle PAP plus	MP02260
B	Multi-P trolley* equipped	MP13020
	Including base with 5 castors, 38 mm Ø pole, 3 rail clamps, basket.	
C	Multi-P trolley*	MP13021
	Including base with 5 castors and 38 mm Ø pole for accessories.	

*Tradeware

VENTILATION ACCESSORIES

A	Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg	2M85337
B	Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm	MP00634
C	Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	MP00416
D	Rail clamp for F&P humidifier and Seattle PAP bubble box*	8411074
E	Rail clamp, for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm	2M85274

*Tradeware



VENTILATION ACCESSORIES

BABYFLOW PLUS

BabyFlow plus – The superior non-invasive respiratory support system, designed to maximise performance and patient comfort.

Accessories for Seattle PAP plus.

A	BabyFlow plus, disposable, size S, 20 pcs.	MP03700
	BabyFlow plus, disposable, size M, 20 pcs.	MP03701
	BabyFlow plus, disposable, size L, 20 pcs.	MP03702
B	Demo package BabyFlow plus, disposable, size S	MP03703
	Demo package BabyFlow plus, disposable, size M	MP03704
	Demo package BabyFlow plus, disposable, size L	MP03705
C	Soft connector N, disposable, 20 pcs.	MP03826



VENTILATION ACCESSORIES



STANDARD PRONGS

Soft, anatomically formed nasal silicone prongs, disposable.

A	① Prong BabyFlow, standard, disposable, size XS, 10 pcs.	8418415
	② Prong BabyFlow, standard, disposable, size S, 10 pcs.	8418605
	③ Prong BabyFlow, standard, disposable, size M, 10 pcs.	8418416
	④ Prong BabyFlow, standard, disposable, size L, 10 pcs.	8418531
	⑤ Prong BabyFlow, standard, disposable, size XL, 10 pcs.	8418417
B	Prong BabyFlow, standard, disposable, size XXL, 10 pcs.	8418617

WIDE PRONGS

C	① Prong BabyFlow, wide, disposable, size 3, 10 pcs.	8418603
	② Prong BabyFlow, wide, disposable, size 4, 10 pcs.	8418607
	③ Prong BabyFlow, wide, disposable, size 5, 10 pcs.	8418609
	④ Prong BabyFlow, wide, disposable, size 6, 10 pcs.	8418611




VENTILATION ACCESSORIES

MASKS

Nasal masks of silicone and TPE complete the portfolio and increase the comfort for the patient.

A	1 Neo-mask, silicone, disposable, size S, 10 pcs.	8418491
	2 Neo-mask, silicone, disposable, size M, 10 pcs.	8418490
	3 Neo-mask, silicone, disposable, size L, 10 pcs.	8418619
B	Neo-mask, TPE, disposable, size 4, 10 pcs.	MP01494
C	Neo-mask, TPE, disposable, size 5, 10 pcs.	MP01495
D	Neo-mask, TPE, disposable, size 6, 10 pcs.	MP01496



VENTILATION ACCESSORIES

HEADGEARS

The new headgear enables the customer to choose the most comfortable fit and combination for each of their tiny patients.

A	Headgear, disposable, size XXS, 17 – 20 cm (6.7 – 7.9 in) head circumference, 5 pcs.	MP03880
	Headgear, disposable, size XS, 20 – 23 cm (7.9 – 9.1 in) head circumference, 5 pcs.	MP03881
B	Headgear, disposable, size S, 23 – 27 cm (9.1 – 10.6 in) head circumference, 5 pcs.	MP03882
	Headgear, disposable, size M, 27 – 31 cm (10.6 – 12.2 in) head circumference, 5 pcs.	MP03883
C	Headgear, disposable, size L, 31 – 37 cm (12.2 – 14.6 in) head circumference, 5 pcs.	MP03884
	Headgear, disposable, size XL, 37 – 42 cm (14.6 – 16.5 in) head circumference, 5 pcs.	MP03885



VENTILATION ACCESSORIES

CAPS

The disposable and breathable microfibre caps (95 % cotton, 5 % spandex) are available in seven sizes (colour-coded).

A	❶ Cap BabyFlow, disposable, size XS, white, 18 – 20.5 cm (7.1 – 8.1 in) head circumference, 5 pcs.	8418533
	Cap BabyFlow, disposable, size S, yellow, 20.5 – 23 cm (8.1 – 9.1 in) head circumference, 5 pcs.	8418534
	Cap BabyFlow, disposable, size M, red, 23 – 25.5 cm (9.1 – 10 in) head circumference, 5 pcs.	8418535
	❷ Cap BabyFlow, disposable, size L, green, 25.5 – 28 cm (10 – 11 in) head circumference, 5 pcs.	8418536
	❸ Cap BabyFlow, disposable, size XL, orange, 28 – 30.5 cm (11 – 12 in) head circumference, 5 pcs.	8418537
	Cap BabyFlow, disposable, size XXL, blue, 30.5 – 33 cm (12 – 13 in) head circumference, 5 pcs.	8418538
B	Cap BabyFlow, disposable, size XXL+, white/black, 33 – 36 cm (13 – 14.2 in) head circumference, 5 pcs.	8418539




VENTILATION ACCESSORIES

The **MiniMe2*** nasal mask is designed for children ages 2 – 12. It features an ergonomic silicone-gel cushion and a shapeable shell mask to fit individual needs and thus, ensuring an effective seal and a comfortable fit.


A	Paediatric nasal mask MiniMe2 non-vented, disposable, size S	MP01555
	Paediatric nasal mask MiniMe2 non-vented, disposable, size L	MP01556
B	Paediatric nasal mask MiniMe2 vented, disposable, size S	MP01553
	Paediatric nasal mask MiniMe2 vented, disposable, size L	MP01554

*Tradeware



VENTILATION ACCESSORIES

A	VentStar Resus Neo, disposable, N, 1 m, 25 pcs., not made with natural rubber latex	MP00310
B	VentStar Resus Neo with pressure measurement line, disposable, N, 1 m, 25 pcs., not made with natural rubber latex	MP00311
C	Breathing circuit VentStar, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00353
D	Breathing circuit VentStar, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00363
	Breathing circuit VentStar, disposable, N, MRI, 3 m, 10 pcs., not made with natural rubber latex	MP04802
E	Breathing bag set VentStar, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00383
	Breathing bag set VentStar (Cone 22OD), disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP16020
F	Anaesthesia set VentStar, disposable, N, 1.8 m/1.1 m, 25 pcs., not made with natural rubber latex	MP00333
	Anaesthesia set VentStar, disposable, N, 1.8 m/1.1 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	MP16032
G	VentStar breathing bag 0.5 L, 25 pcs.	MP02710



VENTILATION ACCESSORIES

- | | |
|---|----------------|
| A Breathing circuit Infinity ID, disposable, N, basic,
1.8 m, 25 pcs., not made with natural rubber latex | MP01327 |
| B Breathing bag set Infinity ID, disposable, N,
0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex | MP01329 |



VENTILATION ACCESSORIES

A	Breathing circuit VentStar Helix, disposable, N, dual heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02650
	VentStar Aquapor, dual heated, N plus, 10 pcs.	MP07150
	VentStar Aquapor, heated, N plus, 10 pcs.	MP07151
B	T-adapter neonatal for NO therapy, 10 pcs.	8422215



VENTILATION ACCESSORIES

A	Humidifier chamber VentStar, disposable, 10 pcs.	MP00234
B	Humidifier chamber VentStar, disposable, N, 10 pcs.	MP02590
C	Double connector 11ID/15OD, disposable, 10 pcs.	MP02655

ACCESSORIES FOR F&P 950

D	F&P 950 sensor cartridge*	MP16002
E	F&P 950 heater wire adaptor*	MP16003
F	F&P 950 N80 breathing circuit*, N	MP16005

*Tradeware




VENTILATION ACCESSORIES

FISHER & PAYKEL HUMIDIFIER AND RELATED ACCESSORIES

A	Humidifier chamber* F&P MR 290, disposable, 10 pcs.	8418282
B	Humidifier chamber* F&P MR 340, reusable, N/P	8411047
C	Rail clamp* for F&P humidifier and Seattle PAP bubble box	8411074
D	Holder* for F&P humidifier U-shaped, for trolley for Evita 2 dura, 4 edition, XL, with rail clamp	MP01002
E	Water bag holder* 900 MR 290	MP01008
	Holder*, lateral (F&P 900 MR 309), including 8411074	MP01009
	Universal holder with DIN rail	G93140
	Humidifier holder for side rail	8416325
	Humidifier holder chassis, swiveling w/o 8411074	G93111

*Tradeware



VENTILATION ACCESSORIES

Temperature probe/flow sensor* for F&P MR 850
for HFV reusable breathing circuits, 0.7 m

8418507

A Temperature probe/flow sensor* for F&P MR 850
for all breathing circuits, 1.1 m

8414989

B Temperature probe/flow sensor* for F&P MR 850,
for all breathing circuits, 1.5 m

8414966

C Hose heater adapter* for F&P MR 850,
for reusable breathing circuit*

8414968

D Hose heater adapter* for F&P MR 850,
for dual-heated disposable breathing circuit

MP01006

E Hose heater adapter* for F&P MR 850,
for single-heated disposable breathing circuit

8414992

*Tradeware



VENTILATION ACCESSORIES


REUSABLE BREATHING CIRCUITS/SETS

Reusable breathing circuit, N, 900MR782* **MP17128**

*Tradeware

REUSABLE BREATHING SYSTEMS: BLUESET VENTILATION


A	BlueSet Ventilation, N	8412344
	Consists of:	
	① Y-piece, reusable, N, 90°, with suction opening	8403075
	② Corrugated hose, reusable, N/P, 14 cm, connector 10 mm/10 mm, Ø 10 mm	8403333
	③ Temperature sensor mount, reusable, N	8403056
	④ Water trap with outlet, reusable N/P	8404760
	⑤ Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848
	⑥ Water trap, reusable, N/P	8409627
	⑦ Red cap, 7 mm	8401645
	⑧ Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856
	⑨ Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821
	Dummy plug	8410049



VENTILATION ACCESSORIES

REUSABLE ANAESTHESIA SYSTEMS:
BLUESET ANAESTHESIA

A	BlueSet Anaesthesia, N	M27542
	Consists of:	
1	Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961
2	Breathing hose, silicone, reusable, N/P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678
3	Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	2166054
4	Adapter, reusable, 22 mm/22 mm	M25647
5	Y-piece, reusable, N, 90°, with suction opening	8403075
6	Elbow, reusable, N/P, metal, Luer Lock	M34568
7	Set of 5 red caps, 7 mm	8402953




VENTILATION ACCESSORIES

Silicone breathing hose (paediatric patients) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter

A Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm


2165848



VENTILATION ACCESSORIES


Silicone breathing hose (paediatric patients) with standard sleeves with one 10 mm (0.4 in) and one 22 mm (0.9 in) sleeve and 10 mm (0.4 in) inner diameter

A	Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856
B	Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821
C	Breathing hose, silicone, reusable, N/P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm	2165651
D	Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961



VENTILATION ACCESSORIES

A	Y-piece straight, reusable, N/P	M27077
B	Y-piece, reusable, N, 90°, with suction opening	8403075
C	Elbow, reusable, N/P, metal, Luer Lock	M34568
Transparent breathing bags of silicone elastomer		
D	Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	2166054
E	Breathing bag, silicone, reusable, 1.5 L, not made with natural rubber latex	2166127
F	Demo lung to simulate neonatal lungs, with suitcase	8418077
G	Neonatal test lung, reusable, 50 ml, not made with natural rubber latex	MP20050



VENTILATION ACCESSORIES

The **TwinStar Plus filter/HME** from Dräger is a combination of an efficient HME and a high-performance breathing system filter, thereby significantly contributing to infection prophylaxis in ventilation treatment.

- Combination of efficient HME and high-performance breathing system filter
- High retention rates for bacteria and viruses
- High return of moisture
- Sampling connector with tethered cap
- Transparent housing for visual control
- Standardised connectors for safe connection to other components

A Filter + HME TwinStar 9 Plus*, disposable, ~9 ml dead space, 100 pcs.

MP05820



HumidStar Plus moisture exchangers from Dräger partially take over the function of the upper airways and efficiently humidify the inspired air.

- High return moisture
- Sampling connector with tethered cap
- Transparent housing for visual control
- Standardised connectors for safe connection to other components

B HME HumidStar 2 Plus, disposable, 2 ml dead space, 100 pcs.

MP05845

For local availability please get in touch with your local Dräger contact.

VENTILATION ACCESSORIES


CO₂ CUVETTES

CO₂ cuvettes are designed for the monitoring of CO₂ concentration during patient ventilation.

A	CO₂ cuvette disposable, paediatric, 10 pcs.	MP01063
B	CO₂ cuvette reusable, paediatric	6870280

CO₂ CABLES


C	CO₂ Mainstream sensor, for Evita 2 dura, Evita 4 edition and Evita XL	6871500
D	MCable Mainstream CO₂, for Evita V family and Babylog VN family, Infinity M540, Vista 120, Vista 120 S and Delta VF9.1 and higher	6871950
E	Parking holder for CO₂ sensor 6871950 and 6873570, according to country approval	6873674



VENTILATION ACCESSORIES

SENSORS

A	Neonatal flow sensor ISO 15, PSU, sterilisable	8411130
B	Insert for neonatal flow sensor, PSU, sterilisable, 5 pcs.	8410179
C	Neonatal flow sensor cable for medical ventilators of the V series with Neo option and VN series	8416600
D	Neonatal flow sensor cable for Babylog 8000 and former Evita ventilators with Neo option	8409626



VENTILATION ACCESSORIES

ANAESTHESIA MASKS SEDISTAR

A	Anaesthesia mask SediStar, disposable, w/o hook ring, size 1, infant S, 30 pcs.	MP01701
B	Anaesthesia mask SediStar, disposable, w/o hook ring, size 2, infant L, 30 pcs.	MP01702

ANAESTHESIA MASKS LITESTAR

C	Anaesthesia mask LiteStar, disposable, w/o hook ring, size 1, infant S, 50 pcs.	MP11001
D	Anaesthesia mask LiteStar, disposable, w/o hook ring, size 2, infant L, 50 pcs.	MP11002



VENTILATION ACCESSORIES

ANAESTHESIA MASKS COMFORTSTAR

A	Anaesthesia mask ComfortStar, disposable, hook ring, standard, size 0, premature baby, 20 pcs.	MP01510
B	Anaesthesia mask ComfortStar, disposable, hook ring, standard, size 1, neonatal, 20 pcs.	MP01511
C	Anaesthesia mask ComfortStar, disposable, hook ring, standard, size 2, baby, 20 pcs.	MP01512
D	Anaesthesia mask ComfortStar, disposable, hook ring, strawberry scented, size 1, neonatal, 20 pcs.	MP01521
E	Anaesthesia mask ComfortStar, disposable, hook ring, strawberry scented, size 2, baby, 20 pcs.	MP01522
F	Anaesthesia mask ComfortStar, disposable, hook ring, bubble gum scented, size 1, neonatal, 20 pcs.	MP01531
G	Anaesthesia mask ComfortStar, disposable, hook ring, bubble gum scented, size 2, baby, 20 pcs.	MP01532

Pump ball as well as different headgears for fixation are available (cf. Mask accessories).



VENTILATION ACCESSORIES

SILICONE MASKS

A	Silicone mask, reusable, size 00, premature baby	MP02900
B	Silicone mask, reusable, size 0, small neonate	MP01910
C	Silicone mask, reusable, size 1, large neonate	MP01911
D	Hook ring for silicone masks, reusable, 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916

A

D-58209-2012



B

D-2292-2011




C

D-2291-2011



D


D-35640-2009



VENTILATION ACCESSORIES

ACCESSORIES FOR ANAESTHESIA MASKS

A	Headgear, disposable, soft fabric, small	MP01559
B	Headgear, disposable, soft rubber, small	MP01561
C	Two-sided pump ball for air management	MP01590



VENTILATION ACCESSORIES

SET2GO

- A** With Dräger's Set2Go solutions, we offer you totally customised sets consisting of an individual selection of single-patient-use accessories. Dräger Set2Go makes using and ordering consumables and accessories much simpler for you.

You just need one article number to get all the items in a single package and accomplish your specific task.

Please contact your local Dräger sales organisation to create your individual accessory solution.

A

D-5926-2018



VENTILATION ACCESSORIES

AEROGEN NEBULIZER

Aerogen works with an electronic micropump. Aerogen is ideally suited to nebulizer therapy requirements for inline mechanical ventilation and it accommodates all patient age ranges from neonates to adults. It operates without changing patient ventilator parameters, without heating or degrading medications and it can be refilled without interrupting ventilation.

A	Configuration for Aerogen Solo Medication Nebulizer		MP01010
AEROGEN SOLO*			
B	Aerogen S Nebulizer Head, 5 pcs.		MP01078
C	Aerogen S Nebulizer Head, 10 pcs.		MP01079
	Aerogen S, T-Piece, F&P, N, 10 box		MP01077
	Aerogen S, T-Piece, N, 10 pcs.		MP01691
	Aerogen S, T-Piece Plug, 10 pcs.		MP13069
*Tradeware			
	T-piece N for Nebulization, 10 pcs.		MP02689



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

MONITORING ACCESSORIES

3. MONITORING ACCESSORIES

Infinity Monitoring: Gamma, Gamma XL, Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.

ELECTROCARDIOGRAPHY (ECG)

A	Multiparameter cable NeoMed Pod, for ECG, resp., SpO₂, temp. and FiO₂, 2.5 m	5590539	■
	ECG electrodes*, single-patient use, neonate, 300 pcs.	5195024	■
B	Electrode adapter, to connect neonatal electrodes to MultiMed Pod, 10 pcs.	5194779	■
C	ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m	5592162	■


PULSE OXIMETRY (SPO₂)

DRÄGER/NELLCOR CABLES

D	SpO₂ intermediate cable Dräger/Nellcor, for MultiMed 5/6 and NeoMed Pods, 1 m	3368433	■ ■
	SpO₂ intermediate cable Dräger/Nellcor, for MultiMed 5/6 and NeoMed Pods, 2 m	3375834	■ ■
E	SpO₂ intermediate cable Dräger/Nellcor, for MultiMed Plus/Plus OR, 1.2 m	MS18683	■ ■
F	SpO₂ intermediate cable Dräger/Nellcor, for MultiMed Plus/Plus OR, 3 m	MS17330	■ ■

*Tradeware

INFINITY
MONITORING
MICRO₂+



MONITORING ACCESSORIES

DRÄGER DISPOSABLE SENSORS

A	SpO₂ adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.	MS16447	■	■
B	SpO₂ adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.	MS16446	■	■


NELLCOR SENSORS*

C	SpO₂ adhesive sensor Nellcor Oximax Max-I, disposable, child, 24 pcs.	MX50067	■	■
D	SpO₂ adhesive sensor Nellcor OxiSoft OxySoftN, disposable, neonate/adult, 24 pcs.	3730678	■	■

NELLCOR ACCESSORIES*

E	Adhesive wrap for Nellcor Oxiband™ A/N, 100 pcs.	8201012	■	
----------	---	----------------	---	--

*Tradeware

 INFINITY
 MONITORING
 MICRO₂


MONITORING ACCESSORIES

MASIMO CABLES*

**SpO₂ intermediate cables
for connection to Masimo SET Pod.**

A	SpO₂ intermediate cable Masimo LNCS, 3 m	MS17522	■	■
A	SpO₂ intermediate cable Masimo LNCS, 1.2 m	MS24303	■	■

MASIMO RD SET ADAPTER CABLES*

B	Adapter cable RD SET to LNOP, for connection of RD SET sensors to Masimo SET Pod via the LNOP intermediate cables MS18680 and MS17041, as well as to MultiMed 5/6/12, NeoMed Pods and MultiMed Plus/Plus OR via the according intermediate cables MS13926/7492601 or MS20163**	MS33731	■	■
C	Adapter cable RD SET to LNCS, for connection of RD SET sensors to Masimo SET Pod via the LNCS intermediate cables MS24303 or MS17522	MS33732	■	■
C	Adapter cable RD SET to MultiMed, for connection of RD SET sensors to MultiMed 5/6/12, NeoMed Pods as well as MultiMed Plus/Plus OR via the according intermediate cables 3368433/3375834 or MS18683/MS17330	MS33733	■	■

*Tradeware

**Products are not available any more.

Adapter is to be used to switch from sensors
to the installed base.

INFINITY
MONITORING
MICRO₂+

A

D-438-2014



B

D-271-2017



C

D-257-2017



MONITORING ACCESSORIES

MASIMO LNCS SENSORS*

For Masimo accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

A	SpO₂ adhesive sensor Masimo LNCS Neo, disposable, neonate, 20 pcs.	MP00792
B	SpO₂ adhesive sensor Masimo LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794
	SpO₂ Masimo sensor LNCS-YI Multisite, reusable, neonate/paediatric patient/adult	MP00789

MASIMO LNCS TRAUMA DISPOSABLE SENSORS*

Masimo LNCS Trauma sensors are for use with Masimo SET technology only.




C	Masimo Trauma sensor LNCS, neonate, 20 pcs.	MP03192
----------	--	----------------

MASIMO RD SET DISPOSABLE SENSORS*

D	Masimo RD SET sensor, neonatal, disposable	MS33729
E	Masimo RD SET sensor, neonatal preterm, disposable	MS33730

*Tradeware

INFINITY
MONITORING





MONITORING ACCESSORIES

MASIMO ACCESSORIES*

A	SpO₂ adhesive wrap Masimo Posey-Wrap, for NeoPt SpO₂ sensor, 12 pcs.	7496933	■	■
B	SpO₂ adhesive wrap Masimo Multisite-Wrap, for LNOP YI SpO₂ sensor, 100 pcs.	7496917	■	■
C	SpO₂ adhesive wrap Masimo Petite-Wrap, for LNOP YI SpO₂ sensor, 100 pcs.	7496909	■	■
D	SpO₂ foam wrap Masimo Foam-Wrap, neonate, LNOP YI SpO₂ sensor, 12 pcs.	7496891	■	■

*Tradeware

INFINITY
MONITORING
MICRO₂+



MONITORING ACCESSORIES

TEMPERATURE

SINGLE-PATIENT USE TEMPERATURE PROBES

A	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997
B	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998

REUSABLE TEMPERATURE PROBES

C	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822
C	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669

INFINITY
MONITORING

A



D-7377-2011

B



D-7378-2011

C




D-2335-2011

MONITORING ACCESSORIES

NON-INVASIVE BLOOD PRESSURE CUFFS (NIBP)

A	NIBP hose, neonate, 2.4 m	2870298
B	NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181
C	NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199
D	NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207
E	NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215
F	NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173

INFINITY
MONITORING

MONITORING ACCESSORIES

ETCO₂ AND RESPIRATORY MECHANICS

For Delta, Delta XL, Kappa, Kappa XLT.

A etCO₂ Microstr. Intubated Infant/Neonatal - Extended Duration, 25 pcs. MP15003

B etCO₂ Microstr. Nasal Infant/Neonatal - Extended Duration, 25 pcs. MP15007

For Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.

C etCO₂ airway adapter, reusable, neonate 4721788




D CO₂ airway adapter*, neonatal (infant/paediatric patient), disposable, 10 pcs. 2606228

RECORDER PAPER

E Recording paper for Infinity R 50, 50 mm, approx. 30 m, 10 rolls 4711201

*Tradeware

INFINITY
MONITORING



WARD EQUIPMENT

4. WARD EQUIPMENT

Please find more information in chapter 5 "Ward equipment".

FLOWMETER

These O₂ flowmeters are plugged directly into a wall terminal unit for oxygen and are used to control the flow of oxygen in inhalation and insufflation. Flow rates can be set with a high degree of accuracy. Additionally, the large rotary knob simplifies the setting process.

Accuracy of flow rate at 4.5 bar $\pm$ 0.5 bar (1,013 hPa/20 °C)**
 $\pm$ 15 % (corresponding to smallest setting value)
 $\pm$ 10 % (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D):	160 x 40 x 130 mm (6.3 x 1.6 x 5.1 in)
Material:	Housing: aluminium Pressure dome: polyamide Flow indicator: glass
Weight:	Approx. 500 g (1.1 lb)



A O₂ flowmeter, 4 l/min, CS, DIN, ISO and neutral colour, M34x1.5, adapter 9/16"



MP04551



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

WARD EQUIPMENT

TWIN FLOWMETER

The particular advantage of the twin flowmeter is that two patients can be treated simultaneously and independently of one another while occupying only one wall terminal.

Accuracy of flow rate at 4.5 bar $\pm$ 0.5 bar (1,013 hPa/20 °C)**
 $\pm$ 15 % (corresponding to smallest setting value)
 $\pm$ 10 % (all other setting values)
** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H $\times$ W $\times$ D): 160 $\times$ 150 $\times$ 190 mm
(6.3 $\times$ 5.9 $\times$ 7.15 in)
Material: Housing: aluminium
Pressure dome: polyamide
Flow indicator: glass
Weight: Approx. 900 g (1.98 lb)



- | | | | |
|----------|---|--|----------------|
| A | O₂ twin flowmeter, 2 $\times$ 16 l/min, CS, DIN, ISO, neutral colour, M34$\times$1.5, adapter 9/16" |  | MP04560 |
| | O₂ twin flowmeter, 2 $\times$ 16 l/min, rail fitting with NIST gas inlet, 2 $\times$ M34$\times$1.5, adapter 9/16" |  | MP04569 |

 Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

WARD EQUIPMENT

These O₂ flowmeters for rail attachment can be used to control the flow of oxygen in inhalation and insufflation. Flow rates up to 4 and 16 l/min can be set with a high degree of accuracy. Additionally, the rotary knob simplifies the setting process. Using the rail clamp, the flowmeter can be quickly and safely attached to all rail profiles. The connection to the gas supply can be ensured by a CS hose with NIST coupling nut.

Accuracy of flow rate at 4.5 bar $\pm$ 0.5 bar (1,013 hPa/20 °C)**

$\pm$ 15 % (corresponding to smallest setting value)

$\pm$ 10 % (all other setting values)

** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H $\times$ W $\times$ D): 160 $\times$ 40 $\times$ 130 mm
(6.3 $\times$ 1.6 $\times$ 5.1 in)

Material: Housing: aluminium
Pressure dome: polyamide
Flow indicator: glass

Weight: Approx. 950 g (2.09 lbs)

A	O₂ flowmeter, 4 l/min, rail, NIST gas inlet, M34$\times$1.5, adapter 9/16"		MP04552
B	O₂ flowmeter, 4 l/min, rail, 90°, NIST gas inlet, M34$\times$1.5, adapter 9/16"		MP04553
C	O₂ flowmeter, 16 l/min, rail, NIST gas inlet, M34$\times$1.5, adapter 9/16"		MP04567
CS hoses			8601697
Several hoses available to connect flowmeter with the central supply.			
For CS hoses please refer to chapter "Accessory for gas supply".			



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

WARD EQUIPMENT

COMPACT FLOWMETER CLICKFLOW

Input pressure:	4.5 ± 0.5 bar*
Adjustable ranges:	0.1 – 1 l/min (0; 0.1; 0.2; 0.3; 0.4; 0.5; 0.6; 0.7; 0.8; 1 l/min) 0.5 – 5 l/min (0; 0.5; 1; 1.5; 2; 2.5; 3; 3.5; 4; 5 l/min) 1 – 16 l/min (0; 1; 2; 3; 4; 6; 8; 10; 12; 16 l/min) 1 – 32 l/min (0; 1; 5; 8; 12; 16; 20; 25; 28; 32 l/min)
Accuracy (at 4.5 ± 0.5 bar):	0.5 – 5 l/min, 1 – 16 l/min and 1 – 32 l/min: ± 20 %; 0 – 1 l/min ± 30 %
Gas inlet:	CS plug O ₂ or AIR; NIST (rail)
Gas outlet:	6 mm nozzle for application unit, thread 9/16" for sterile water or adapter for reusable humidifier
Weight:	approx. 420 g (CS); approx. 700 g (rail)
Housing material:	nickel-coated brass
Dimensions:	diameter about 38 mm, length about 92 mm (CS version), about 118 mm (rail version)

*1 bar = 1 kPa × 100



- A Compact flowmeter Clickflow configurator, gives you the option of arranging the compact flowmeter according to your requirements, selectable options for configuration:**  **MP13000**
- | | |
|----------------|--|
| Gas type: | O ₂ ; AIR |
| Mounting: | CS; rail with NIST gas inlet |
| CS connection: | DIN; Carbamed; BS (England); NF (France); AGA* (Swedish) |
| Version: | single compact flowmeter, double compact flowmeter |
| Flow: | 0.1 – 1 l/min, 0.5 – 5 l/min, 1 – 16 l/min, 1 – 32 l/min |
| Gas outlet: | 6 mm nozzle, thread 9/16" for sterile water |
- B O₂ compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 9/16"**  **MP13011**
- C O₂ compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 6 mm nozzle**  **MP13012**
- D AIR compact flowmeter Clickflow, DIN, 0.1 – 1 l/min, 6 mm nozzle**  **MP13019**

Accessories for flowmeter: See section Ward Equipment, chapter 1.4 (humidifier, adapter and application).



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

WARD EQUIPMENT

A	Humidifier-bubbler, for oxygen humidification up to appr. 60 % relative humidity and flows up to 5 l/min	2M85834
B	Adapter, to connect e.g a tube or nasal cannula to O₂ flowmeter, M34×1.5 to 6 mm nozzle	M06258
C	Adapter, for disposable sterilised water systems to O₂ flowmeters, M34×1.5 to 9/16"	2M86680
C	Adapter, for disposable sterilised water systems to AIR flowmeter, M32×1.5 to 9/16"	MP03366
D	Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	MP00416
E	Adapter 9/16" to M34×1.5 for Dräger reusable humidifier	MP03325



WARD EQUIPMENT

MEDICAL ASPIRATION

The vacuum regulator is directly connected to a central vacuum supply or mounted on a rail. The smoothly adjustable vacuum, up to max. -160 mbar (-16 kPa), is displayed on a rotating manometer, legible from all sides.

All vacuum regulators include a shut-off valve.

You can use the VarioSafe disposable filter system to reliably protect the **VarioVac** series and the central vacuum system against contamination. A VarioSafe filter system is included with every VarioVac vacuum regulator.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 l/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm

Additional information for filter:

Aerosol and fluid retention:	100 % (with VarioSafe)*
Bacterial retention:	99.99997 % (with VarioSafe)**
Viral retention:	99.99922 % (with VarioSafe)**
NaCl retention:	99.8900 % (with VarioSafe)***

* Test was performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

** Test was performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

*** Test was performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



D-10309-2011

A Vacuum regulator VarioVac D rail, for continuous and wound drainage, gas connection VAC MP00511

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

WARD EQUIPMENT

VarioVac vacuum regulator for rail.

The gas supply is ensured by VAC connection hose.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

You can use the VarioSafe disposable filter system to reliably protect the VarioVac series and the central vacuum system against contamination.

A VarioSafe filter system is included with every VarioVac vacuum regulator.

Technical data:

VarioVac P (MP00660, MP03223)

Maximum vacuum: -55 to 0 kPa (-550 to 0 mbar)

Suction flow: 21 l/min

Maximum sound level: 40 dB(A)

Weight: 800 g

Dimensions (W/H/D) in mm: 80 × 210 × 160 (without VarioSafe)

80 × 340 × 160 (with VarioSafe)

Hose nozzle: Ø 6 mm

Additional information for filter:

Aerosol and fluid retention: 100 % (with VarioSafe)*

Bacterial retention: 99.99997 % (with VarioSafe)**

Viral retention: 99.99922 % (with VarioSafe)**

NaCl retention: 99.8900 % (with VarioSafe)***

* Test was performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

** Test was performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

*** Test was performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



A Vacuum regulator VarioVac P rail, for bronchial suction, gas connection NIST VAC, for connection to all standard wall rails



MP00660

The bronchial aspirator can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the centre of the magnetic field: magnetic flux density of 40 millitesla (400 gauss).

B Vacuum regulator VarioVac MRI P rail, for bronchial suction, gas connection NIST VAC, for connection to all standard wall rails



MP03223

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

WARD EQUIPMENT

Drive unit **VarioVac** and jar set are joined together, so that you have a complete, convenient and easy solution. The ergonomically shaped handle is positioned exactly at the unit's centre of gravity, making it easy to transport the aspirator quickly. The gas supply is ensured by CS connection hose. You can use the VarioSafe disposable filter system to reliably protect the device and the patient environment against contamination. This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

Technical data:

Weight:	1,600 g (empty)
Dimensions (W/H/D) in mm:	300 × 440 × 160
Hose nozzle:	Ø 6 mm

Additional information for filter:

Aerosol and fluid retention:	100 % (with VarioSafe)*
Bacterial retention:	99.99997 % (with VarioSafe)**
Viral retention:	99.99922 % (with VarioSafe)**
NaCl retention:	99.8900 % (with VarioSafe)***

* Test was performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

** Test was performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

*** Test was performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



D-10322-2011

A Vacuum regulator VarioVac P compact, for bronchial suction, gas connection NIST VAC, including secretion jar set and integrated vacuum regulator



MP00661

Technical data:

Maximum vacuum:	-55 to 0 kPa (-550 to 0 mbar)
Suction flow:	21 l/min
Maximum sound level:	40 dB(A)

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

WARD EQUIPMENT

The **VarioAir** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -16 kPa (-160 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side. A new VarioSafe disposable filter system reliably protects the VarioAir series and the patient environment against contamination. One piece of the new VarioSafe filter system is always included.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	25 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	45 dB (A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

Additional information for filter:

Aerosol and fluid retention:	100 % (with VarioSafe)*
Bacterial retention:	99.99997 % (with VarioSafe)**
Viral retention:	99.99922 % (with VarioSafe)**
NaCl retention:	99.8900 % (with VarioSafe)***

* Test was performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

** Test was performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

*** Test was performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



A **Ejector VarioAir D rail, for continuous and wound drainage, gas connection AIR, for connection to all standard wall rails**



MP00542

For gas supply via CS vacuum connection hose.
Connection thread: NIST.

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

WARD EQUIPMENT

VarioAir ejector for rail.

The gas supply is ensured by AIR connection hose.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

You can use the VarioSafe disposable filter system to reliably protect the VarioAir series and the central vacuum system against contamination.

Technical data:

VarioAir P (MP00545, MP03221)

Maximum vacuum:	-54 to 0 kPa (-540 to 0 mbar)
Suction Flow:	22 l/min
Maximum gas consumption:	40 l/min
Maximum sound level:	47 dB(A)
Inlet pressure range:	4 to 5.5 bar
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	from 0.1 kPa on (1 mbar)

Additional information for filter:

Aerosol and fluid retention:	100 % (with VarioSafe)*
Bacterial retention:	99.99997 % (with VarioSafe)**
Viral retention:	99.99922 % (with VarioSafe)**
NaCl retention:	99.8900 % (with VarioSafe)***

* Test was performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

** Test was performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

*** Test was performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



D-28521-2009

A Ejector VarioAir P rail, for bronchial suction, gas connection NIST AIR, for connection to all standard wall rails



MP00545

The bronchial aspirator can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the centre of the magnetic field: magnetic flux density of 40 millitesla (400 gauss).

A Ejector VarioAir MRI P rail, for bronchial suction, gas connection NIST AIR, for connection to all standard wall rails



MP03221

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

WARD EQUIPMENT

Drive unit VarioAir and jar set are joined together, so that you have a complete, convenient and easy solution. The ergonomically shaped handle is positioned exactly at the unit's centre of gravity, making it easy to transport the aspirator quickly.

The gas supply is ensured by CS connection hose.

You can use the VarioSafe disposable filter system to reliably protect the device and the patient environment against contamination.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

Technical data:

Weight:	1,600 g (empty)
Dimensions (W/H/D) in mm:	300 × 440 × 160
Hose nozzle:	Ø 6 mm

Additional information for filter:

Aerosol and fluid retention:	100 % (with VarioSafe)*
Bacterial retention:	99.99997 % (with VarioSafe)**
Viral retention:	99.99922 % (with VarioSafe)**
NaCl retention:	99.8900 % (with VarioSafe)***

* Test was performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

** Test was performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

*** Test was performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



A Ejector VarioAir P compact, for bronchial suction, gas connection NIST AIR, including secretion jar set and integrated ejector



MP00547

Technical data:

Maximum vacuum:	-54 to 0 kPa (-540 to 0 mbar)
Suction flow:	22 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	40 l/min
Maximum sound level:	47 dB(A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

For CS hoses please refer to chapter „Accessory for gas supply“.



Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

WARD EQUIPMENT

Extra lightweight portable secretion jar set for bronchial aspiration. The set is made of high quality and extremely robust plastic and can be autoclaved at up to 134 °C. The two 700 ml jars, which are used as secretion and rinsing jars, are identical, making hospital logistics considerably easier. The jars are made of high-quality polysulfone, are reusable, extremely robust and implosion-proof. The long service life makes the jars both environmentally friendly and cost effective. An automatic overflow safeguard is fitted in the secretion jar cap to prevent secretion from entering the drive unit and the piped medical gas supply. The ergonomically shaped handle is positioned exactly at the unit's centre of gravity, making it easy to transport the secretion jar set quickly.



- A Secretion jar set, with 700 ml secretion jars (2 pcs.)
and 1.5 m suction hose, maximum capacity
up to the overflow safeguard 2 × 1,000 ml,
scale in steps of 10 ml up to max. 700 ml**
- 2M85056**

WARD EQUIPMENT

VacuSmart disposable cartridge for bronchial suction

VacuSmart is a disposable cartridge for 700 ml secretion jars. This product has been specifically designed and thoroughly tested to work with Dräger suction units. Therefore, there is absolutely no need to modify the installed base. An integrated hydrophobic filter acts as overflow safeguard by stopping the suction of secretion once maximum capacity has been reached. The closed and leak-proof system, optional with an integrated gelling agent, reduces the risk of cross contamination to a minimum. The optional gelling agent prevent leakages, e.g., during the waste disposal in a waste press. The gelling agent is secured in a water-soluble bag.

Technical data:



Maximum capacity:	700 ml
Maximum capacity up to the overflow safeguard:	1,000 ml
Overflow safeguard:	Integrated, hydrophobic filter
Recommended duration of use:	24 h
Gelling agent:	Sodium polyacrylate

A	Secretion jar VacuSmart, PE (polyethylene), disposable, 700 ml, 25 pcs.	MX23023
B	Secretion jar VacuSmart gel, PE (polyethylene), disposable, 700 ml, 25 pcs.	MX23025
C	VacuSmart tube 2 m, suction tube, PE (polyethylene), disposable, w. fingertip, 25 pcs.	MP14010
You can also enjoy some smart savings by choosing any of the following packing unit 25 pieces sets:		
D	Suction set, disposable, VacuSmart, 700 ml and VacuSmart tube, 25 pcs. each	MP00061
E	Set VacuSmart gel and tube, 25 pcs.	MP03211



WARD EQUIPMENT

A	Bacterial filter 767, 5 pcs.	6723976
B	Bacterial and viral filter system VarioSafe, for VarioAir, VarioVac, VarioO2, disposable, 10 pcs.	MP00555
	The new VarioSafe disposable filter system reliably protects the VarioAir, VarioVac and VarioO2 series and the patient environment against contamination.	
	Technical data:	
	Material:	PP (Polypropylene)
	Recommended duration of use:	7 days
	Maximum capacity:	90 ml
	<u>Additional information for filter:</u>	
	Aerosol and fluid retention:	100 % (with VarioSafe)*
	Bacterial retention:	99.99997 % (with VarioSafe)**
	Viral retention:	99.99922 % (with VarioSafe)**
	NaCl retention:	99.8900 % (with VarioSafe)***
	* Test was performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany	
	** Test was performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA	
	*** Test was performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1	
C	Suction hose, silicone, reusable, 1.5 m length, ID 6 mm, wall thickness 2 mm	M25780
D	Connection hose, silicone, reusable, ID 5 mm, wall thickness 2 mm, by metre	1203606
E	Secretion jar, PSU (polysulfone), reusable, 300 ml, autoclavable up to 134°C	2M86207
F	Secretion jar, PSU (polysulfone), reusable, 700 ml, autoclavable up to 134°C	2M85594
G	Elbow, angled hose connection for secretion jar caps	2M19063



WARD EQUIPMENT

Holders for attaching a compact bronchial aspirator or a secretion jar set to the wall/ rail or to a rail on a ceiling supply unit. The devices are latched and can be detached and moved easily if this is required.

A Wall holder, with fixing screws, for compact suction unit and secretion jar set **M26859**

B Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set **M26842**

C Ceiling holder, rail holder for compact suction systems and secretion jar sets **2M85119**

Holders for holding a central supply connecting hose or an aspiration hose. For attachment to an intensive care rail or compact rail.

D CS connection hose holder **2M85446**

E Suction hose holder, suitable for various diameters **2M85239**



RAIL ACCESSORIES AND EXAMINATION LIGHT

5. RAIL ACCESSORIES AND EXAMINATION LIGHT

RAIL ACCESSORIES

Wire baskets*

The wire baskets are used for storage of disposable catheters or disposable gloves. The catheters can be simply stored in bundles and are then easy to take out one by one. The baskets are chrome plated and are thus, easy to clean and can be autoclaved at up to 134 °C. The amount of space for a basket on the rails is around 150 mm (5.9 in).

A	Basket 200, 15 × 20 × 10 cm, e.g., for disposable gloves	M26146
A	Basket 280, 15 × 28 × 10 cm, e.g., for 300 mm catheters	M26145
A	Basket 480, 15 × 48 × 10 cm, e.g., for 600 mm catheters	M25121
B	Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)	M24695
	Litter bags, disposable, for litter bag holder, 100 pcs.	M26240

*Tradeware



RAIL ACCESSORIES AND EXAMINATION LIGHT

EXAMINATION LIGHT

The Dräger **VarioLux** offers a cool, highly efficient, and variable intensity examination light that was specially designed for use in neonatology and paediatric patient settings. Made for single-handed operation, it features adjustable colour temperature settings as well as a dimmer function.

Operating mode:	Continuous operation
Weight:	1.5 kg (3.3 lbs)
Electrical values:	100 – 240 V, 50/60 Hz
Max. illumination intensity Ec at 0.5 m:	30,000 lx
Dimming levels:	30,000 lx, 24,000 lx, 18,000 lx, 12,000 lx, 7,000 lx
Light field diameter d10 at 0.5 m:	20 cm (7.9 in)
Light field diameter d50 at 0.5 m:	9 cm (3.5 in)
Colour temperature adjustable:	Cool white (blue) 4,700 K, Neutral white (white) 4,100 K, Warm white (red) 3,500 K
Min. service life of bulb (LEDs):	> 50,000 h
Colour reproduction index:	Ra >= 96 (at 3,500 K) R9 = 89 (at 3,500 K)
Max. radiant power at 0.5 m:	105 W/m ²

A	Medical examination light VarioLux with LED technology, EU		MP00601
	Medical examination light VarioLux with LED technology, US		MP00602
	Medical examination light VarioLux with LED technology, GB		MP00603
	Medical examination light VarioLux with LED technology, AUS		MP00606
	Medical examination light VarioLux with LED technology, JPN		MP00608
	Power cable EU, 1.8 m, 2 pin		MP00591
	Power cable US/JPN, 1.8 m, 2 pin		MP00592
	Power cable GB, 1.8 m, 2 pin		MP00593
	Power cable AUS, 1.8 m, 2 pin		MP00626





Selected products must be serviced on a regular basis. Increase the performance by having them serviced regularly by the original manufacturer service. Find out more about our Dräger Services on page 8.

Not all articles are available worldwide.

RAIL ACCESSORIES AND EXAMINATION LIGHT

A	Rail claw for lamp	MP00615
B	Turn knob, compl.	MP00587
C	Control panel	MP00589
D	Rail clamp, for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm	2M85274
E	Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg	2M85337



RAIL ACCESSORIES AND EXAMINATION LIGHT

HINGED ARMS

Keeping everything close at hand. To leave your hands free to care for the patient, all the joints can be fixed into place and released with just one quick hand movement. All cables, lines and hose systems can be arranged in such a way as to more or less completely prevent accidental disconnection.

- A Hinged arm Quickstop 2, with universal ball holder system for optional accessories length 858 mm, max. load 0.4 kg, includes hose clamps: MP00493 (1×), 8404761 (2×), 8409841 (1×) 2M85706**
- B Hinged arm Quickstop short, with mounted universal tube holder plate, for various tube dimensions/coaxial hoses, specifically designed for OR tables, length 323 mm, max. load 1 kg 2M86463**





NOTICE

Not made with natural rubber latex: product is produced without latex

Size classification is as follows – adults (A), paediatric patients (P), and neonates (N)

Size classification:		
Neonates	N	<28 days
Paediatric patients	P	<21 years
Infant	I	>28 days – ≤1 year
Child	C	>1 year – ≤12 years
Adults	A	>21 years

INDEX BY ORDER NUMBER

1	1203606	315, 445	2601227	154, 202	2607550	242	
			2601228	153, 201	2607551	242	
2	2165619	46, 53	2601229	153, 201	2607552	242	
	2165627	46, 49, 53	2601230	153, 201	2607553	242	
	2165651	55, 413	2601231	153, 201	2607554	242	
	2165678	50, 54, 411	2601234	153, 201	2607555	242	
	2165821	45, 55, 410, 413	2601235	153, 201	2607558	240	
	2165848	45, 54, 410, 412	2601236	155, 203	2607559	240	
	2165856	45, 55, 410, 413	2601720	232	2607560	247	
	2165961	50, 55, 411, 413	2601963	224	2607561	247	
	2166038	48, 49, 53	2601968	246	2612000	225	
	2166046	47, 48, 51, 53	2601970	247	2612001	225	
	2166054	50, 58, 411, 414	2601971	247	2612002	225	
	2166062	48, 49, 58	2605115	242	2612003	225	
	2166070	58	2605124	242	2612020	224	
	2166127	58, 414	2606151	235, 260	2612021	224	
	2170221	139, 234, 251	2606152	235, 260	2612024	224	
	2600146	264	2606153	235, 260	2612025	224	
	2600147	264	2606154	235, 260	2612026	224	
	2600885	237	2606155	235, 260	2612027	224	
	2600930	262	2606156	235, 260	2612028	224	
	2600932	262	2606208	231, 248	2612029	224	
	2600933	262	2606209	231, 248	2870173	149, 199, 430	
	2600934	262	2606210	231, 248	2870181	149, 199, 430	
	2600935	262	2606211	231, 248	2870199	149, 199, 430	
	2600936	262	2606225	240	2870207	149, 199, 430	
	2600937	262	2606226	246	2870215	149, 199, 430	
	2600938	262	2606227	169, 246	2870298	146, 196, 430	
	2600939	264	2606228	169, 246, 431			
	2600940	264	2606229	247	3	3368383	158
	2600942	264	2606231	247		3368391	115
	2600943	264	2606483	231, 248		3368425	116, 151, 200
	2600945	264	2606484	231, 248		3368433	125, 128, 138, 424
	2600946	263	2606485	231, 248		3368458	161, 204
	2600948	263	2606486	231, 248		3375834	125, 128, 138, 424
	2601008	232	2606487	231, 248		3375933	160
	2601068	242	2606488	240		3375941	156
	2601190	241	2606489	240		3375958	156, 163
	2601191	241	2606490	240		3702751	371
	2601192	241	2606491	240		3702831	187
	2601195	235, 260	2606492	230		3702834	187
	2601197	237	2606493	230		3702837	187
	2601198	237	2606494	230		3702841	187
	2601199	237	2606495	230		3715689	123, 180, 230
	2601200	237	2606496	230		3715690	123, 180, 230
	2601201	241	2606497	230		3718728	133, 185, 216
	2601220	155, 203	2606498	230		3722467	187
	2601221	155, 203	2607032	245		3722471	187
	2601222	155, 203	2607034	236, 261		3730678	140, 192, 218, 425
	2601223	155, 203	2607035	236, 261	4	4118453	369
	2601224	154, 202	2607036	236, 261		4118555	369
	2601225	154, 202	2607037	236, 261		4119065	354
	2601226	154, 202	2607038	236, 261			

INDEX BY ORDER NUMBER

4119066	354	5194779	123, 424	7489433	159
4119067	354	5195024	123, 180, 230, 424	7496875	136, 189, 217
4119068	354	5195180	159	7496891	136, 189, 217, 428
4119069	354	5195198	116, 200	7496909	136, 189, 217, 428
4119070	354	5196980	156	7496917	136, 189, 217, 428
4119071	354	5196998	156	7496933	428
4119072	354	5198333	143	7498947	159
4119073	354	5202747	116	7864155	159
4119074	354	5204644	145, 195, 238	7864908	159
4119075	354	5204651	145, 195, 238	7872174	168
4119076	354	5204669	145, 195, 238, 429		
4119077	354	5206607	158	8 8201012	139, 234, 425
4119078	354	5588095	158	8201013	251
4119079	354	5588822	152	8290274	46
4119080	354	5590539	115, 424	8290286	31, 174
4119081	354	5591925	152	8306488	99
4119082	354	5591933	152	8401645	45, 57, 410
4119083	354	5592147	158	8402868	31, 174
4185140	350	5592154	143, 193	8402953	50, 411
4185141	350	5592162	123, 424	8403056	45, 57, 410
4185142	351	5598128	116	8403075	45, 50, 56, 410, 411, 414
4185143	351	5703041	38	8403076	57
4199589	350	5704962	40	8403201	59
4199590	350	5704964	39	8403333	45, 410
4199591	350	5731281	158	8403566	46
4199592	350	5741975	161, 204	8403735	109
4199593	350	5947226	124	8404760	45, 410
4199594	350	5947804	167	8404985	46, 49, 57
4199595	351	5950196	115	8405435	46, 56
4199596	351	5954859	167	8407475	51
4199600	350			8408950	91
4199601	350	6 6723976	314, 336, 445	8409609	362
4199602	350	6850645	111	8409626	110, 417
4199604	350	6870279	68, 170, 205, 245	8409627	45, 57, 410
4199605	350	6870280	68, 170, 205, 245, 426	8410049	45, 46, 410
4199712	350	6870281	205, 245	8410179	109, 417
4199713	351	6871500	69, 416	8410580	91
4199714	350	6871950	69, 170, 205, 245, 416	8410929	52
4321563	159	6871980	109	8411044	57
4329822	145, 195, 238, 429	6872020	31, 174	8411047	35, 408
4329848	145, 195, 238	6872130	31, 174	8411074	36, 397, 408
4329889	145, 195, 238	6872666	111	8411075	369, 385
4528741	160	6873065	111, 369	8411130	109, 417
4711201	175, 431	6873674	69, 171, 416	8412001	52
4721416	157			8412015	91
4721424	157	7 7257988	116, 200	8412034	52, 109
4721788	169, 431	7262764	139, 192, 218, 232, 249	8412068	52
4721796	169	7265155	204	8412217	35
		7265163	204	8412235	52, 57
5 5000833	338	7270460	157	8412344	45, 410
5001330	315	7485621	116, 151, 152	8412860	47
5191221	115	7486140	124	8412888	56
5192112	157	7489417	159	8412913	52

INDEX BY ORDER NUMBER

8413125	91	8420273	99	2M86207	316, 445
8413146	46	8422215	29, 406	2M86463	362, 450
8413293	52	8422580	99	2M86680	294, 436
8413660	92	8422581	99	2M86757	318, 323
8414144	34, 371	8422582	99	2M86832	38
8414776	91	8422583	99	2M86837	38
8414966	37, 409	8422770	99		
8414968	37, 409	8424050	99	C CH00102	314, 336
8414989	37, 409	8539983	161, 204		
8414992	37, 409	8601697	275, 278, 339, 434	G G01166	354
8415270	91			G01168	354
8415296	91	2M 2M16520	380	G01169	354
8416325	36, 408	2M19063	316, 445	G35324	363
8416326	99	2M20434	379	G35325	363
8416352	69, 171, 205, 245	2M20827	370, 378	G35332	363
8416600	110, 417	2M21012	378	G35333	363
8416750	92	2M21158	379	G35614	363
8417050	92	2M21161	379	G93111	36, 408
8418077	414	2M21186	380, 385	G93140	36, 408
8418282	35, 408	2M21191	379		
8418289	57	2M21342	379	M M06258	436
8418415	399	2M21514	380, 385	M07582	316
8418416	399	2M30462	392	M16395	337
8418417	399	2M50040	385	M20668	337
8418490	400	2M50385	384	M24695	359, 447
8418491	400	2M50412	384	M25121	359, 447
8418507	37, 409	2M60170	368	M25647	46, 48, 49, 50, 57, 411
8418531	399	2M60180	369	M25649	57
8418533	402	2M60390	368	M25650	47, 56
8418534	402	2M60401	369	M25780	315, 445
8418535	402	2M60836	368	M26145	359, 447
8418536	402	2M85011	315	M26146	359, 447
8418537	402	2M85012	315	M26240	359, 447
8418538	402	2M85013	315	M26842	291, 312, 359, 446
8418539	402	2M85056	291, 310, 443	M26859	312, 446
8418603	399	2M85119	359, 312, 446	M27077	56, 414
8418605	399	2M85139	337	M27542	50, 411
8418607	399	2M85151	334	M30146	48
8418609	399	2M85153	334	M32493	355
8418611	399	2M85163	335	M32494	355
8418617	399	2M85180	335	M32495	355
8418619	400	2M85239	359, 312, 324, 446	M32496	355
8419160	161, 204	2M85274	359, 361, 397, 449	M32692	31, 174
8420029	99	2M85337	361, 291, 397, 449	M33278	48, 49, 56
8420035	99	2M85380	311	M34568	50, 57, 411, 414
8420047	99	2M85381	311	M34875	355
8420055	99	2M85441	322	M34876	355
8420056	99	2M85446	312, 324, 359, 446	M34877	355
8420057	99	2M85594	316, 445	M34878	355
8420058	99	2M85706	362, 450	M35056	292, 355
8420059	99	2M85834	293, 436	M35057	355
8420077	161, 204	2M86185	292	M35058	292, 355
8420271	99	2M86205	289	M35330	341

INDEX BY ORDER NUMBER

M35331	341	M35410	347	M35497	339
M35332	341	M35411	347	M35498	339
M35333	343	M35412	347	M35499	339
M35334	343	M35413	347	M35801	349
M35335	343	M35414	347	M35802	349
M35336	355	M35415	347	M35803	349
M35337	355	M35416	341	M35804	349
M35338	355	M35417	341	M35805	349
M35339	344	M35418	341	M35806	349
M35340	344	M35419	341	M35807	349
M35341	344	M35420	341	M35808	349
M35342	342	M35421	341	M35809	349
M35343	342	M35422	341	M35820	349
M35344	342	M35423	341	M35865	349
M35345	346	M35424	341	M35866	349
M35346	346	M35425	342	M35867	349
M35347	346	M35426	342	M36000	339
M35357	347	M35427	342	M36004	340
M35358	347	M35428	342	M36005	340
M35359	347	M35429	342	M36006	340
M35375	345	M35430	342	M36007	340
M35376	345	M35431	342	M36008	340
M35377	345	M35432	342	M36009	340
M35378	345	M35433	342	M36010	340, 353
M35379	345	M35434	341	M36011	340, 353
M35382	345	M35435	341	M36012	340, 353
M35383	345	M35436	341	M36013	340
M35384	345	M35437	342	M36014	340
M35385	345	M35438	342	M36015	340
M35386	345	M35439	342	M36053	290
M35387	345	M35452	341	M36056	355
M35388	345	M35453	341	M36148	348
M35389	343	M35454	341	M36149	348
M35390	343	M35455	341	M36150	348
M35391	343	M35456	341	M36151	348
M35392	343	M35457	341	M36152	348
M35393	343	M35469	346	M36153	348
M35394	343	M35472	346	M36154	348
M35395	343	M35473	346	M36155	348
M35396	343	M35474	346	M36156	348
M35397	343	M35475	346	M36290	352
M35398	344	M35476	346	M36291	352
M35399	344	M35477	346	M36292	352
M35400	344	M35478	346	M36293	352
M35401	344	M35479	346	M36294	352
M35402	344	M35489	339	M36295	352
M35403	344	M35490	339	M36296	352
M35404	344	M35491	339	M36297	352
M35405	344	M35492	339	M36298	352
M35406	344	M35493	339	M36299	352
M35407	347	M35494	339	M36300	352
M35408	347	M35495	339	M36301	352
M35409	347	M35496	339	M36723	342

INDEX BY ORDER NUMBER

M36724	342	MP00330	22	MP00536	309
M36725	342	MP00331	23	MP00537	330
M36726	343	MP00333	23, 404	MP00538	331
M36727	343	MP00334	17	MP00539	331
M36728	343	MP00335	38	MP00540	331
M36729	339	MP00337	17	MP00541	331
M36730	339	MP00338	16	MP00542	331, 440
M36731	339	MP00341	44	MP00543	332
M36732	353	MP00349	15	MP00544	333
M36733	353	MP00350	15	MP00545	305, 441
M36734	353	MP00351	16	MP00547	309, 442
M36735	353	MP00352	16	MP00548	303
M36736	353	MP00353	16, 404	MP00549	331
M36737	353	MP00355	19	MP00550	304
M36738	353	MP00361	17	MP00551	304
M36739	353	MP00362	17	MP00552	290, 304, 321
M36740	353	MP00363	17, 404	MP00553	332
M36741	353	MP00365	24	MP00555	314, 336, 445
M36784	353	MP00366	24	MP00565	338
M36785	353	MP00371	24	MP00566	338
M36786	353	MP00372	25	MP00569	338
M36788	353	MP00373	18	MP00570	316
M36789	353	MP00374	26	MP00578	317
M36826	348	MP00375	26	MP00579	337
M36827	348	MP00378	42	MP00580	317
M36828	348	MP00379	18	MP00587	361, 449
		MP00380	20	MP00589	361, 449
MK MK00514	314, 336	MP00381	20	MP00591	360, 448
MK01418	307	MP00383	21, 404	MP00592	360, 448
MK01420	307	MP00384	21	MP00593	360, 448
MK01422	301	MP00416	90, 284, 294, 395, 397, 436	MP00595	338
MK01900	109	MP00501	296	MP00596	338
MK03140	301	MP00502	297	MP00601	360, 448
MK03320	301	MP00503	297	MP00602	360, 448
MK04248	49	MP00504	297	MP00603	360, 448
		MP00505	298, 320	MP00606	360, 448
MP MP00038	290, 292	MP00506	308	MP00608	360, 448
MP00061	313, 444	MP00507	326	MP00615	361, 449
MP00100	285	MP00508	327	MP00626	360, 448
MP00100	289	MP00509	327	MP00631	298
MP00100	290	MP00510	327	MP00632	299
MP00220	40, 92	MP00511	327, 437	MP00634	318, 323, 397
MP00222	20	MP00512	329, 335	MP00635	318
MP00224	40, 92	MP00514	297	MP00636	318
MP00234	28, 407	MP00515	327	MP00637	318
MP00300	15	MP00516	298, 320	MP00639	305
MP00301	22	MP00518	335	MP00646	311
MP00303	22	MP00530	302	MP00660	299, 438
MP00305	19	MP00531	303	MP00661	308, 439
MP00310	371, 382, 404	MP00532	303	MP00663	328
MP00311	382, 404	MP00533	303	MP00664	328
MP00312	40	MP00534	303	MP00686	301
MP00313	40	MP00535	304, 321	MP00687	301

INDEX BY ORDER NUMBER

MP00688	307	MP01006	37, 409	MP01522	84, 419
MP00689	301	MP01007	37, 56	MP01523	84
MP00690	362	MP01008	36, 408	MP01524	84
MP00721	116	MP01009	36, 408	MP01531	84, 419
MP00748	192, 232, 249	MP01010	97, 423	MP01532	84, 419
MP00788	129, 182, 215, 253	MP01060/MP20108	92	MP01533	84
MP00789	129, 182, 215, 253, 427	MP01061/MP20109	92	MP01534	84
MP00790	130, 183, 215, 245	MP01062	68, 170, 205, 245	MP01543	84
MP00791	130, 183, 215, 254	MP01063	68, 170, 205, 245, 416	MP01544	84
MP00792	130, 183, 254, 388, 427	MP01077	98, 423	MP01545	84
MP00793	130, 183, 215, 245	MP01078	98, 423	MP01546	84
MP00794	130, 183, 254, 388, 427	MP01079	98, 423	MP01553	79, 403
MP00795	129, 182, 215, 253	MP01085	98	MP01554	79, 403
MP00796	129, 182, 215, 253	MP01086	98	MP01555	79, 403
MP00797	181, 252	MP01101	288, 289	MP01556	79, 403
MP00799	129, 182, 215, 253	MP01102	288, 289	MP01559	86, 421
MP00800	181, 252	MP01103	288, 290	MP01560	86
MP00875	120, 179, 212, 226	MP01104	288	MP01561	86, 421
MP00877	120, 179, 212, 226	MP01105	288	MP01562	86
MP00879	120, 179, 212, 226	MP01326	41	MP01570	73
MP00881	120, 179, 212, 226	MP01327	43, 405	MP01571	73
MP00911	147, 197	MP01329	44, 405	MP01572	73
MP00912	147, 197	MP01330	44	MP01573	73
MP00913	147, 197	MP01340	43	MP01574	73
MP00915	147, 197	MP01341	43	MP01575	73
MP00916	147, 197	MP01343	44	MP01590	80, 86, 421
MP00917	147, 197	MP01347	41	MP01620	74
MP00918	147, 197	MP01348	41	MP01621	74
MP00919	147, 197	MP01350	41	MP01622	74
MP00921	147, 197	MP01370	39	MP01623	74
MP00924	148, 198	MP01371	39	MP01624	74
MP00925	148, 198	MP01372	52	MP01625	74
MP00926	148, 198	MP01390	52	MP01691	98, 423
MP00928	148, 198	MP01391	52	MP01701	81, 418
MP00929	148, 198	MP01401	372, 374	MP01702	81, 418
MP00930	148, 198	MP01402	381	MP01703	81
MP00931	148, 198	MP01404	381	MP01704	81
MP00932	148, 198	MP01414	393	MP01705	81
MP00934	148, 198	MP01419	376, 386, 389	MP01706	81
MP00943	222, 237	MP01423	384, 392	MP01707	81
MP00944	222	MP01424	372, 374, 392	MP01708	81
MP00953	146, 196	MP01442	93, 111	MP01781	93
MP00990	219	MP01494	400	MP01840	70
MP00991	144, 194, 239	MP01495	400	MP01845	70
MP00992	144, 194, 239	MP01496	400	MP01850	70
MP00993	144, 194, 239	MP01510	83, 419	MP01855	70
MP00994	144, 194, 239	MP01511	83, 419	MP01860	70
MP00995	144, 194, 239	MP01512	83, 419	MP01890	71
MP00996	144, 194, 239	MP01513	83	MP01895	71
MP00997	144, 194, 239, 429	MP01514	83	MP01910	85, 371, 382, 420
MP00998	144, 194, 239, 429	MP01515	83	MP01911	85, 371, 382, 420
MP01000	33	MP01516	83	MP01912	85
MP01002	36, 408	MP01521	84, 419	MP01913	85

INDEX BY ORDER NUMBER

MP01914	85	MP03231	322	MP03880	401
MP01915	85	MP03232	322	MP03881	401
MP01916	85, 420	MP03233	322	MP03882	401
MP01917	85	MP03325	293, 436	MP03883	401
MP01942	88	MP03366	294, 436	MP03884	401
MP02260	396	MP03373	18	MP03885	401
MP02590	29, 407	MP03374	18	MP04110	289
MP02600	91	MP03375	42	MP04200	89, 282, 394
MP02605	30	MP03376	18	MP04201	89, 282
MP02606	30	MP03377	42	MP04202	89, 282
MP02607	30	MP03381	27	MP04203	282, 394
MP02650	29, 406	MP03383	27	MP04204	282, 394
MP02655	29, 407	MP03384	27	MP04218	90, 284, 395
MP02689	29, 98, 423	MP03388	43	MP04219	90, 284, 395
MP02699	29, 33	MP03401	121, 178, 211, 226	MP04221	90, 284, 395
MP02710	21, 404	MP03402	121, 178, 211, 226	MP04229	282, 394
MP02711	21	MP03403	121, 178, 211, 226	MP04300	220
MP02712	21	MP03404	121, 178, 211, 226	MP04301	220
MP02713	21	MP03405	121, 178, 211, 227	MP04305	220
MP02720	25	MP03406	121, 178, 211, 227	MP04306	220
MP02721	25	MP03407	178, 227	MP04310	220
MP02800	15, 71	MP03408	178, 227	MP04312	220
MP02900	85, 371, 382, 420	MP03411	122	MP04315	220
MP02910	75	MP03412	122	MP04316	220
MP02911	75	MP03413	122	MP04320	220
MP02912	75	MP03414	122	MP04322	220
MP02913	75	MP03415	122	MP04325	220
MP02914	75	MP03416	122	MP04326	220
MP02915	75	MP03417	122	MP04327	220
MP02916	75	MP03418	122	MP04350	222
MP02917	75	MP03421	211	MP04351	222
MP02918	75	MP03422	211	MP04352	222
MP02991	181	MP03423	211	MP04353	222
MP02992	181	MP03424	211	MP04355	222
MP02993	129, 182, 215, 253	MP03425	211	MP04356	222
MP03120	179, 227	MP03426	211	MP04357	222
MP03121	179, 227	MP03587	317	MP04358	222
MP03122	120, 179, 212, 227	MP03589	317	MP04359	222
MP03123	120, 179, 212, 227	MP03597	337	MP04365	222
MP03191	131, 184, 255	MP03700	398	MP04366	222
MP03192	131, 184, 255, 427	MP03701	398	MP04551	271, 432
MP03193	131, 184, 255	MP03702	398	MP04552	274, 434
MP03194	181, 252	MP03703	398	MP04553	275, 434
MP03196	181	MP03704	398	MP04554	272
MP03197	137, 190	MP03705	398	MP04555	273
MP03198	137, 190	MP03730	368, 392	MP04556	274
MP03203	190	MP03737	368, 392	MP04557	273
MP03211	313, 444	MP03738	374, 392	MP04558	271
MP03220	306	MP03760	367	MP04559	277
MP03221	306, 441	MP03770	367	MP04560	273, 433
MP03222	300	MP03771	367	MP04561	271
MP03223	300, 438	MP03772	367	MP04562	277
MP03230	322	MP03826	398	MP04563	272

INDEX BY ORDER NUMBER

MP04564	277	MP05121	118, 176, 210, 228	MP11005	82
MP04565	272	MP05122	118, 176, 210, 228	MP11006	82
MP04566	272	MP05123	118, 176, 210, 228	MP11007	82
MP04567	274, 434	MP05124	118, 176, 210, 229	MP11008	82
MP04568	278	MP05125	118, 176, 210, 229	MP12060	72
MP04569	273, 433	MP05126	177, 229	MP12061	72
MP04570	275	MP05127	177, 229	MP12062	72
MP04571	272	MP05128	177, 229	MP12063	72
MP04572	277	MP05129	177, 229	MP13000	279, 435
MP04573	274	MP05130	119, 176, 228	MP13011	280, 435
MP04575	274	MP05131	119, 176, 228	MP13012	280, 435
MP04576	276	MP05132	119, 176, 228	MP13013	281
MP04577	276	MP05133	119, 176, 228	MP13014	281
MP04578	276	MP05134	119, 176, 229	MP13015	281
MP04579	276	MP05135	119, 176, 229	MP13016	281
MP04580	274	MP05305	90, 284	MP13017	281
MP04581	278	MP05507	33, 88	MP13019	281, 435
MP04711	76	MP05511	87	MP13020	89, 283, 396
MP04712	76	MP05512	87	MP13021	89, 283, 396
MP04713	76	MP05513	87	MP13040	272
MP04714	76	MP05601	88	MP13041	277
MP04721	76	MP05700	363	MP13069	98, 423
MP04722	76	MP05701	363	MP14010	313, 444
MP04723	76	MP05730	64	MP14098	318
MP04724	76	MP05735	64	MP15001	172, 206, 243, 265
MP04731	76	MP05750	64	MP15002	172, 206, 243, 265
MP04732	76	MP05755	62	MP15003	172, 206, 243, 265, 431
MP04733	76	MP05770	62	MP15004	172, 206, 243, 265
MP04734	76	MP05785	63	MP15005	172, 206, 243, 265
MP04741	77	MP05790	63	MP15006	172, 206, 243, 265
MP04742	77	MP05795	63	MP15007	172, 206, 243, 265, 431
MP04743	77	MP05800	61	MP15008	172, 206, 243, 265
MP04744	77	MP05801	61	MP15009	172, 206, 243, 265
MP04751	77	MP05805	61	MP15010	173, 207, 244, 266
MP04752	77	MP05810	61	MP15011	173, 207, 244, 266
MP04753	77	MP05815	61	MP15012	173, 207, 244, 266
MP04754	77	MP05820	61, 415	MP15013	173, 207, 244, 266
MP04800	19	MP05840	64	MP16002	34, 407
MP04802	19, 404	MP05845	64, 415	MP16003	34, 407
MP04803	41	MP07101	33	MP16004	34
MP04804	41	MP07102	33	MP16005	34, 407
MP05051	78	MP07106	33	MP16017	20
MP05052	78	MP07107	33	MP16018	20
MP05053	78	MP07108	33	MP16019	20
MP05054	78	MP07109	33	MP16020	21, 404
MP05061	78	MP07130	33	MP16021	21
MP05062	78	MP07131	33	MP16028	22
MP05063	78	MP07150	33, 406	MP16029	22
MP05064	78	MP07151	33, 406	MP16030	22
MP05080	80	MP11001	82, 418	MP16031	23
MP05114	180, 230	MP11002	82, 418	MP16032	23, 404
MP05115	124, 180, 230	MP11003	82	MP16033	24
MP05120	118, 176, 210, 228	MP11004	82	MP16034	24

INDEX BY ORDER NUMBER

MPI6035	24	MSI6445	126, 214	MS33738	185, 187, 188
MPI6036	25	MSI6446	127, 425	MS33739	185, 187, 188
MPI6037	26	MSI6447	127, 425	MS33740	133, 185, 216, 258
MPI6038	26	MSI6448	126, 214	MS33741	133, 185, 216, 258
MPI6039	25	MSI6449	126, 214	MS34209	208
MPI6040	25	MSI6492	124	MS34436	128, 216
MPI6041	27	MSI6916	163	MS34437	128, 216
MPI6042	27	MSI6918	163	MS34677	141, 192, 234
MPI6044	27	MSI6919	163	MS34678	141, 192, 234
MPI6045	43	MSI6920	163	MS40021	209
MPI6090	370, 392	MSI7330	125, 128, 138, 213, 218, 424	MS40067	133, 185, 258
MPI6297	370, 378	MSI7522	128, 215, 426	MS40070	133, 185, 258
MPI7030	371, 382	MSI8683	125, 128, 138, 213, 218, 424	MS40073	133, 185, 258
MPI7031	371, 382	MS20093	115	MS40076	188
MPI7090	33, 88	MS20094	115	MS40079	188
MPI7128	35, 410	MS20668	232	MS40082	188
MPI7129	35	MS20725	152, 200	MS40085	188
MP20020	59	MS20783	200	MS40088	135, 186, 259
MP20022	351	MS20979	192, 232, 249	MS40091	135, 186, 259
MP20023	351	MS22259	170, 205	MS40094	135, 186, 259
MP20024	351	MS22532	163	MS40243	145, 195, 237, 238
MP20029	351, 352	MS22832	180	MS40317	208
MP20030	351, 352	MS22905	219	MS40318	208
MP20050	59, 414	MS23133	163	MS40319	208
MP20370	94	MS23598	156	MS40320	208
MP20371	94	MS23897	200	MS40321	208
MP20372	95	MS23898	200	MS40322	208
MP20373	95	MS24303	128, 215, 426	MS40323	208
MP20374	95	MS25951	180, 224		
MP20375	95	MS26122	150	MU MU03876	373, 375, 376, 386, 390
MP20376	95	MS26123	150	MU04366	376, 386, 389
MP20377	94	MS26125	150	MU04472	376, 387, 390
MP20378	94	MS29468	167	MU04771	389
MP20379	95	MS32150	209	MU06008	377, 387, 391
		MS32151	209	MU06011	377, 386, 391
MS MSI3218	168	MS32153	209	MU06570	375, 376, 386, 390
MSI3235	126, 214	MS32154	208	MU06933	376, 386, 389
MSI4679	124, 180	MS32156	209	MU06943	368, 370, 372, 374, 376, 378, 381, 384, 386, 389, 393
MSI4680	124, 180	MS32282	163		
MSI4796	166	MS32289	208	MU06944	368, 370, 372, 374, 376, 378, 381, 384, 386, 389, 393
MSI5086	168	MS32290	208		
MSI5087	168	MS32291	208		
MSI5893	150	MS32318	208		
MSI5894	151	MS33726	134, 186, 216, 257	MU06951	376, 386, 389
MSI5895	151	MS33727	134, 186, 216, 257	MUI0841	371, 382
MSI5896	151	MS33728	134, 186, 257	MUI0902	383
MSI6160	117	MS33729	134, 186, 257, 427	MUI0915	383
MSI6161	117	MS33730	134, 186, 257, 427	MUI0916	383
MSI6229	117	MS33731	132, 216, 426	MUI0917	383
MSI6230	117	MS33732	132, 216, 426	MUI0918	371, 373, 375, 383
MSI6232	117	MS33733	132, 426	MUI1225	381
MSI6233	117	MS33736	185, 256	MUI1228	381
MSI6444	126, 214	MS33737	185, 256	MUI2504	373, 375

INDEX BY ORDER NUMBER

MUI2533	374
MUI2551	374
MUI2609	373, 375
MUI7191	375
MU21120	373, 375
MU24903	373, 375
MU26041	372
MU26042	372

MX MX00001	103
MX00004	104
MX01004	139, 232, 249
MX01005	139, 232, 249
MX01049	111
MX01050	111, 385
MX10209	103
MX11000	368, 370, 378, 384
MX11001	368, 370, 378, 384
MX17012	384
MX17015	369, 385
MX17018	369, 385
MX23023	313, 444
MX23025	313, 444
MX37021	324
MX50004	104
MX50050	103
MX50065	140, 192, 218, 233, 250
MX50066	140, 192, 218, 233, 250
MX50067	140, 192, 233, 250, 425
MX50068	233, 250
MX50069	141, 233
MX50070	141, 232, 250
MX50071	140, 192, 218, 233, 250
MX50081	105
MX50090	105
MX50100	104
MX50115	105
MX50120	104

INDEX BY PRODUCT NAME

A	Absorber adapter CLIC, for Dräger anaesthesia workstations	MX50090	105
	Adapter 9/16" to 15/22mm	MP05305	90, 284
	Adapter 9/16" to M34×1.5 for Dräger reusable humidifier	MP03325	293, 436
	Adapter AIR NF/NIST	M35338	355
	Adapter AIR NIST/DIN	M32495	355
	Adapter AIR, DISS-NIST	M34877	355
	Adapter cable for Infinity PiCCO SmartPod, for 10-pin connector	MS16920	163
	Adapter cable Masimo/Nellcor SpO ₂ , Vista 300	2601008	232
	Adapter cable RD SET to LNCS, for connection of RD SET sensors to Infinity M300 and Masimo SET Pod via the LNCS intermediate cables MS24303 or MS17522	MS33732	132, 216, 426
	Adapter cable RD SET to LNOP, for connection of RD SET sensors to Infinity M300 and Masimo SET Pod via the LNOP intermediate cables MS18680 and MS17041, as well as to MultiMed 5/6/12, NeoMed Pods and MultiMed Plus/Plus OR via the according intermediate cables MS13926/7492601 or MS20163	MS33731	132, 216, 426
	Adapter cable RD SET to MultiMed, for connection of RD SET sensors to MultiMed 5/6/12, NeoMed Pods as well as MultiMed Plus/Plus OR via the according intermediate cables 3368433/3375834 or MS18683/MS17330	MS33733	132, 426
	Adapter cable, 7-pin connector for temperature probe with ¼" connector	5198333	143
	Adapter DISS M/QC-AIR-Chemetron	4119066	354
	Adapter DISS M/QC-AIR-Ohmeda	4119071	354
	Adapter DISS M/QC-AIR-Pur Ben	4119076	354
	Adapter DISS M/QC-AIR-Schrader	4119081	354
	Adapter DISS M/QC-EVAC-Chemetron	4119069	354
	Adapter DISS M/QC-EVAC-Ohmeda	4119074	354
	Adapter DISS M/QC-EVAC-Pur Ben	4119079	354
	Adapter DISS M/QC-N ₂ O-Chemetron	4119065	354
	Adapter DISS M/QC-N ₂ O-Ohmeda	4119070	354
	Adapter DISS M/QC-N ₂ O-Pur Ben	4119075	354
	Adapter DISS M/QC-N ₂ O-Schrader	4119080	354
	Adapter DISS M/QC-O ₂ -Chemetron	4119068	354
	Adapter DISS M/QC-O ₂ -Ohmeda	4119073	354
	Adapter DISS M/QC-O ₂ -Pur Ben	4119078	354
	Adapter DISS M/QC-O ₂ -Schrader	4119083	354
	Adapter DISS M/QC-VAC-Chemetron	4119067	354
	Adapter DISS M/QC-VAC-Ohmeda	4119072	354
	Adapter DISS M/QC-VAC-Pur Ben	4119077	354
	Adapter DISS M/QC-VAC-Schrader	4119082	354
	Adapter N ₂ O NF/NIST	M35337	355
	Adapter N ₂ O NIST/DIN	M32494	355
	Adapter N ₂ O NIST/DIN	M35057	355
	Adapter N ₂ O, DISS-NIST	M34876	355
	Adapter NIST to DIN CS-coupling AIR	M35058	292, 355
	Adapter NIST to DIN CS-coupling O ₂	M35056	292, 355
	Adapter O ₂ NF/NIST	M35336	355
	Adapter O ₂ NIST/DIN	M32493	355
	Adapter O ₂ , DISS-NIST	M34875	355
	Adapter straight, reusable, A, 18 mm/11 mm	8403076	57
	Adapter VAC NIST/DIN	M32496	355
	Adapter VAC, DISS-NIST	M34878	355
	Adapter, for disposable sterilised water systems to AIR flowmeter, M32×1.5 to 9/16"	MP03366	294, 436

INDEX BY PRODUCT NAME

Adapter, for disposable sterilised water systems to O ₂ flowmeters, M34×1.5 to 9/16"	2M86680	294, 436
Adapter, reusable, 22 mm/15 mm, 90°	8290274	46
Adapter, reusable, 22 mm/22 mm	M25647	46, 48, 49, 50, 57, 411
Adapter, reusable, 22 mm/22 mm, 90°	M25649	57
Adapter, to connect e.g. a tube or nasal cannula to O ₂ flowmeter, M34×1.5 to 6 mm nozzle	M06258	436
Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	MP00416	90, 284, 294, 395, 397, 436
Adhesive Pad LNCS TF-I, 20 pcs.	MP03198	137, 190
Adhesive wrap for Nellcor Oxiband™ A/N, 100 pcs.	8201012	139, 234, 425
Adhesive wrap for Nellcor Oxiband™ P/I, 100 pcs.	2170221	139, 234, 251
Aerogen S Nebulizer Head, 10 pcs.	MP01079	98, 423
Aerogen S Nebulizer Head, 5 pcs.	MP01078	98, 423
Aerogen S, T-Adapter A, 10 pcs.	MP01085	98
Aerogen S, T-Adapter P, 10 pcs.	MP01086	98
Aerogen S, T-Piece Plug, 10 pcs.	MPI3069	98, 423
Aerogen S, T-Piece, F&P, N, 10 box	MP01077	98, 423
Aerogen S, T-Piece, N, 10 pcs.	MP01691	98, 423
AIR compact flowmeter Clickflow, DIN, 0.1 – 1 l/min, 6 mm nozzle	MPI3019	281, 435
AIR compact flowmeter Clickflow, DIN, 1 – 16 l/min, 6 mm nozzle	MPI3016	281
AIR compact flowmeter Clickflow, DIN, 1 – 16 l/min, 9/16"	MPI3015	281
AIR compact flowmeter Clickflow, rail, 1 – 16 l/min, 9/16"	MPI3017	281
AIR CS hose 0.9 m (2.95 ft) NF EN NF	M36724	342
AIR CS hose 0.9 m (2.95 ft) NIST EN BS	M36727	343
AIR CS hose 0.9 m (2.95 ft) NIST EN DIN	M36730	339
AIR CS hose 0.9 m (2.95 ft) NIST GB DIN	M36786	353
AIR CS hose 1.5 m (4.9 ft) DISS US KAWA	M35803	349
AIR CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36296	352
AIR CS hose 1.5 m (4.9 ft) NF EN NF	M35429	342
AIR CS hose 1.5 m (4.9 ft) NIST BS straight	M35402	344
AIR CS hose 1.5 m (4.9 ft) NIST EN AS	M36150	348
AIR CS hose 1.5 m (4.9 ft) NIST EN BS	M35393	343
AIR CS hose 1.5 m (4.9 ft) NIST EN Carba	M35475	346
AIR CS hose 1.5 m (4.9 ft) NIST EN DIN	M35495	339
AIR CS hose 1.5 m (4.9 ft) NIST EN NF	M35420	341
AIR CS hose 1.5 m (4.9 ft) NIST EN SS	M35383	345
AIR CS hose 1.5 m (4.9 ft) NIST EN UNI	M35411	347
AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36010	340, 353
AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35452	341
AIR CS hose 3 m (9.8 ft) DISS US KAWA	M35802	349
AIR CS hose 3 m (9.8 ft) DISSB EN HAND	M36297	352
AIR CS hose 3 m (9.8 ft) NF EN NF	M35430	342
AIR CS hose 3 m (9.8 ft) NIST BS straight	M35403	344
AIR CS hose 3 m (9.8 ft) NIST EN AS	M36149	348
AIR CS hose 3 m (9.8 ft) NIST EN BS	M35394	343
AIR CS hose 3 m (9.8 ft) NIST EN Carba	M35476	346
AIR CS hose 3 m (9.8 ft) NIST EN DIN	M35496	339
AIR CS hose 3 m (9.8 ft) NIST EN NF	M35421	341
AIR CS hose 3 m (9.8 ft) NIST EN SS	M35384	345
AIR CS hose 3 m (9.8 ft) NIST EN UNI	M35412	347
AIR CS hose 3 m (9.8 ft) NIST GB BS	M36736	353
AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36011	340, 353

INDEX BY PRODUCT NAME

AIR CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35453	341
AIR CS hose 5 m (16.4 ft) DISS US KAWA	M35801	349
AIR CS hose 5 m (16.4 ft) DISSB EN HAND	M36298	352
AIR CS hose 5 m (16.4 ft) NF EN NF	M35343	342
AIR CS hose 5 m (16.4 ft) NIST BS straight	M35340	344
AIR CS hose 5 m (16.4 ft) NIST EN AS	M36148	348
AIR CS hose 5 m (16.4 ft) NIST EN BS	M35335	343
AIR CS hose 5 m (16.4 ft) NIST EN Carba	M35346	346
AIR CS hose 5 m (16.4 ft) NIST EN DIN	M35497	339
AIR CS hose 5 m (16.4 ft) NIST EN NF	M35332	341
AIR CS hose 5 m (16.4 ft) NIST EN SS	M35385	345
AIR CS hose 5 m (16.4 ft) NIST EN UNI	M35358	347
AIR CS hose 5 m (16.4 ft) NIST GB BS	M36737	353
AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36012	340, 353
AIR CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35454	341
AIR CS hose 8 m (26.25 ft) DISS US KAWA	M35865	349
AIR CS hose DISS Hand 10 ft	4199594	350
AIR CS hose DISS Hand 15 ft	4199593	350
AIR CS hose DISS N/DISS N 10 ft	4199605	350
AIR CS hose DISS N/DISS N 15 ft	4199604	350
AIR CS hose DISS N/DISS N 20 ft	4199712	350
AIR flowmeter, 16 l/min, CS, CARBA, ISO, M32×1.5	MP04564	277
AIR flowmeter, 16 l/min, CS, DIN, ISO and neutral colour, M32×1.5	MP04559	277
AIR flowmeter, 16 l/min, CS, long plug (6 cm; 2.4 in), DIN, ISO and neutral colour, M32×1.5	MP04562	277
AIR flowmeter, 16 l/min, CS, Swedish standard, M32x1.5	MP13041	277
AIR flowmeter, 16 l/min, rail, NIST gas inlet, M32×1.5	MP04568	278
AIR flowmeter, 32 l/min, CS, DIN, ISO and neutral colour, M32×1.5	MP04572	277
AIR flowmeter, 32 l/min, rail, NIST gas inlet, M32×1.5	MP04581	278
Air intake filter for Caleo and Babyleo TN500, reusable, 20 pcs.	MX17015	369, 385
Air intake filter for Isolette C2000, 8000 and 8000 plus, reusable, 4 pcs.	MUI2504	373, 375
Air intake filter for TI 500 and TI 500 Globe-Trotter, disposable, 6 pcs.	MU04472	376, 387, 390
Airway connector ErgoStar AC 90, disposable, double swivel elbow w/ double cap, 100 pcs.	MP01890	71
Airway connector ErgoStar AC 95, disposable, w/ Luer Lock sampling port, 100 pcs.	MP01895	71
Anaesthesia mask ComfortStar, disposable, hook ring, bubble gum scented, size 1, neonatal, 20 pcs.	MP01531	84, 419
Anaesthesia mask ComfortStar, disposable, hook ring, bubble gum scented, size 2, baby, 20 pcs.	MP01532	84, 419
Anaesthesia mask ComfortStar, disposable, hook ring, bubble gum scented, size 3, infant, 20 pcs.	MP01533	84
Anaesthesia mask ComfortStar, disposable, hook ring, bubble gum scented, size 4, adult S, 20 pcs.	MP01534	84
Anaesthesia mask ComfortStar, disposable, hook ring, mint scented, size 3, infant, 20 pcs.	MP01543	84
Anaesthesia mask ComfortStar, disposable, hook ring, mint scented, size 4, adult S, 20 pcs.	MP01544	84
Anaesthesia mask ComfortStar, disposable, hook ring, mint scented, size 5, adult M, 20 pcs.	MP01545	84
Anaesthesia mask ComfortStar, disposable, hook ring, mint scented, size 6, adult L, 20 pcs.	MP01546	84
Anaesthesia mask ComfortStar, disposable, hook ring, standard, size 0, premature baby, 20 pcs.	MP01510	83, 419

INDEX BY PRODUCT NAME

Anaesthesia mask ComfortStar, disposable, hook ring, standard, size 1, neonatal, 20 pcs.	MP01511	83, 419
Anaesthesia mask ComfortStar, disposable, hook ring, standard, size 2, baby, 20 pcs.	MP01512	83, 419
Anaesthesia mask ComfortStar, disposable, hook ring, standard, size 3, infant, 20 pcs.	MP01513	83
Anaesthesia mask ComfortStar, disposable, hook ring, standard, size 4, adult S, 20 pcs.	MP01514	83
Anaesthesia mask ComfortStar, disposable, hook ring, standard, size 5, adult M, 20 pcs.	MP01515	83
Anaesthesia mask ComfortStar, disposable, hook ring, standard, size 6, adult L, 20 pcs.	MP01516	83
Anaesthesia mask ComfortStar, disposable, hook ring, strawberry scented, size 1, neonatal, 20 pcs.	MP01521	84, 419
Anaesthesia mask ComfortStar, disposable, hook ring, strawberry scented, size 2, baby, 20 pcs.	MP01522	84, 419
Anaesthesia mask ComfortStar, disposable, hook ring, strawberry scented, size 3, infant, 20 pcs.	MP01523	84
Anaesthesia mask ComfortStar, disposable, hook ring, strawberry scented, size 4, adult S, 20 pcs.	MP01524	84
Anaesthesia mask LiteStar, disposable, w/o hook ring, size 1, infant S, 50 pcs.	MP11001	82, 418
Anaesthesia mask LiteStar, disposable, w/o hook ring, size 3, child, 50 pcs.	MP11003	82
Anaesthesia mask LiteStar, disposable, w/o hook ring, size 4, adult S, 50 pcs.	MP11004	82
Anaesthesia mask LiteStar, disposable, w/o hook ring, size 5, adult M, 50 pcs.	MP11005	82
Anaesthesia mask LiteStar, disposable, w/o hook ring, size 6, adult L, 50 pcs.	MP11006	82
Anaesthesia mask LiteStar, disposable, w/o hook ring, size 7, adult XL, 50 pcs.	MP11007	82
Anaesthesia mask LiteStar, disposable, w/o hook ring, size 2, infant L, 50 pcs.	MP11002	82, 418
Anaesthesia mask SediStar, disposable, w/o hook ring, size 1, infant S, 30 pcs.	MP01701	81, 418
Anaesthesia mask SediStar, disposable, w/o hook ring, size 2, infant L, 30 pcs.	MP01702	81, 418
Anaesthesia mask SediStar, disposable, w/o hook ring, size 3, child, 30 pcs.	MP01703	81
Anaesthesia mask SediStar, disposable, w/o hook ring, size 4, adult S, 30 pcs.	MP01704	81
Anaesthesia mask SediStar, disposable, w/o hook ring, size 5, adult M, 30 pcs.	MP01705	81
Anaesthesia mask SediStar, disposable, w/o hook ring, size 6, adult L, 30 pcs.	MP01706	81
Anaesthesia mask SediStar, disposable, w/o hook ring, size 7, adult XL, 30 pcs.	MP01707	81
Anaesthesia set Infinity ID, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, 10 pcs., not made with natural rubber latex	MP03388	43
Anaesthesia set Infinity ID, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16045	43
Anaesthesia set VentStar, disposable, basic, 2 L, 1.8 m/1.5 m, 25 pcs., not made with natural rubber latex	MP00365	24
Anaesthesia set VentStar, disposable, basic, 2 L, 1.8 m/1.5 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	MP16033	24
Anaesthesia set VentStar, disposable, basic, 2 L, 2.5 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00366	24
Anaesthesia set VentStar, disposable, basic, 2 L, 2.5 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16034	24
Anaesthesia set VentStar, disposable, coaxial, 2 L, 1.9 m/1.2 m, 10 pcs., not made with natural rubber latex	MP03384	27
Anaesthesia set VentStar, disposable, coaxial, 2 L, 1.9 m/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16041	27
Anaesthesia set VentStar, disposable, coaxial, 2 L, 2.3 m/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16042	27
Anaesthesia set VentStar, disposable, coaxial, water trap, 2 L, 2.1 m/1.2 m, 10 pcs., not made with natural rubber latex	MP03381	27
Anaesthesia set VentStar, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16044	27

INDEX BY PRODUCT NAME

Anaesthesia set VentStar, disposable, N, 1.8 m/1.1 m, 25 pcs., not made with natural rubber latex	MP00333	23, 404
Anaesthesia set VentStar, disposable, N, 1.8 m/1.1 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	MP16032	23, 404
Anaesthesia set VentStar, disposable, P, w/o Luer Lock, 1.5 m/1.1 m, 25 pcs., not made with natural rubber latex	MP00331	23
Anaesthesia set VentStar, disposable, P, w/o Luer Lock, 1.5 m/1.1 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	MP16031	23
Anaesthesia set VentStar, disposable, P, water trap, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex	MP00374	26
Anaesthesia set VentStar, disposable, P, water trap, 1 L, 1.8 m/1.1 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16037	26
Anaesthesia set VentStar, disposable, P, water trap, w/o Luer Lock, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex	MP00375	26
Anaesthesia set VentStar, disposable, P, water trap, w/o Luer Lock, 1 L, 1.8 m/1.1 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16038	26
Anaesthesia set VentStar, disposable, w/o Luer Lock, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00330	22
Anaesthesia set VentStar, disposable, w/o Luer Lock, 1.8 m/0.8 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	MP16030	22
Anaesthesia set VentStar, disposable, water trap, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00372	25
Anaesthesia set VentStar, disposable, water trap, 2 L, 1.8 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16036	25
Anaesthesia set VentStar, disposable, water trap, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP02721	25
Anaesthesia set VentStar, disposable, water trap, 2 L, 2.8 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16040	25
Anaesthesia set VentStar, disposable, water trap, w/o Luer Lock, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00371	24
Anaesthesia set VentStar, disposable, water trap, w/o Luer Lock, 2 L, 1.8 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16035	24
Anaesthesia set VentStar, disposable, water trap, w/o Luer Lock, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP02720	25
Anaesthesia set VentStar, disposable, water trap, w/o Luer Lock, 2 L, 2.8 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16039	25
Anaesthesia set VentStar, disposable, coaxial, 2 L, 2.3 m/1.2 m, 10 pcs., not made with natural rubber latex	MP03383	27
Anaesthesia set, disposable, basic, 1.5 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00301	22
Anaesthesia set, disposable, basic, 1.5 m/0.8 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	MP16028	22
Anaesthesia set, disposable, extendable, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00303	22
Anaesthesia set, disposable, extendable, 1.8 m/0.8 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	MP16029	22
APC NIBP Cuff, adult, 23 cm – 33 cm, reusable, Vista 120 SC	2600933	262
APC NIBP Cuff, child, 12 cm – 19 cm, reusable, Vista 120 SC	2600930	262
APC NIBP Cuff, large adult, 31 cm – 40 cm, reusable, Vista 120 SC	2600934	262
APC NIBP Cuff, small adult, 17 cm – 25 cm, reusable, Vista 120 SC	2600932	262
Aquapor H300 – configuration	MP01000	33
Aquapor H300 basic unit 115V	MP07102	33
Aquapor H300 basic unit 230V	MP07101	33
B BabyFlow plus, disposable, size L, 20 pcs.	MP03702	398
BabyFlow plus, disposable, size M, 20 pcs.	MP03701	398

INDEX BY PRODUCT NAME

BabyFlow plus, disposable, size S, 20 pcs.	MP03700	398
Bacterial and viral filter system VarioSafe, for VarioAir, VarioVac, VarioO2, disposable, 10 pcs.	MP00555	314, 336, 445
Bacterial filter 767, 5 pcs.	6723976	314, 336, 445
Bacterial filter 767, disposable, for ejectors (model range until 2010)	CH00102	314, 336
Bacterial filter disposable, 20 pcs.	MK00514	314, 336
Bacterial filter for Dräger patient monitors, disposable	8402868	31, 174
Bacterial filter, disposable, for Evac 40, 10 pcs.	MX37021	324
Basket 200, 15 × 20 × 10 cm, e.g., for disposable gloves	M26146	359, 447
Basket 280, 15 × 28 × 10 cm, e.g., for 300 mm catheters	M26145	359, 447
Basket 480, 15 × 48 × 10 cm, e.g., for 600 mm catheters	M25121	359, 447
Bed clip for cables	MS15087	168
BISx adapter cable Vista Patient Monitoring System	2607560	247
BISx pod Vista 120	2607561	247
BISx4 Pod	2601970	247
BISx4 Sensor	2601971	247
Block for EEG referential lead conversion	5954859	167
BlueSet Anaesthesia water trap, P/A	MK04248	49
BlueSet Anaesthesia, N	M27542	50, 411
BlueSet Anaesthesia, P/A	M30146	48
BlueSet Ventilation HME, P/A	8412860	47
BlueSet Ventilation, N	8412344	45, 410
BlueSet Ventilation, P/A	8413146	46
Breathing bag set Infinity ID, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP00341	44
Breathing bag set Infinity ID, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	MP01330	44
Breathing bag set Infinity ID, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP01329	44, 405
Breathing bag set Infinity ID, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP01343	44
Breathing bag set VentStar (Cone 22OD), disposable, 2 L, 0.8 m, 25 pcs., not made with natural rubber latex	MP16017	20
Breathing bag set VentStar (Cone 22OD), disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP16018	20
Breathing bag set VentStar (Cone 22OD), disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	MP16019	20
Breathing bag set VentStar (Cone 22OD), disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP16020	21, 404
Breathing bag set VentStar (Cone 22OD), disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP16021	21
Breathing bag set VentStar, disposable, 2 L, 0.8 m, 25 pcs., not made with natural rubber latex	MP00222	20
Breathing bag set VentStar, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP00380	20
Breathing bag set VentStar, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	MP00381	20
Breathing bag set VentStar, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00383	21, 404
Breathing bag set VentStar, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00384	21
Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	2166054	50, 58, 411, 414
Breathing bag, silicone, reusable, 1.5 L, not made with natural rubber latex	2166127	58, 414
Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex	2166062	48, 49, 58
Breathing bag, silicone, reusable, 3 L, not made with natural rubber latex	2166070	58

INDEX BY PRODUCT NAME

Breathing circuit Infinity ID, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01350	41
Breathing circuit Infinity ID, disposable, basic, 2.5 m, 25 pcs., not made with natural rubber latex	MP01348	41
Breathing circuit Infinity ID, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex	MP03375	42
Breathing circuit Infinity ID, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex	MP03377	42
Breathing circuit Infinity ID, disposable, coaxial, water trap, 2.1 m, 10 pcs., not made with natural rubber latex	MP00378	42
Breathing circuit Infinity ID, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex	MP01347	41
Breathing circuit Infinity ID, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01327	43, 405
Breathing circuit Infinity ID, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01340	43
Breathing circuit Infinity ID, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01341	43
Breathing circuit Infinity ID, disposable, smoothbore, 1.6 m, 10 pcs., not made with natural rubber latex	MP04803	41
Breathing circuit Infinity ID, disposable, smoothbore, 3 m, 10 pcs., not made with natural rubber latex	MP04804	41
Breathing circuit Infinity ID, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01326	41
Breathing circuit Vent Set, disposable, basic, 1.5 m, 25 pcs., not made with natural rubber latex	MP00300	15
Breathing circuit Vent Set, disposable, extendable, 1.8 m, 25 pcs., not made with natural rubber latex	MP00305	19
Breathing circuit VentStar Carina ExpV, disposable, 1.5 m, 10 pcs., not made with natural rubber latex	MP00313	40
Breathing circuit VentStar Carina ExpV, disposable, 2 m, 10 pcs., not made with natural rubber latex	5704962	40
Breathing circuit VentStar Carina LeakV, disposable, 1.5 m, 25 pcs., not made with natural rubber latex	MP00312	40
Breathing circuit VentStar Helix, disposable, N, dual heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02650	29, 406
Breathing circuit VentStar Oxylog 1000, disposable, 1.8 m, 25 pcs., not made with natural rubber latex	2M86837	38
Breathing circuit VentStar Oxylog 2000 plus, Oxylog 3000 family, Oxylog VE300, disposable, 1.5 m (4.92 ft), 5 pcs.	5703041	38
Breathing circuit VentStar Oxylog 2000 plus, Oxylog 3000 family, Oxylog VE300, disposable, 3 m (9.8 ft), 5 pcs.	MP00335	38
Breathing circuit VentStar Oxylog 3000, Oxylog 3000 plus, disposable, P, 1.9 m, 5 pcs., Oxylog 3000 ≥ SW 1.20, Oxylog VE300 ≥ SW 2.0, paediatric option	5704964	39
Breathing circuit VentStar Oxylog VE300, disposable, 3 m, 5 pcs., not made with natural rubber latex	MP01371	39
Breathing circuit VentStar Oxylog VE300, not for VE300 with Option plus, disposable, 1.5 m, 5 pcs., not made with natural rubber latex	MP01370	39
Breathing circuit VentStar, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00349	15
Breathing circuit VentStar, disposable, basic, 2.5 m, 10 pcs., not made with natural rubber latex	MP00350	15
Breathing circuit VentStar, disposable, coaxial, 1.7 m, 20 pcs., not made with natural rubber latex	MP03373	18

INDEX BY PRODUCT NAME

Breathing circuit VentStar, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex	MP03374	18
Breathing circuit VentStar, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex	MP03376	18
Breathing circuit VentStar, disposable, coaxial, water trap, 2.1 m, 10 pcs., not made with natural rubber latex	MP00373	18
Breathing circuit VentStar, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex	MP00355	19
Breathing circuit VentStar, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00353	16, 404
Breathing circuit VentStar, disposable, N, MRI, 3 m, 10 pcs., not made with natural rubber latex	MP04802	19, 404
Breathing circuit VentStar, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00363	17, 404
Breathing circuit VentStar, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00351	16
Breathing circuit VentStar, disposable, P, basic, 2.5 m, 25 pcs., not made with natural rubber latex	MP00352	16
Breathing circuit VentStar, disposable, P, basic, w/o Luer Lock, 1.5 m, 25 pcs., not made with natural rubber latex	MP00338	16
Breathing circuit VentStar, disposable, P, coaxial, 1.5 m, 20 pcs., not made with natural rubber latex	MP00379	18
Breathing circuit VentStar, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00361	17
Breathing circuit VentStar, disposable, P, water trap, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex	MP00362	17
Breathing circuit VentStar, disposable, smoothbore, for MRI, 3 m, 10 pcs., not made with natural rubber latex	MP04800	19
Breathing circuit VentStar, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00337	17
Breathing circuit VentStar, disposable, water trap, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex	MP00334	17
Breathing hose for TI 500 Globe-Trotter, disposable, 20 pcs.	MU04771	389
Breathing hose holder for Babytherm, neonatal, for 10 mm breathing hose	2M21191	379
Breathing hose set for Oxylog 2000 family, Oxylog 3000 family, reusable, w/ flow measurement line, 1.5 m, consists of breathing hose and flow measuring line	8412068	52
Breathing hose set for Oxylog 2000 family, Oxylog 3000 family, reusable, w/ flow measurement line, 3 m, consists of breathing hose and flow measuring line	8412913	52
Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm, Ø 22 mm	2166038	48, 49, 53
Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm	2166046	47, 48, 51, 53
Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm, Ø 22 mm	2165619	46, 53
Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm, Ø 22 mm	2165627	46, 49, 53
Breathing hose, silicone, reusable, N/P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm	2165651	55, 413
Breathing hose, silicone, reusable, N/P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678	50, 54, 411
Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961	50, 55, 411, 413
Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856	45, 55, 410, 413
Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848	45, 54, 410, 412
Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821	45, 55, 410, 413
C Canister opener, for canisters MX00001 and MX50050, 5 pcs.	MX10209	103
Cap BabyFlow, disposable, size L, green, 25.5 – 28 cm (10 – 11 in) head circumference, 5 pcs.	8418536	402
Cap BabyFlow, disposable, size M, red, 23 – 25.5 cm (9.1 – 10 in) head circumference, 5 pcs.	8418535	402

INDEX BY PRODUCT NAME

Cap BabyFlow, disposable, size S, yellow, 20.5 – 23 cm (8.1 – 9.1 in) head circumference, 5 pcs.	8418534	402
Cap BabyFlow, disposable, size XL, orange, 28 – 30.5 cm (11 – 12 in) head circumference, 5 pcs.	8418537	402
Cap BabyFlow, disposable, size XS, white, 18 – 20.5 cm (7.1 – 8.1 in) head circumference, 5 pcs.	8418533	402
Cap BabyFlow, disposable, size XXL, blue, 30.5 – 33 cm (12 – 13 in) head circumference, 5 pcs.	8418538	402
Cap BabyFlow, disposable, size XXL+, white/black, 33 – 36 cm (13 – 14.2 in) head circumference, 5 pcs.	8418539	402
Cap for water vacuum gauge, for VarioVac T rail WV (MP00512), VarioAir T rail WV (MP00544) and water vacuum gauge (MP00518), including gaskets, combination possible with filter MK00514 and plug nozzle MP00566	MP00595	338
Cap secretion jar Medela	MP03231	322
Cap, for 700 ml secretion jar, with overflow safeguard	2M85011	315
Cap, for secretion jar, for fistula indicator for continuous and thoracic drainage	2M85013	315
Cap, for secretion jar, w/ overflow safeguard and pressure relief valve (≥ 0.1 kPa)	2M85012	315
Cardiac output cable, 3 m	2601201	241
Cardiac output kit, Argon/Merit Medical	7265163	204
Cardiac output kit, Baxter	7265155	204
Carrier rack CD	2M85380	311
Carrying rack bronchial suction	2M85381	311
Catheter mount ErgoStar CM 40, disposable, 10 cm, double swivel elbow, 50 pcs.	MP01840	70
Catheter mount ErgoStar CM 45, disposable, 15 cm, double swivel elbow, 50 pcs.	MP01845	70
Catheter mount ErgoStar CM 50, disposable, 10 – 16 cm, extendable, 50 pcs.	MP01850	70
Catheter mount ErgoStar CM 55, disposable, 15 cm, straight, 50 pcs.	MP01855	70
Catheter mount ErgoStar CM 60, disposable, 10 cm, small, double swivel elbow, 50 pcs.	MP01860	70
Ceiling holder, rail holder for compact suction systems and secretion jar sets	2M85119	359, 312, 446
Clamp for GCX rail, 5 pcs.	2M60401	369
Cleaning plate for CLIC adapter	MX50081	105
CLIC Absorber 800+, disposable absorber, 1.2 l, 6 pcs.	MX00004	104
CLIC Absorber Free, disposable absorber, 1.2 l, 6 pcs.	MX50100	104
CNAP™ cuff controller and cradle	MS26125	150
CNAP™ cuff controller forearm strap	MS26122	150
CNAP™ intermediate cable for Infinity CNAP™ SmartPod, for CNAP™ controller	MS15893	150
CNAP™ sensor cuff, size L	MS15896	151
CNAP™ sensor cuff, size M	MS15895	151
CNAP™ sensor cuff, size S	MS15894	151
CO cable for Infinity PiCCO Pod	MS16916	163
CO catheter cable	8419160	161, 204
CO catheter cable for Infinity PiCCO Pod	MS16918	163
CO connection cable, 1 m	3368458	161, 204
CO Control syringe	2601192	241
CO In-line injection temperature probe Becton Dickinson	2601190	241
CO In-line injection temperature probe housing	2601191	241
CO thermistor cable Argon/Merit Medical	8420077	161, 204
CO thermistor cable Baxter/Edwards	8539983	161, 204
CO thermistor cable for Infinity PiCCO Pod	MS16919	163
CO thermistor T-piece Argon/Merit Medical	5741975	161, 204
CO ₂ airway adapter, adult, disposable, 10 pcs.	2606227	169, 246

INDEX BY PRODUCT NAME

CO ₂ airway adapter, neonatal (infant/paediatric patient), disposable, 10 pcs.	2606228	169, 246, 431
CO ₂ cuvette disposable, adult, 10 pcs.	MP01062	68, 170, 205, 245
CO ₂ cuvette disposable, paediatric, 10 pcs.	MP01063	68, 170, 205, 245, 416
CO ₂ cuvette reusable, adult	6870279	68, 170, 205, 245
CO ₂ cuvette reusable, paediatric	6870280	68, 170, 205, 245, 426
CO ₂ Mainstream sensor, for Evita 2 dura, Evita 4 edition and Evita XL	6871500	69, 416
CO ₂ Microstr. O ₂ Nasal Adult - Extended Duration, 25 pcs.	MP15010	173, 207, 244, 266
CO ₂ Microstr. O ₂ Nasal Paediatric patient - Extended Duration, 25 pcs.	MP15011	173, 207, 244, 266
CO ₂ Microstr. O ₂ Nasal/Oral Adult - Short-term use, 25 pcs.	MP15012	173, 207, 244, 266
CO ₂ Microstr. O ₂ Nasal/Oral Paediatric patient - Short-term use, 25 pcs.	MP15013	173, 207, 244, 266
CO ₂ nasal cannula and O ₂ , adult, disposable, for Vista Patient Monitoring System, 50 pcs.	2607554	242
CO ₂ nasal cannula and O ₂ , child, disposable, for Vista Patient Monitoring System, 50 pcs.	2607555	242
CO ₂ nasal cannula, adult, disposable, for Vista Patient Monitoring System, 100 pcs.	2607551	242
CO ₂ nasal cannula, infant, disposable, for Vista Patient Monitoring System, 100 pcs.	2607553	242
CO ₂ nasal cannula, paediatric patient, disposable, for Vista Patient Monitoring System, 100 pcs.	2607552	242
CO ₂ sampling line, disposable, for Vista Patient Monitoring System, 100 pcs.	2607550	242
CO ₂ sidestream water trap, for Vista 120, 20 pcs.	2605124	242
CombiStar Plus Filter + HME flex, combination of flexible tube extension MP01850 and filter TwinStar 55 Plus (MP05805), 25 pcs.	MP12061	72
CombiStar Plus Filter + HME HEPA flex, combination of flexible tube extension MP01850 and filter TwinStar HEPA Plus (MP05801), 25 pcs.	MP12062	72
CombiStar Plus Filter + HME straight, combination of airway connector MP01845 and filter TwinStar 55 Plus (MP05805), 25 pcs.	MP12060	72
CombiStar Plus Filter flex, combination of flexible tube extension MP01850 and filter SafeStar 55 Plus (MP05790), 25 pcs.	MP12063	72
Compact flowmeter Clickflow configurator	MP13000	279, 435
Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg	2M85337	361, 291, 397, 449
Condensate management hose for Isolette 8000 and 8000 plus, disposable, 20 pcs.	MU21120	373, 375
Configuration for Aerogen Solo Medication Nebulizer	MP01010	97, 423
Connection cable, connects HemoMed Pod to monitor, 3 m	5591925	152
Connection cable, connects HemoMed Pod to monitor, 5 m	5591933	152
Connection hose Medela	MP03233	322
Connection hose, silicone, reusable, ID 5 mm, wall thickness 2 mm, by metre	1203606	315, 445
Connector pressure Oxylog VE300	MP01372	52
Continuous drainage 1, for continuous and wound drainage, precision regulator, fistula indicator and bacterial filter 767 included, capacity 700 ml, maximum capacity up to the overflow safeguard 1,000 ml, scale in steps of 10 ml up to max. 700 ml	2M85151	334
Continuous drainage 3, for continuous, wound, and thoracic drainage, precision regulator, water vacuum meter, fistula indicator and bacterial filter 767 included, capacity 700 ml, maximum capacity up to the overflow safeguard 1,000 ml, scale in steps of 10 ml up to max. 700 ml	2M85153	334
Control panel	MP00589	361, 449
Corrugated hose, reusable, N/P, 14 cm, connector 10 mm/10 mm, Ø 10 mm	8403333	45, 410

INDEX BY PRODUCT NAME

Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943	368, 370, 372, 374, 376, 378, 381, 384, 386, 389, 393
Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944	368, 370, 372, 374, 376, 378, 381, 384, 386, 389, 393
Covidien Quick Temperature Pod Oral	2600146	264
Covidien Quick Temperature Pod Rectal	2600147	264
CS connection hose holder	2M85446	312, 324, 359, 446
Cuddling toy Babyleo TN500, lion, orange	MP03737	368, 392
Cuddling toy BabyRoo, kangaroo	MP16090	370, 392
Cuddling toy Cally, reusable, light blue or pink	2M30462	392
Cuddling toy Isi, deer, green	MP03738	374, 392
Cuff controller cradle allows CNAP™ cuff controller to “slide” with movement of patient’s arm	MS26123	150
Cylinder support	2M85180	335
D Demo lung to simulate neonatal lungs, with suitcase	8418077	414
Demo package BabyFlow plus, disposable, size L	MP03705	398
Demo package BabyFlow plus, disposable, size M	MP03704	398
Demo package BabyFlow plus, disposable, size S	MP03703	398
Deposit plate for Babytherm 8000	2M21158	379
Disposable hand sensor, adult, as of Software 1.8.5	MS40320	208
Disposable handle Polaris, dual, for Polaris 100/200, 600 and Multimedia, adapter required, 60 pcs.	MP05700	363
Disposable handle Polaris, single, for Polaris 100/200, 600 and Multimedia, adapter required, 120 pcs.	MP05701	363
Double connector IID/15OD, disposable, 10 pcs.	MP02655	29, 407
Double-Plug coupling AIR	G01166	354
Double-Plug coupling O ₂	G01168	354
Double-Plug coupling VAC	G01169	354
Dräger supply hoses	8601697	275, 278, 339, 434
Dummy plug	8410049	45, 46, 410
Dust filter Perseus, 5 pcs.	MX50115	105
E Ear clip for Nellcor DURA-Y™	MX01005	139, 232, 249
ECG “4-lead” spacer, 10 pcs.	MS22832	180
ECG adapter for single-pin ECG cable to MultiMed 5	MS14679	124, 180
ECG adapter for single-pin ECG cable to MultiMed 6	MS14680	124, 180
ECG Adapter tel, GE-AP-CH, 3-lead	MP04350	222
ECG Adapter tel, GE-AP-CH, 5-lead	MP04351	222
ECG Adapter tel, GE-AP-CH, 6-lead	MP04352	222
ECG Adapter tel, GE-AP-FH, 5-lead	MP04353	222
ECG Adapter tel, PH M, 5-lead	MP04358	222
ECG Adapter tel, PH M, 6-lead	MP04359	222
ECG Adapter tel, PH MX40, 3-lead	MP04355	222
ECG Adapter tel, PH MX40, 5-lead	MP04356	222
ECG Adapter tel, PH MX40, 6-lead	MP04357	222
ECG Adapter tel, SL AT, 5-lead	MP04365	222
ECG Adapter tel, SL UV, 5-lead	MP04366	222
ECG Adapter, 3-lead GE	MP04322	220
ECG Adapter, 3-lead Mindray	MP04312	220
ECG Adapter, 3-lead NK	MP04316	220
ECG Adapter, 3-lead Philips	MP04325	220
ECG Adapter, 3-lead Spacelabs	MP04300	220

INDEX BY PRODUCT NAME

ECG Adapter, 3-lead Welch Allyn	MP04305	220
ECG Adapter, 5-lead GE	MP04320	220
ECG Adapter, 5-lead Mindray	MP04310	220
ECG Adapter, 5-lead Philips	MP04326	220
ECG Adapter, 5-lead Spacelabs	MP04301	220
ECG Adapter, 5-lead Welch Allyn	MP04306	220
ECG Adapter, 6-lead NK	MP04315	220
ECG Adapter, 6-lead Philips	MP04327	220
ECG cable for C-lead MonoLead 5, IEC1 (European colour code), 1.5 m	MS16232	117
ECG cable for C-lead, IEC1 (European colour code), 1 m	MP03417	122
ECG cable for V-lead MonoLead 5, IEC2 (AHA/US colour code), 1.5 m	MS16230	117
ECG cable for V-lead, IEC2 (AHA/US colour code), 1 m	MP03418	122
ECG cable, 3-lead Infinity TruST™, IEC1 (European colour code), 70 cm	MP03421	211
ECG cable, 3-lead Infinity TruST™, IEC2 (AHA/US colour code), 70 cm	MP03422	211
ECG cable, 3-lead, dual-pin connector MonoLead 3, IEC2 (AHA/US colour code), 2 m	MS16233	117
ECG cable, 3-lead, dual-pin connector, IEC1 (European colour code), 1 m	MP03411	122
ECG cable, 3-lead, dual-pin connector, IEC2 (AHA/US colour code), 1 m	MP03412	122
ECG cable, 3-lead, single-pin connector, IEC1 (European colour code), 1 m	MP03401	121, 178, 211, 226
ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US colour code), 1 m	MP03402	121, 178, 211, 226
ECG cable, 3-lead, single-pin connector, single-patient use, IEC1 (European colour code), 1 m, 20 pcs.	MP00875	120, 179, 212, 226
ECG cable, 3-lead, single-pin connector, single-patient use, IEC2 (AHA/US colour code), 1 m, 20 pcs.	MP00877	120, 179, 212, 226
ECG cable, 3-lead, dual-pin connector MonoLead 3, IEC1 (European colour code), 2 m	MS16160	117
ECG cable, 4-lead, single-pin connector, IEC1 (European colour code), 1 m	MP03407	178, 227
ECG cable, 4-lead, single-pin connector, IEC2 (AHA/US colour code), 1 m	MP03408	178, 227
ECG cable, 4-lead, single-pin connector, single-patient use, IEC1 (European colour code), 1 m, 20 pcs.	MP03120	179, 227
ECG cable, 4-lead, single-pin connector, single-patient use, IEC2 (AHA/US colour code), 1 m, 20 pcs.	MP03121	179, 227
ECG cable, 5-lead Infinity TruST™, IEC1 (European colour code), 70 cm	MP03423	211
ECG cable, 5-lead Infinity TruST™, IEC2 (AHA/US colour code), 70 cm	MP03424	211
ECG cable, 5-lead, dual-pin connector MonoLead 5, IEC1 (European colour code), 2.5 m	MS16161	117
ECG cable, 5-lead, dual-pin connector MonoLead 5, IEC2 (AHA/US colour code), 2.5 m	MS16229	117
ECG cable, 5-lead, dual-pin connector, IEC1 (European colour code), 1/1.5 m	MP03413	122
ECG cable, 5-lead, dual-pin connector, IEC2 (AHA/US colour code), 1/1.5 m	MP03414	122
ECG cable, 5-lead, single-pin connector, IEC1 (European colour code), 1/1.5 m	MP03403	121, 178, 211, 226
ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US colour code), 1/1.5 m	MP03404	121, 178, 211, 226
ECG cable, 5-lead, single-pin connector, single-patient use, IEC1 (European colour code), 1/1.5 m, 20 pcs.	MP00879	120, 179, 212, 226
ECG cable, 5-lead, single-pin connector, single-patient use, IEC2 (AHA/US colour code), 1/1.5 m, 20 pcs.	MP00881	120, 179, 212, 226
ECG cable, 6-lead Infinity TruST™, IEC1 (European colour code), 70 cm	MP03425	211
ECG cable, 6-lead Infinity TruST™, IEC2 (AHA/US colour code), 70 cm	MP03426	211
ECG cable, 6-lead, dual-pin connector, IEC1 (European colour code), 1/1.5 m	MP03415	122
ECG cable, 6-lead, dual-pin connector, IEC2 (AHA/US colour code), 1/1.5 m	MP03416	122
ECG cable, 6-lead, single-pin connector, IEC1 (European colour code), 1/1.5 m	MP03405	121, 178, 211, 227
ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US colour code), 1/1.5 m	MP03406	121, 178, 211, 227

INDEX BY PRODUCT NAME

ECG cable, 6-lead, single-pin connector, single-patient use, IEC1 (European colour code), 1/1.5 m, 20 pcs.	MP03122	120, 179, 212, 227
ECG cable, 6-lead, single-pin connector, single-patient use, IEC2 (AHA/US colour code), 1/1.5 m, 20 pcs.	MP03123	120, 179, 212, 227
ECG defib trunk cable, 3/5-lead single-pin, IEC/AHA, 1.5 m	2612020	224
ECG defib trunk cable, 3/5-lead single-pin, IEC/AHA, 2.5 m	2612021	224
ECG defib trunk cable, neonate, single-pin, IEC/AHA, 1.5 m	2612026	224
ECG defib trunk cable, neonate, single-pin, IEC/AHA, 2.5 m	2612027	224
ECG electrodes, adult, disposable, 400 pcs.	3715690	123, 180, 230
ECG electrodes, child, disposable, 500 pcs.	3715689	123, 180, 230
ECG electrodes, single-patient use, neonate, 300 pcs.	5195024	123, 180, 230, 424
ECG ESU block, for OR use of 3- or 5-lead ECG cables with MultiMed 5	5947226	124
ECG ESU block, for OR use of 3-, 5-, or 6-lead ECG cables with MultiMed 6	7486140	124
ECG ESU trunk cable, 3/5-lead single-pin, IEC/AHA, 1.5 m	2612024	224
ECG ESU trunk cable, 3/5-lead single-pin, IEC/AHA, 2.5 m	2612025	224
ECG ESU trunk cable, neonate, single-pin, IEC/AHA, 1.5 m	2612028	224
ECG ESU trunk cable, neonate, single-pin, IEC/AHA, 2.5 m	2612029	224
ECG extension cable, 4-lead, 2 m	MP05114	180, 230
ECG extension cable, 6-lead, 2 m	MP05115	124, 180, 230
ECG extension cable, dual-pin connector, 2 m	MS16492	124
ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m	5592162	123, 424
ECG leadwire, 3-lead single-pin, AHA, 1 m	2612001	225
ECG leadwire, 3-lead single-pin, IEC, 1 m	2612000	225
ECG leadwire, 5-lead single-pin, AHA, 1.5 m	2612003	225
ECG leadwire, 5-lead single-pin, IEC, 1.5 m	2612002	225
ECG limb wires, 3-lead, Grabber, AHA colour code	2606497	230
ECG limb wires, 3-lead, Grabber, IEC colour code	2606493	230
ECG limb wires, 5-lead, Grabber, AHA colour code	2606498	230
ECG limb wires, 5-lead, Grabber, IEC colour code	2606494	230
ECG MonoLead, 3-lead, AHA/US, 2 m	MP05121	118, 176, 210, 228
ECG MonoLead, 3-lead, AHA/US, 4.1 m	MP05131	119, 176, 228
ECG MonoLead, 3-lead, EUR, 2 m	MP05120	118, 176, 210, 228
ECG MonoLead, 3-lead, EUR, 4.1 m	MP05130	119, 176, 228
ECG MonoLead, 4-lead, AHA/US, 1.7 m	MP05127	177, 229
ECG MonoLead, 4-lead, AHA/US, 3.7 m	MP05129	177, 229
ECG MonoLead, 4-lead, EUR, 1.7 m	MP05126	177, 229
ECG MonoLead, 4-lead, EUR, 3.7 m	MP05128	177, 229
ECG MonoLead, 5-lead, AHA/US, 2.5 m	MP05123	118, 176, 210, 228
ECG MonoLead, 5-lead, AHA/US, 5.3 m	MP05133	119, 176, 228
ECG MonoLead, 5-lead, EUR, 2.5 m	MP05122	118, 176, 210, 228
ECG MonoLead, 5-lead, EUR, 5.3 m	MP05132	119, 176, 228
ECG MonoLead, 6-lead, AHA/US, 3 m	MP05125	118, 176, 210, 229
ECG MonoLead, 6-lead, AHA/US, 5.7 m	MP05135	119, 176, 229
ECG MonoLead, 6-lead, EUR, 3 m	MP05124	118, 176, 210, 229
ECG MonoLead, 6-lead, EUR, 5.7 m	MP05134	119, 176, 229
ECG neonatal 3-lead adapter cable, 2 m	MS25951	180, 224
ECG trunk cable, 12-lead, single-pin, Vista 300	2601963	224
ECG trunk cable, 3-lead, for neonates, IEC & AHA	2606492	230
ECG trunk cable, 3-lead, IEC/AHA colour code	2606495	230
ECG trunk cable, 5-lead, IEC/AHA colour code	2606496	230
EEG electrode cable, colour-coded, 9 pcs.	5947804	167
EEG electrodes, disposable, 25 pcs.	MS29468	167

INDEX BY PRODUCT NAME

Ejector suction NIST AIR O ₂ for bronchial suction, gas connection AIR/O ₂ , for connection to all standard wall rails	MK01418	307
Ejector suction NIST for bronchial suction, gas connection AIR, for connection to all standard wall rails	MK01420	307
Ejector suction NIST, for bronchial suction, gas connection AIR, version for Atlan A300/A350 and Perseus A500	MP00688	307
Ejector VarioAir B AGA, for bronchial suction, gas connection AIR, Swedish standard	MP00533	303
Ejector VarioAir B BS, for bronchial suction, gas connection AIR	MP00531	303
Ejector VarioAir B CARBA, for bronchial suction, gas connection AIR	MP00548	303
Ejector VarioAir B compact, for bronchial suction, gas connection NIST AIR, including secretion jar set and integrated ejector	MP00536	309
Ejector VarioAir B DIN, for bronchial suction, gas connection AIR	MP00530	302
Ejector VarioAir B NF, for bronchial suction, gas connection AIR	MP00532	303
Ejector VarioAir B UNI, for bronchial suction, gas connection AIR	MP00534	303
Ejector VarioAir B/OR rail, for bronchial and OR suction, gas connection NIST AIR	MP00535	304, 321
Ejector VarioAir D AGA, for continuous and wound drainage, gas connection AIR	MP00540	331
Ejector VarioAir D BS, for continuous and wound drainage, gas connection AIR	MP00538	331
Ejector VarioAir D CARBA, for continuous and wound drainage, gas connection AIR	MP00549	331
Ejector VarioAir D DIN, for continuous and wound drainage, gas connection AIR	MP00537	330
Ejector VarioAir D NF, for continuous and wound drainage, gas connection AIR	MP00539	331
Ejector VarioAir D rail, for continuous and wound drainage, gas connection AIR, for connection to all standard wall rails	MP00542	331, 440
Ejector VarioAir D UNI, for continuous and wound drainage, gas connection AIR	MP00541	331
Ejector VarioAir MRI B/OR rail, for bronchial suction, gas connection NIST AIR, for connection to all standard wall rails	MP03220	306
Ejector VarioAir MRI P rail, for bronchial suction, gas connection NIST AIR, for connection to all standard wall rails	MP03221	306, 441
Ejector VarioAir P compact, for bronchial suction, gas connection NIST AIR, including secretion jar set and integrated ejector	MP00547	309, 442
Ejector VarioAir P rail DISS, for bronchial suction, gas connection DISS AIR, for connection to all standard wall rails	MP00639	305
Ejector VarioAir P rail, for bronchial suction, gas connection NIST AIR, for connection to all standard wall rails	MP00545	305, 441
Ejector VarioAir T DIN, for thoracic drainage, gas connection DIN, for connecting to the central AIR supply according to DIN standard	MP00553	332
Ejector VarioAir T rail WV, for thoracic drainage, with water vacuum gauge, for connection to all standard wall rails	MP00544	333
Ejector VarioAir T rail, for thoracic drainage, gas connection NIST AIR, for connection to all standard wall rails	MP00543	332
Ejector VarioO ₂ B CARBA, for bronchial suction, gas connection O ₂	MP00551	304
Ejector VarioO ₂ B DIN, for bronchial suction, gas connection O ₂	MP00550	304
Ejector VarioO ₂ B/OR rail, for bronchial and OR suction, gas connection NIST O ₂	MP00552	290, 304, 321
Elbow for F&P, reusable	8418289	57
Elbow, angled hose connection for secretion jar caps	2M19063	316, 445
Elbow, reusable	8412235	52, 57
Elbow, reusable, N/P, metal, Luer Lock	M34568	50, 57, 411, 414

INDEX BY PRODUCT NAME

Electrode adapter, to connect neonatal electrodes to MultiMed Pod, 10 pcs.	5194779	123, 424
Electrode belt, size 2XS	8422581	99
Electrode belt, size 3XS	8422582	99
Electrode belt, size 4XS	8422583	99
Electrode belt, size L	8420057	99
Electrode belt, size M	8420058	99
Electrode belt, size S	8420059	99
Electrode belt, size XL	8420056	99
Electrode belt, size XS	8422580	99
Electrode belt, size XXL	8420055	99
Electrostatic filter CareStar 20 Plus, disposable, ~20 ml dead space, 100 pcs.	MP05770	62
Electrostatic filter CareStar 35 Plus, disposable, ~35 ml dead space, 100 pcs.	MP05755	62
etCO ₂ adapter cable Capnostat 5, Vista 300	2601968	246
etCO ₂ adapter cable M11.1	2607032	245
etCO ₂ airway adapter, reusable, adult	4721796	169
etCO ₂ airway adapter, reusable, neonate	4721788	169, 431
etCO ₂ Microstr. Intubated Adult/Paediatric patient - Extended Duration, 25 pcs.	MP15001	172, 206, 243, 265
etCO ₂ Microstr. Intubated Adult/Paediatric patient - Short-term use, 25 pcs.	MP15002	172, 206, 243, 265
etCO ₂ Microstr. Intubated Infant/Neonatal - Extended Duration, 25 pcs.	MP15003	172, 206, 243, 265, 431
etCO ₂ Microstr. Nasal Adult - Extended Duration, 25 pcs.	MP15004	172, 206, 243, 265
etCO ₂ Microstr. Nasal Adult - Short-term use, 25 pcs.	MP15005	172, 206, 243, 265
etCO ₂ Microstr. Nasal Infant/Neonatal - Extended Duration, 25 pcs.	MP15007	172, 206, 243, 265, 431
etCO ₂ Microstr. Nasal Paediatric patient - Short-term use, 25 pcs.	MP15006	172, 206, 243, 265
etCO ₂ Microstr. Nasal/Oral Adult - Short-term use, 25 pcs.	MP15008	172, 206, 243, 265
etCO ₂ Microstr. Nasal/Oral Paediatric patient - Short-term use, 25 pcs.	MP15009	172, 206, 243, 265
etCO ₂ sensor Capnostat 5, reusable	2606226	246
Expiratory filter, disposable, 20 pcs.	MP01781	93
Expiratory Hose Extension (N)	MP02699	29, 33
Expiratory valve for Babylog 8000 plus	8408950	91
Expiratory valve for Babylog VN-Family, reusable (no RFID)	8415296	91
Expiratory valve for Carina, disposable, 25 pcs.	MP00220	40, 92
Expiratory valve for Evita 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776	91
Expiratory valve for Evita 2 dura, 4 edition, XL, w/ watertrap, disposable, 10 pcs.	MP02600	91
Expiratory valve for Evita Infinity V500, reusable	8416750	92
Expiratory valve for Evita, reusable	8410580	91
Expiratory valve for Savina, reusable	8413660	92
Expiratory valve, disposable, 10 pcs.	MP01061/ MP20109	92
Expiratory valve, reusable	8417050	92
Extension cable	MS32153	209
Eyebrow sensor, reusable	MS32291	208
Eyebrow sensor, reusable, as of Software 1.8	MS40321	208
F F&P 950 A80 breathing circuit, A	MP16004	34
F&P 950 heater wire adaptor	MP16003	34, 407
F&P 950 N80 breathing circuit, N	MP16005	34, 407
F&P 950 sensor cartridge	MP16002	34, 407

INDEX BY PRODUCT NAME

F&P configuration for MR810, MR850 and F&P 950	8414144	34, 371
Filac 3000 Probe Covers, 20 pcs. Vista 120 SC	2600945	264
Filac 3000 Probe, oral, reusable, 1.2 m, Vista 120 SC	2600939	264
Filac 3000 Probe, oral, reusable, 2.7 m, Vista 120 SC	2600940	264
Filac 3000 Probe, rectal, reusable, 1.2 m, Vista 120 SC	2600942	264
Filac 3000 Probe, rectal, reusable, 2.7 m, Vista 120 SC	2600943	264
Filter + HME TwinStar 25 Plus, disposable, ~25 ml dead space, 100 pcs.	MP05815	61
Filter + HME TwinStar 55 Plus, disposable, ~55 ml dead space, 100 pcs.	MP05805	61
Filter + HME TwinStar 60A Plus, disposable, ~60 ml dead space, angled, 100 pcs.	MP05810	61
Filter + HME TwinStar 9 Plus, disposable, ~9 ml dead space, 100 pcs.	MP05820	61, 415
Filter + HME TwinStar 90 Plus, disposable, ~90 ml dead space, 100 pcs.	MP05800	61
Filter for suction bottle 40 ml for Resuscitaire, disposable, 10 pcs.	MUI0915	383
Flow measuring line for Oxylog 2000/3000 family, 1.5 m	8410929	52
Flow measuring line for Oxylog 2000/3000 family, 3 m	8413293	52
Flow sensor Infinity ID, PC/ABS, 5 pcs.	6871980	109
Flow sensor SpiroLife, PPSU, sterilisable	MK01900	109
Flow sensor Spirolog, PC/ABS, 5 pcs.	8403735	109
Foot sensor, reusable	MS32290	208
Foot sensor, reusable, as of Software 1.8	MS40322	208

G Gel mattress for BabyTherm 8000/8010 and Babyroo TN300, reusable	2M20827	370, 378
General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889	145, 195, 238
General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644	145, 195, 238
General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848	145, 195, 238
General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651	145, 195, 238
General-purpose temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00991	144, 194, 239
General-purpose temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00992	144, 194, 239
General-purpose temperature probe, single-patient use, child, 7-pin connector, 1.6 m	MP00993	144, 194, 239
General-purpose temperature probe, single-patient use, child, 7-pin connector, 3 m	MP00994	144, 194, 239

H H300 heated wire adapter, dual	MP07107	33
H300 heated wire adapter, insp	MP07106	33
H300 temp. sensor cable	MP07109	33
H300 temp. sensor cable, 160 cm	MP07108	33
Hand port cuff, disposable, oval, 100 pcs.	MU06570	375, 376, 386, 390
Hand sensor, reusable, adult	MS32154	208
Hand sensor, reusable, adult, as of Software 1.8	MS40317	208
Hand sensor, reusable, paediatric patient	MS32289	208
Hand sensor, reusable, paediatric patient, as of Software 1.8	MS40318	208
Hand sensor, reusable, small paediatric patient, as of Software 1.8	MS40319	208
Handle, complete for Babytherm 8000	2M21161	379
Headband LNCS TF-I, 5 pcs.	MP03197	137, 190
Headgear, disposable, size L, 31 – 37 cm (12.2 – 14.6 in) head circumference, 5 pcs.	MP03884	401
Headgear, disposable, size M, 27 – 31 cm (10.6 – 12.2 in) head circumference, 5 pcs.	MP03883	401
Headgear, disposable, size S, 23 – 27 cm (9.1 – 10.6 in) head circumference, 5 pcs.	MP03882	401

INDEX BY PRODUCT NAME

Headgear, disposable, size XL, 37 – 42 cm (14.6 – 16.5 in) head circumference, 5 pcs.	MP03885	401
Headgear, disposable, size XS, 20 – 23 cm (7.9 – 9.1 in) head circumference, 5 pcs.	MP03881	401
Headgear, disposable, size XXS, 17 – 20 cm (6.7 – 7.9 in) head circumference, 5 pcs.	MP03880	401
Headgear, disposable, soft fabric, large	MP01560	86
Headgear, disposable, soft fabric, small	MP01559	86, 421
Headgear, disposable, soft rubber, large	MP01562	86
Headgear, disposable, soft rubber, small	MP01561	86, 421
Heated Mattress (part number for new devices only)	2M60170	368
Heated Mattress (part number for replacement/spare part)	2M60836	368
HI-Flow Star Kit Aquapor A, heated inspiratory breathing circuit for the H300 humidifier, heated inspiratory hose, humidifier chamber, breathing hose when used with a ventilator, O ₂ hose when used with an O ₂ blender, bed clip, disposable, 10 pcs.	MP17090	33, 88
HI-Flow Star nasal cannula, disposable, adult L, flow range < 60 l/min, 25 pcs.	MP05513	87
HI-Flow Star nasal cannula, disposable, adult M, flow range < 60 l/min, 25 pcs.	MP05512	87
HI-Flow Star nasal cannula, disposable, adult S, flow range < 60 l/min, 25 pcs.	MP05511	87
HI-Flow Star System, heated inspiratory breathing circuit, consists of: heated inspiratory hose, humidifier chamber, breathing hose when used with a ventilator, O ₂ hose when used with an O ₂ blender, bed clip, disposable, 25 pcs.	MP05601	88
HI-Flow Star valve kit w/ pop-up valve and connector 22 mm, disposable, 15 pcs.	MP05507	33, 88
Hinged arm 240°, 3 hinges, fixable, ball holder system, length 1,155 mm, max. load 0.3 kg, includes hose clamps: MP00493 (1×), 8409841 (1×)	8409609	362
Hinged arm Infinity ACS, for positioning and fixation of breathing hoses. This arm can be fixed in place without manual adjustment, thanks to a patented friction torque-braking system, length 1,080 mm, max. load 0.5 kg, includes hose clamps: MP00693 (1×), 8417396 (2×)	MP00690	362
Hinged arm Quickstop 2, with universal ball holder system for optional accessories, length 858 mm, max. load 0.4 kg, includes hose clamps: MP00493 (1×), 8404761 (2×), 8409841 (1×)	2M85706	362, 450
Hinged arm Quickstop short, with mounted universal tube holder plate, for various tube dimensions/coaxial hoses, specifically designed for OR tables, length 323 mm, max. load 1 kg	2M86463	362, 450
HME HumidStar 2 Plus Luer-Lock, disposable, 2 ml dead space, 100 pcs.	MP05840	64
HME HumidStar 2 Plus, disposable, 2 ml dead space, 100 pcs.	MP05845	64, 415
HME HumidStar 25 Plus, disposable, ~25 ml dead space, 100 pcs.	MP05735	64
HME HumidStar 55 Plus, disposable, ~55 ml dead space, 100 pcs.	MP05730	64
HME HumidStar Trach Plus, disposable, 6 ml dead space, 100 pcs.	MP05750	64
Holder for F&P humidifier U-shaped, for trolley for Evita 2 dura, 4 edition, XL, with rail clamp	MP01002	36, 408
Holder for hinged hood for Babytherm 8000 WB, 8004 and 8010, reusable, neonatal, mounts to hand rail	2M21342	379
Holder for Infinity M300 bedside charger, swiveling 360°	MP00990	219
Holder for MultiMed 12 Pod	5202747	116
Holder for MultiMed 5/6, MultiMed Plus/OR, and NeoMed Pods	5598128	116
Holder for MultiMed 5/6, MultiMed Plus/OR, and NeoMed Pods, swiveling 360°	MP00721	116
Holder, lateral (F&P 900 MR 309), including 8411074	MP01009	36, 408
Hook ring for LiteStar anaesthesia masks, disposable, 22 mm ID, for sizes 3 – 7, 30 pcs.	MP11008	82

INDEX BY PRODUCT NAME

Hook ring for SediStar anaesthesia masks, disposable, 22 mm ID, for sizes 3 – 7, 30 pcs.	MP01708	81
Hook ring for silicone masks, reusable, 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916	85, 420
Hook ring for silicone masks, reusable, 22 mm ID, for sizes 2 – 5, 10 pcs.	MP01917	85
Hose ASM-WAGD DISS N/ DISS N 10 ft	MP20022	351
Hose ASM-WAGD DISS N/ DISS N 15 ft	MP20023	351
Hose ASM-WAGD DISS N/ DISS N 20 ft	MP20024	351
Hose ASM-WAGD HAND DISS N 10 ft	MP20029	351, 352
Hose ASM-WAGD HAND DISS N 15 ft	MP20030	351, 352
Hose clamp, 10 pcs.	8403566	46
Hose heater adapter for F&P MR 850, for dual heated disposable breathing circuit	MP01006	37, 409
Hose heater adapter for F&P MR 850, for reusable breathing circuit	8414968	37, 409
Hose heater adapter for F&P MR 850, for single heated disposable breathing circuit	8414992	37, 409
Hose nozzle 8 mm small, connection nozzle double sided 8 mm	5000833	338
Hose Oxylog VE300, 150, reusable	MP01390	52
Hose Oxylog VE300, 300, reusable	MP01391	52
Humidifier chamber F&P MR 290, disposable, 10 pcs.	8418282	35, 408
Humidifier chamber F&P MR 340, reusable, N/P	8411047	35, 408
Humidifier chamber F&P MR 370, reusable, A	8412217	35
Humidifier chamber for Isolette C2000, reusable	MUI7191	375
Humidifier chamber VentStar, disposable, 10 pcs.	MP00234	28, 407
Humidifier chamber VentStar, disposable, N, 10 pcs.	MP02590	29, 407
Humidifier chamber, 10 pcs.	MP02605	30
Humidifier holder chassis, swiveling w/o 8411074	G93111	36, 408
Humidifier holder for side rail	8416325	36, 408
Humidifier-bubbler, for oxygen humidification up to approx. 60 % relative humidity and flows up to 5 l/min	2M85834	293, 436
Humidity pad, disposable, antibacterial, 25 pcs.	MU06008	377, 387, 391
I IBP adapter cable 10 pin	2607559	240
IBP adapter cable 7 pin	2607558	240
IBP adapter, 10 pin to 7 pin	3368383	158
IBP cable Abbott, Medex	2606490	240
IBP cable Becton Dickinson/Argon	2606488	240
IBP cable Edwards	2606489	240
IBP cable Utah	2606491	240
IBP connection cable Argon/Merit Medical, 3.7 m (12.1 ft)	3375933	160
IBP holder for pressure transducer Memscap (Capto/SensoNor) 844, 4 pcs.	7864155	159
IBP pressure transducer cable for Memscap (Capto/SensoNor), 3.7 m	4321563	159
IBP pressure transducer for Memscap (Capto/SensoNor) 844, disposable, sterile, 50 pcs.	7864908	159
IBP pressure transducer for Memscap (Capto/SensoNor) 844, reusable	7489417	159
IBP pressure transducer kit, BD/Argon, disposable, 5 kits	2606225	240
IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott Transpac IV, 5 pcs.	7270460	157
IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott TranspacII/III/Braun, 5 pcs.	5192112	157
IBP pressure transducer plate, for Hemo4 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721416	157
IBP pressure transducer plate, for Hemo4 Pod, universal, 5 pcs.	4721424	157
IBP pressure transducer set Argon/Merit Medical, disposable, sterile, 5 pcs.	4528741	160

INDEX BY PRODUCT NAME

IBP pressure transducer set for Memscap (Capto/SensoNor) 844	7498947	159
IBP pressure transducer set for Memscap (Capto/SensoNor) 844, disposable, 10 pcs.	7489433	159
IBP transducer adapter cable, Abbott/Medex, Smiths/TranStar, 0.3 m	2601230	153, 201
IBP transducer adapter cable, Abbott/Medex, Smiths/TranStar, 2 m	2601231	153, 201
IBP transducer adapter cable, Argon/BD/Ohmeda, 0.3 m	2601222	155, 203
IBP transducer adapter cable, Argon/BD/Ohmeda, 2 m	2601223	155, 203
IBP transducer adapter cable, Baxter/Edwards, 0.3 m	2601220	155, 203
IBP transducer adapter cable, Baxter/Edwards, 2 m	2601221	155, 203
IBP transducer adapter cable, Codan/DPT, 0.3 m	2601234	153, 201
IBP transducer adapter cable, Codan/DPT, 2 m	2601235	153, 201
IBP transducer adapter cable, Codan/Xtrans, 0.3 m	2601236	155, 203
IBP transducer adapter cable, Dräger 10 pin	MS22532	163
IBP transducer adapter cable, Dräger 10 pin, 0.3 m	2601224	154, 202
IBP transducer adapter cable, Dräger 10 pin, 2 m	2601225	154, 202
IBP transducer adapter cable, Dräger 7 pin, 0.3 m	2601226	154, 202
IBP transducer adapter cable, Dräger 7 pin, 2 m	2601227	154, 202
IBP transducer adapter cable, Utah Medical, 0.3 m	2601228	153, 201
IBP transducer adapter cable, Utah Medical, 2 m	2601229	153, 201
IBP Y-adapter, 10 pin	5731281	158
IBP Y-adapter, 10 pin to 7 pin	5588095	158
IBP Y-adapter, 7 pin	5592147	158
IBP Y-cable, Baxter/Edwards, 3.7 m	5206607	158
IBP Y-cable, for Memscap (Capto/SensoNor), 3.7 m	5195180	159
Immersion tube, for continuous drainages, not scaled	M16395	337
Immersion tube, for water vacuum gauge of for VarioVac T + VarioAir T, scaled	MP00569	338
Incubator cover for Babyleo TN500, reusable	MP03730	368, 392
Incubator cover for Caleo, reusable	MP01423	384, 392
Incubator cover for Isolette C2000, 8000 and 8000 plus, reusable	MP01424	372, 374, 392
Infinity ID CLIC Absorber 800+, disposable absorber, 1.2 l, 6 pcs.	MX50004	104
Infinity ID CLIC Absorber Free, disposable absorber, 1.2 l, 6 pcs.	MX50120	104
Infinity ID expiratory valve for Babylog VN 500, reusable (RFID)	8415270	91
Infinity ID expiratory valve, disposable, 10 pcs.	MP01060/ MP20108	92
Infinity MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures	MS20725	152, 200
Infinity PiCCO Gen II SmartPod	MS23133	163
Infinity PiCCO Gen II SmartPod Kit	MS32282	163
Infusion bottle holder for Babytherm, reusable, neonatal	2M16520	380
Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514	380, 385
Insert for neonatal flow sensor, PSU, sterilisable, 5 pcs.	8410179	109, 417
Intermediate cable for disposable sensor 3 m, reusable	MS40323	208
Iris port sleeve, disposable, 100 pcs.	MU03876	373, 375, 376, 386, 390
L Leakage valve for Carina SyncVent, disposable, 5 pcs.	MP00224	40, 92
Light shield curtain for BiliLux, reusable	MP03760	367
Litter bag holder, stainless steel, with base plate and litter bags, 100 pcs.	M24695	359, 447
Litter bags, disposable, for litter bag holder, 100 pcs.	M26240	359, 447
Locking screw, for immersion tube, with gaskets, for VarioVac T rail WV (MP00512), VarioAir T rail WV (MP00544) and water vacuum gauge (MP00518)	MP00596	338
M M540 Hemo connection cable, 1.5 m	MS23897	200
M540 Hemo connection cable, 3 m	MS23898	200

INDEX BY PRODUCT NAME

Masimo LNCS Trauma sensor, adult, 20 pcs.	MP03191	131, 184, 255
Masimo LNCS Trauma sensor, infant/paed, 20 pcs.	MP03193	131, 184, 255
Masimo LNCS Trauma sensor, neonate, 20 pcs.	MP03192	131, 184, 255, 427
Masimo rainbow sensor 8 Lambda (SpO ₂ , SpCO, SpMet), disposable, adult, 10 pcs.	3702841	187
Masimo rainbow sensor 8 Lambda (SpO ₂ , SpCO, SpMet), disposable, adult/neonate, 10 pcs.	3702831	187
Masimo rainbow sensor 8 Lambda (SpO ₂ , SpCO, SpMet), disposable, child, 10 pcs.	3702837	187
Masimo rainbow sensor 8 Lambda (SpO ₂ , SpCO, SpMet), disposable, infant, 10 pcs.	3702834	187
Masimo rainbow sensor cover, 10 pcs.	MP03203	190
Masimo rainbow sensor DCI (SpO ₂ , SpCO, SpMet), resusable, adult	3722471	187
Masimo rainbow sensor DCIP (SpO ₂ , SpCO, SpMet), resusable, paediatric patient	3722467	187
Masimo RD rainbow SET sensor, disposable, adult	MS40076	188
Masimo RD rainbow SET sensor, disposable, infant	MS40082	188
Masimo RD rainbow SET sensor, disposable, neonate	MS40085	188
Masimo RD rainbow SET sensor, disposable, paediatric patient	MS40079	188
Masimo RD SET DC-IP sensor, paediatric patient, reusable	MS33741	133, 185, 216, 258
Masimo RD SET DCI sensor, adult, reusable	MS33740	133, 185, 216, 258
Masimo RD SET sensor DB-I, adult, reusable	3718728	133, 185, 216
Masimo RD SET sensor TC-I Ear, paediatric patient/adult, reusable	MS40067	133, 185, 258
Masimo RD SET sensor TF-I, paediatric patient/adult, reusable	MS40073	133, 185, 258
Masimo RD SET sensor YI Multisite, neonate/paediatric patient/adult, reusable	MS40070	133, 185, 258
Masimo RD SET sensor, adult, disposable	MS33726	134, 186, 216, 257
Masimo RD SET sensor, infant, disposable	MS33728	134, 186, 257
Masimo RD SET sensor, neonatal preterm, disposable	MS33730	134, 186, 257, 427
Masimo RD SET sensor, neonatal, disposable	MS33729	134, 186, 257, 427
Masimo RD SET sensor, paediatric patient, disposable	MS33727	134, 186, 216, 257
Masimo Trauma sensor RD SET, adult, disposable	MS40088	135, 186, 259
Masimo Trauma sensor RD SET, infant/paed, disposable	MS40091	135, 186, 259
Masimo Trauma sensor RD SET, neonate, disposable	MS40094	135, 186, 259
Mattress SoftBed, for Babyleo TN500, reusable	2M60390	368
Mattress SoftBed, for BabyRoo TN300, reusable	MP16297	370, 378
Mattress SoftBed, for Babytherm, reusable	2M21012	378
Mattress SoftBed, for Caleo, reusable	MX17012	384
Mattress SoftBed, for Isolette C2000, 8000 and 8000 plus, reusable	MP01401	372, 374
Mattress SoftBed, for Resuscitaire, reusable, with scale	MP01404	381
Mattress SoftBed, for Resuscitaire, reusable, without scale	MP01402	381
Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable	MP01419	376, 386, 389
MCable Mainstream CO ₂ , for Evita V family and Babylog VN family, Infinity M540, Vista 120, Vista 120 S and Delta VF9.1 and higher	6871950	69, 170, 205, 245, 416
MCable-Nellcor OxiMax	MS20668	232
Mechanical filter + HME TwinStar HEPA Plus, disposable, ~90 ml dead space, 100 pcs.	MP05801	61
Mechanical filter SafeStar 55 Plus, disposable, ~55 ml dead space, 100 pcs.	MP05790	63
Mechanical filter SafeStar 60A Plus, disposable, ~60 ml dead space, angled, 100 pcs.	MP05795	63
Mechanical filter SafeStar 90 Plus, disposable, ~90 ml dead space, 100 pcs.	MP05785	63
MEDIBUS cable DW vents	8306488	99
MEDIBUS cable V and A series	8416326	99

INDEX BY PRODUCT NAME

Medical examination light VarioLux with LED technology, AUS	MP00606	360, 448
Medical examination light VarioLux with LED technology, EU	MP00601	360, 448
Medical examination light VarioLux with LED technology, GB	MP00603	360, 448
Medical examination light VarioLux with LED technology, JPN	MP00608	360, 448
Medical examination light VarioLux with LED technology, US	MP00602	360, 448
Membrane for Evita 2 dura, Evita 4, Evita XL, for expiratory valve	8412015	91
Modi-Se to Polaris disposable handle from Polaris 600 with sterilisable handles (G92099 or G36993), 1 pc.	G35324	363
Modi-Set to Polaris disposable handle from Polaris 100/200 with sterilisable handle E (G36993), 1 pc.	G35325	363
Mount clamp 10 – 40 mm (0.4 – 1.57 in)	MS32150	209
Mount clamp 20 – 60 mm (0.79 – 2.36 in)	MS32151	209
MPod-Dual Hemo, 2 invasive blood pressures for M540	MS20783	200
Multi-P trolley	MP13021	89, 283, 396
Multi-P trolley equipped	MP13020	89, 283, 396
Multiparameter cable MultiMed 5 Pod, for ECG, resp., SpO ₂ and temp., 1.5 m	5950196	115
Multiparameter cable MultiMed 5 Pod, for ECG, resp., SpO ₂ and temp., 2.5 m	3368391	115
Multiparameter cable MultiMed 6 Pod, for ECG, resp., SpO ₂ and temp., 2.5 m	5191221	115
Multiparameter cable MultiMed Plus OR, for ECG, SpO ₂ and temp., 2.5 m	MS20094	115
Multiparameter cable MultiMed Plus, for ECG, resp., SpO ₂ and temp., 2.5 m	MS20093	115
Multiparameter cable NeoMed Pod, for ECG, resp., SpO ₂ , temp. and FiO ₂ , 2.5 m	5590539	115, 424
Multipurpose holder	2M60180	369
N N ₂ O CS hose 0.9 m (2.95 ft) NF EN NF	M36725	342
N ₂ O CS hose 0.9 m (2.95 ft) NIST EN BS	M36728	343
N ₂ O CS hose 0.9 m (2.95 ft) NIST EN DIN	M36731	339
N ₂ O CS hose 0.9 m (2.95 ft) NIST GB DIN	M36788	353
N ₂ O CS hose 1.5 m (4.9 ft) DISS US KAWA	M35809	349
N ₂ O CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36293	352
N ₂ O CS hose 1.5 m (4.9 ft) NF EN NF	M35427	342
N ₂ O CS hose 1.5 m (4.9 ft) NIST EN AS	M36156	348
N ₂ O CS hose 1.5 m (4.9 ft) NIST EN BS	M35391	343
N ₂ O CS hose 1.5 m (4.9 ft) NIST EN BS straight	M35400	344
N ₂ O CS hose 1.5 m (4.9 ft) NIST EN Carba	M35473	346
N ₂ O CS hose 1.5 m (4.9 ft) NIST EN DIN	M35492	339
N ₂ O CS hose 1.5 m (4.9 ft) NIST EN NF	M35418	341
N ₂ O CS hose 1.5 m (4.9 ft) NIST EN SS	M35378	345
N ₂ O CS hose 1.5 m (4.9 ft) NIST EN UNI	M35409	347
N ₂ O CS hose 1.5 m (4.9 ft) NIST GB DIN	M36789	353
N ₂ O CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36007	340
N ₂ O CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35437	342
N ₂ O CS hose 3 m (9.8 ft) DISS US KAWA	M35808	349
N ₂ O CS hose 3 m (9.8 ft) DISSB EN HAND	M36294	352
N ₂ O CS hose 3 m (9.8 ft) NF EN NF	M35428	342
N ₂ O CS hose 3 m (9.8 ft) NIST EN AS	M36155	348
N ₂ O CS hose 3 m (9.8 ft) NIST EN BS	M35392	343
N ₂ O CS hose 3 m (9.8 ft) NIST EN BS straight	M35401	344
N ₂ O CS hose 3 m (9.8 ft) NIST EN Carba	M35474	346
N ₂ O CS hose 3 m (9.8 ft) NIST EN DIN	M35493	339
N ₂ O CS hose 3 m (9.8 ft) NIST EN NF	M35419	341
N ₂ O CS hose 3 m (9.8 ft) NIST EN SS	M35379	345
N ₂ O CS hose 3 m (9.8 ft) NIST EN UNI	M35410	347
N ₂ O CS hose 3 m (9.8 ft) NIST GB BS	M36734	353

INDEX BY PRODUCT NAME

N ₂ O CS hose 3 m (9.8 ft) NIST GB DIN	M36740	353
N ₂ O CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36008	340
N ₂ O CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35438	342
N ₂ O CS hose 5 m (16.4 ft) DISS US KAWA	M35807	349
N ₂ O CS hose 5 m (16.4 ft) DISSB EN HAND	M36295	352
N ₂ O CS hose 5 m (16.4 ft) NF EN NF	M35344	342
N ₂ O CS hose 5 m (16.4 ft) NIST EN AS	M36154	348
N ₂ O CS hose 5 m (16.4 ft) NIST EN BS	M35334	343
N ₂ O CS hose 5 m (16.4 ft) NIST EN BS straight	M35341	344
N ₂ O CS hose 5 m (16.4 ft) NIST EN Carba	M35347	346
N ₂ O CS hose 5 m (16.4 ft) NIST EN DIN	M35494	339
N ₂ O CS hose 5 m (16.4 ft) NIST EN NF	M35331	341
N ₂ O CS hose 5 m (16.4 ft) NIST EN SS	M35382	345
N ₂ O CS hose 5 m (16.4 ft) NIST EN UNI	M35359	347
N ₂ O CS hose 5 m (16.4 ft) NIST GB BS	M36735	353
N ₂ O CS hose 5 m (16.4 ft) NIST GB DIN	M36741	353
N ₂ O CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36009	340
N ₂ O CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35439	342
N ₂ O CS hose 8 m (26.25 ft) DISS US KAWA	M35867	349
N ₂ O CS hose DISS Hand 10 ft	4199596	351
N ₂ O CS hose DISS Hand 15 ft	4199595	351
N ₂ O CS hose DISS N/DISS N 10 ft	4185142	351
N ₂ O CS hose DISS N/DISS N 15 ft	4185143	351
N ₂ O CS hose DISS N/DISS N 20 ft	4199713	351
Nellcor intermediate cable, 1.2 m	MP00748	192, 232, 249
Nellcor intermediate cable, 3 m	MS20979	192, 232, 249
Neo-mask, silicone, disposable, size L, 10 pcs.	8418619	400
Neo-mask, silicone, disposable, size M, 10 pcs.	8418490	400
Neo-mask, silicone, disposable, size S, 10 pcs.	8418491	400
Neo-mask, TPE, disposable, size 4, 10 pcs.	MP01494	400
Neo-mask, TPE, disposable, size 5, 10 pcs.	MP01495	400
Neo-mask, TPE, disposable, size 6, 10 pcs.	MP01496	400
Neonatal flow sensor cable for Babylog 8000 and former Evita ventilators with Neo option	8409626	110, 417
Neonatal flow sensor cable for medical ventilators of the V series with Neo option and VN series	8416600	110, 417
Neonatal flow sensor ISO 15, PSU, sterilisable	8411130	109, 417
Neonatal test lung, reusable, 50 ml, not made with natural rubber latex	MP20050	59, 414
NIBP connection tube, adult, 3.7 m, for Infinity monitors	MP00953	146, 196
NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918	147, 197
NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931	148, 198
NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919	147, 197
NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932	148, 198
NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915	147, 197
NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928	148, 198
NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916	147, 197
NIBP cuff M+, single-patient use, adult, long, 23 – 33 cm/43 cm, 10 pcs.	MP00929	148, 198
NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917	147, 197
NIBP cuff M++, single-patient use, adult, extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930	148, 198
NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913	147, 197
NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926	148, 198
NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921	147, 197
NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934	148, 198

INDEX BY PRODUCT NAME

NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912	147, 197
NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925	148, 198
NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911	147, 197
NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924	148, 198
NIBP cuff, adult, 27 cm – 35 cm, reusable, Vista Patient Monitoring System	2606155	235, 260
NIBP cuff, child, 16 cm – 21 cm, reusable, Vista Patient Monitoring System	2606153	235, 260
NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181	149, 199, 430
NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199	149, 199, 430
NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207	149, 199, 430
NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215	149, 199, 430
NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173	149, 199, 430
NIBP cuff, infant, 10 cm – 15 cm, reusable, Vista Patient Monitoring System	2606151	235, 260
NIBP cuff, larger adult, 34 cm – 43 cm, reusable, Vista Patient Monitoring System	2606156	235, 260
NIBP cuff, neonatal #1, 3 – 6 cm, disposable, 20 pcs., Vista Patient Monitoring System	2607034	236, 261
NIBP cuff, neonatal #2, 4 – 8 cm, disposable, 20 pcs., Vista Patient Monitoring System	2607035	236, 261
NIBP cuff, neonatal #3, 6 – 11 cm, disposable, 20 pcs., Vista Patient Monitoring System	2607036	236, 261
NIBP cuff, neonatal #4, 7 – 13 cm, disposable, 20 pcs., Vista Patient Monitoring System	2607037	236, 261
NIBP cuff, neonatal #5, 8 – 15 cm, disposable, 20 pcs., Vista Patient Monitoring System	2607038	236, 261
NIBP cuff, small adult, 20.5 cm – 28 cm, reusable, Vista Patient Monitoring System	2606154	235, 260
NIBP cuff, small child, 13 cm – 17 cm, reusable, Vista Patient Monitoring System	2606152	235, 260
NIBP hose, neonate, 2.4 m	2870298	146, 196, 430
NIBP tube, 3 m	2601195	235, 260
NIST-NIST connecting hose 1.2 m	M36053	290
NIV nasal mask ClassicStar non-vented, disposable, size L	MP01625	74
NIV nasal mask ClassicStar non-vented, disposable, size M	MP01624	74
NIV nasal mask ClassicStar non-vented, disposable, size S	MP01623	74
NIV nasal mask ClassicStar plus non-vented, disposable, size L, 5 pcs.	MP04743	77
NIV nasal mask ClassicStar plus non-vented, disposable, size M, 5 pcs.	MP04742	77
NIV nasal mask ClassicStar plus non-vented, disposable, size S, 5 pcs.	MP04741	77
NIV nasal mask ClassicStar plus non-vented, disposable, size XL, 5 pcs.	MP04744	77
NIV nasal mask ClassicStar plus vented, disposable, size L, 5 pcs.	MP04753	77
NIV nasal mask ClassicStar plus vented, disposable, size M, 5 pcs.	MP04752	77
NIV nasal mask ClassicStar plus vented, disposable, size S, 5 pcs.	MP04751	77
NIV nasal mask ClassicStar plus vented, disposable, size XL, 5 pcs.	MP04754	77
NIV nasal mask ClassicStar vented, disposable, size L	MP01622	74
NIV nasal mask ClassicStar vented, disposable, size M	MP01621	74
NIV nasal mask ClassicStar vented, disposable, size S	MP01620	74
NIV oronasal mask ClassicStar AAV, disposable, size L	MP01572	73
NIV oronasal mask ClassicStar AAV, disposable, size M	MP01571	73
NIV oronasal mask ClassicStar AAV, disposable, size S	MP01570	73
NIV oronasal mask ClassicStar plus AAV without exhalation ports, disposable, size L, 5 pcs.	MP04733	76
NIV oronasal mask ClassicStar plus AAV without exhalation ports, disposable, size M, 5 pcs.	MP04732	76

INDEX BY PRODUCT NAME

NIV oronasal mask ClassicStar plus AAV without exhalation ports, disposable, size S, 5 pcs.	MP04731	76
NIV oronasal mask ClassicStar plus AAV without exhalation ports, disposable, size XL, 5 pcs.	MP04734	76
NIV oronasal mask ClassicStar plus AAV, disposable, size L, 5 pcs.	MP04723	76
NIV oronasal mask ClassicStar plus AAV, disposable, size M, 5 pcs.	MP04722	76
NIV oronasal mask ClassicStar plus AAV, disposable, size S, 5 pcs.	MP04721	76
NIV oronasal mask ClassicStar plus AAV, disposable, size XL, 5 pcs.	MP04724	76
NIV oronasal mask ClassicStar plus SE, disposable, size L, 5 pcs.	MP04713	76
NIV oronasal mask ClassicStar plus SE, disposable, size M, 5 pcs.	MP04712	76
NIV oronasal mask ClassicStar plus SE, disposable, size S, 5 pcs.	MP04711	76
NIV oronasal mask ClassicStar plus SE, disposable, size XL, 5 pcs.	MP04714	76
NIV oronasal mask ClassicStar SE, disposable, size L	MP01575	73
NIV oronasal mask ClassicStar SE, disposable, size M	MP01574	73
NIV oronasal mask ClassicStar SE, disposable, size S	MP01573	73
NIV oronasal mask NovaStar plus AAV, reusable, size L, 3 pcs.	MP05063	78
NIV oronasal mask NovaStar plus AAV, reusable, size M, 3 pcs.	MP05062	78
NIV oronasal mask NovaStar plus AAV, reusable, size S, 3 pcs.	MP05061	78
NIV oronasal mask NovaStar plus AAV, reusable, size XL, 3 pcs.	MP05064	78
NIV oronasal mask NovaStar plus SE, reusable, size L, 3 pcs.	MP05053	78
NIV oronasal mask NovaStar plus SE, reusable, size M, 3 pcs.	MP05052	78
NIV oronasal mask NovaStar plus SE, reusable, size S, 3 pcs.	MP05051	78
NIV oronasal mask NovaStar plus SE, reusable, size XL, 3 pcs.	MP05054	78
NIV total-face mask ClassicStar AAV without exhalation ports, disposable, size L	MP02918	75
NIV total-face mask ClassicStar AAV without exhalation ports, disposable, size M	MP02917	75
NIV total-face mask ClassicStar AAV without exhalation ports, disposable, size S	MP02916	75
NIV total-face mask ClassicStar AAV, disposable, size L	MP02915	75
NIV total-face mask ClassicStar AAV, disposable, size M	MP02914	75
NIV total-face mask ClassicStar AAV, disposable, size S	MP02913	75
NIV total-face mask ClassicStar SE, disposable, size L	MP02912	75
NIV total-face mask ClassicStar SE, disposable, size M	MP02911	75
NIV total-face mask ClassicStar SE, disposable, size S	MP02910	75
NMT electrode cable Trident, 2-lead, 0.3 m	MS13218	168
NMT hand adapter Trident	MS15086	168
NMT intermediate cable for Infinity Trident (NMT) SmartPod, 1.9 m	7872174	168
NovaStar plus headgear inclusive magnetic clips, disposable	MP05080	80
O O ₂ compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 6 mm nozzle	MPI3012	280, 435
O ₂ compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 9/16"	MPI3011	280, 435
O ₂ compact flowmeter Clickflow, rail, NIST, 1 – 16 l/min, 9/16"	MPI3013	281
O ₂ CS hose 0.9 m (2.95 ft) NF EN NF	M36723	342
O ₂ CS hose 0.9 m (2.95 ft) NIST EN BS	M36726	343
O ₂ CS hose 0.9 m (2.95 ft) NIST EN DIN	M36729	339
O ₂ CS hose 0.9 m (2.95 ft) NIST GB DIN	M36784	353
O ₂ CS hose 1.5 m (4.9 ft) DISS US KAWA	M35806	349
O ₂ CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36290	352
O ₂ CS hose 1.5 m (4.9 ft) NF EN NF	M35425	342
O ₂ CS hose 1.5 m (4.9 ft) NIST EN AS	M36153	348
O ₂ CS hose 1.5 m (4.9 ft) NIST EN BS	M35389	343
O ₂ CS hose 1.5 m (4.9 ft) NIST EN BS straight	M35398	344

INDEX BY PRODUCT NAME

O ₂ CS hose 1.5 m (4.9 ft) NIST EN Carba	M35469	346
O ₂ CS hose 1.5 m (4.9 ft) NIST EN DIN	M35489	339
O ₂ CS hose 1.5 m (4.9 ft) NIST EN NF	M35416	341
O ₂ CS hose 1.5 m (4.9 ft) NIST EN SS	M35375	345
O ₂ CS hose 1.5 m (4.9 ft) NIST EN UNI	M35407	347
O ₂ CS hose 1.5 m (4.9 ft) NIST GB DIN	M36785	353
O ₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36004	340
O ₂ CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35434	341
O ₂ CS hose 3 m (9.8 ft) DISS US KAWA	M35805	349
O ₂ CS hose 3 m (9.8 ft) DISSB EN HAND	M36291	352
O ₂ CS hose 3 m (9.8 ft) NF EN NF	M35426	342
O ₂ CS hose 3 m (9.8 ft) NIST EN AS	M36152	348
O ₂ CS hose 3 m (9.8 ft) NIST EN BS	M35390	343
O ₂ CS hose 3 m (9.8 ft) NIST EN BS straight	M35399	344
O ₂ CS hose 3 m (9.8 ft) NIST EN Carba	M35472	346
O ₂ CS hose 3 m (9.8 ft) NIST EN DIN	M35490	339
O ₂ CS hose 3 m (9.8 ft) NIST EN NF	M35417	341
O ₂ CS hose 3 m (9.8 ft) NIST EN SS	M35376	345
O ₂ CS hose 3 m (9.8 ft) NIST EN UNI	M35408	347
O ₂ CS hose 3 m (9.8 ft) NIST GB BS	M36732	353
O ₂ CS hose 3 m (9.8 ft) NIST GB DIN	M36738	353
O ₂ CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36005	340
O ₂ CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35435	341
O ₂ CS hose 5 m (16.4 ft) DISS US KAWA	M35804	349
O ₂ CS hose 5 m (16.4 ft) DISSB EN HAND	M36292	352
O ₂ CS hose 5 m (16.4 ft) NF EN NF	M35342	342
O ₂ CS hose 5 m (16.4 ft) NIST EN AS	M36151	348
O ₂ CS hose 5 m (16.4 ft) NIST EN BS	M35333	343
O ₂ CS hose 5 m (16.4 ft) NIST EN BS straight	M35339	344
O ₂ CS hose 5 m (16.4 ft) NIST EN Carba	M35345	346
O ₂ CS hose 5 m (16.4 ft) NIST EN DIN	M35491	339
O ₂ CS hose 5 m (16.4 ft) NIST EN NF	M35330	341
O ₂ CS hose 5 m (16.4 ft) NIST EN SS	M35377	345
O ₂ CS hose 5 m (16.4 ft) NIST EN UNI	M35357	347
O ₂ CS hose 5 m (16.4 ft) NIST GB BS	M36733	353
O ₂ CS hose 5 m (16.4 ft) NIST GB DIN	M36739	353
O ₂ CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36006	340
O ₂ CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35436	341
O ₂ CS hose 8 m (26.25 ft) DISS US KAWA	M35866	349
O ₂ CS hose DISS Hand 10 ft	4199592	350
O ₂ CS hose DISS Hand 15 ft	4199591	350
O ₂ CS hose DISS N/DISS N 10 ft	4185140	350
O ₂ CS hose DISS N/DISS N 15 ft	4185141	350
O ₂ CS hose DISS N/DISS N 20 ft	4199714	350
O ₂ flowmeter for anaesthesia, 16 l/min, 90°, rail, with NIST black hose 1 m, adapter 9/16" to 6 mm	MP04579	276
O ₂ flowmeter for anaesthesia, 16 l/min, 90°, rail, with NIST ISO hose 1.2 m, adapter 9/16" to 6 mm	MP04578	276
O ₂ flowmeter for anaesthesia, 16 l/min, rail, with NIST black hose 1 m, adapter 9/16" to 6 mm	MP04577	276
O ₂ flowmeter for anaesthesia, 16 l/min, rail, with NIST ISO hose 1.2 m, adapter 9/16" to 6 mm	MP04576	276
O ₂ flowmeter, 10 l/min, CS, CARBA, ISO, M34x1.5, adapter 9/16"	MP04554	272

INDEX BY PRODUCT NAME

O ₂ flowmeter, 10 l/min, rail, NIST gas inlet, M34×1.5, adapter 9/16"	MP04556	274
O ₂ flowmeter, 16 l/min, CS, British standard, ISO, M34×1.5, adapter 9/16"	MP04565	272
O ₂ flowmeter, 16 l/min, CS, CARBA, ISO, M34×1.5, adapter 9/16"	MP04563	272
O ₂ flowmeter, 16 l/min, CS, DIN, ISO and neutral colour, M34×1.5, adapter 9/16"	MP04558	271
O ₂ flowmeter, 16 l/min, CS, French standard, ISO, M34×1.5, adapter 9/16"	MP04566	272
O ₂ flowmeter, 16 l/min, CS, long CS plug (6 cm; 2.4 in), DIN, ISO and neutral colour, M34×1.5, adapter 9/16"	MP04561	271
O ₂ flowmeter, 16 l/min, CS, Swedish standard, M34×1.5, adapter 9/16"	MP13040	272
O ₂ flowmeter, 16 l/min, rail, 90°, NIST gas inlet, M34×1.5, adapter 9/16"	MP04570	275
O ₂ flowmeter, 16 l/min, rail, NIST gas inlet, M34×1.5, adapter 9/16"	MP04567	274, 434
O ₂ flowmeter, 16 l/min, rail, NIST gas inlet, packed with hose 1.5 m, DIN, ISO, M34×1.5, adapter 9/16"	MP04573	274
O ₂ flowmeter, 16 l/min, rail, NIST gas inlet, packed with hose 1.5 m, DIN, neutral colour, M34×1.5, adapter 9/16"	MP04575	274
O ₂ flowmeter, 32 l/min, CS, DIN, ISO and neutral colour, M34×1.5, adapter 9/16"	MP04571	272
O ₂ flowmeter, 32 l/min, rail, NIST gas inlet, M34×1.5, adapter 9/16"	MP04580	274
O ₂ flowmeter, 4 l/min, CS, DIN, ISO and neutral colour, M34×1.5, adapter 9/16"	MP04551	271, 432
O ₂ flowmeter, 4 l/min, rail, 90°, NIST gas inlet, M34×1.5, adapter 9/16"	MP04553	275, 434
O ₂ flowmeter, 4 l/min, rail, NIST gas inlet, M34×1.5, adapter 9/16"	MP04552	274, 434
O ₂ sensor capsule, for mainstream measurement	6850645	111
O ₂ sensor for Isolette C2000, 8000 and 8000 plus, reusable, 2 pcs.	MU24903	373, 375
O ₂ sensor for MX 300 and MX 300-i, reusable	MP01442	93, 111
O ₂ sensor Oxycell A for Atlan	6872666	111
O ₂ sensor Oxycell TN, for Babyleo TN500	6873065	111, 369
O ₂ sensor OxyTrace INCU, for Caleo thermoregulator	MX01050	111, 385
O ₂ sensor OxyTrace VE, for Savina ventilator	MX01049	111
O ₂ twin compact flowmeter Clickflow, DIN, 2 × 1 – 16 l/min, 9/16"	MP13014	281
O ₂ twin flowmeter, 2 × 10 l/min, CS, CARBA, ISO, 2 × M34×1.5, adapter to 9/16"	MP04555	273
O ₂ twin flowmeter, 2 × 10 l/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16"	MP04557	273
O ₂ twin flowmeter, 2 × 16 l/min, CS, DIN, ISO, neutral colour, M34×1.5, adapter 9/16"	MP04560	273, 433
O ₂ twin flowmeter, 2 × 16 l/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16"	MP04569	273, 433
O ₂ Star™ connector 22 mm ID / 22 mm ID, disposable, 5 pcs.	MP01942	88
OPC NIBP Cuff, adult, 23 cm – 33 cm, reusable, 5 pcs., Vista 120 SC	2600937	262
OPC NIBP Cuff, child, 12 cm – 19 cm, reusable, 5 pcs., Vista 120 SC	2600935	262
OPC NIBP Cuff, large adult, 31 cm – 40 cm, reusable, 5 pcs., Vista 120 SC	2600938	262
OPC NIBP Cuff, small adult, 17 cm – 25 cm, reusable, 5 pcs., Vista 120 SC	2600936	262
Optic serial RS 232 cable (1 metre) to connect the device to a Dräger monitorAC	MS32156	209
Optic serial RS 232 cable (2.5 metre) to connect the device to a Dräger monitorAC	MS40021	209
Oxator head OxyLine, pressure reducer G ³ / ₄ ", 200 bar, NIST, 2 × DIN-CS, ejector VarioO2	MP01103	288, 290
Oxator head, configurable via OxyLine	MP00100	290
Oxett adapter plate, to mount Oxett on bed in higher position	2M86205	289
Oxett carrying frame, for Oxett head and O ₂ cylinder up to 2.5 l, with secretion jar and rail for suction ejector	MP04110	289
Oxett head OxyLine, pressure reducer G ³ / ₄ ", 200 bar, NIST, flow regulator, DIN-CS, ejector VarioO2	MP01102	288, 289

INDEX BY PRODUCT NAME

Oxett head OxyLine, pressure reducer G $\frac{3}{4}$ ", 200 bar, NIST, flowmeter, DIN-CS, ejector VarioO2	MP01101	288, 289
Oxett head, configurable via OxyLine	MP00100	289
Oxiband™ sensor compl.	8201013	251
Oxymixer configuration	MP04200	89, 282, 394
Oxymixer high-flow	MP04201	89, 282
Oxymixer high-flow with monitor	MP04202	89, 282
Oxymixer low-flow	MP04203	282, 394
Oxymixer low-flow with 1 – 15 l flowmeter right, rail clamp	MP04229	282, 394
Oxymixer low-flow with monitor	MP04204	282, 394
Oxymixer oxygen sensor (spare part)	MP04221	90, 284, 395
Oxymixer sound damper 22 and 15 mm	MP04219	90, 284, 395
Oxymixer sound damper 9/16"	MP04218	90, 284, 395
P Pack2Go anaesthesia pack, A, with anaesthesia set + watertrap, 10 pcs.	MP20379	95
Pack2Go Carina NIV ventilation pack with oronasal mask ClassicStar SE, size L, 10 pcs.	MP20374	95
Pack2Go Carina NIV ventilation pack with oronasal mask ClassicStar SE, size M, 10 pcs.	MP20373	95
Pack2Go Carina NIV ventilation pack with oronasal mask ClassicStar SE, size S, 10 pcs.	MP20372	95
Pack2Go Evita invasive ventilation pack with breathing circuit VentStar, basic, + cuvette, 10 pcs.	MP20370	94
Pack2Go Evita invasive ventilation pack with breathing circuit VentStar, basic, 1.8 m, 10 pcs.	MP20371	94
Pack2Go Evita invasive ventilation pack with breathing circuit VentStar, coaxial, + cuvette, 10 pcs.	MP20377	94
Pack2Go Evita invasive ventilation pack with breathing circuit VentStar, coaxial, 1.8 m, 10 pcs.	MP20378	94
Pack2Go invasive ventilation pack with breathing circuit VentStar, basic, 1.8 m, 10 pcs.	MP20376	95
Pack2Go invasive ventilation pack with breathing circuit VentStar, coaxial, 1.8 m, 10 pcs.	MP20375	95
Paediatric nasal mask MiniMe2 non-vented, disposable, size L	MP01556	79, 403
Paediatric nasal mask MiniMe2 non-vented, disposable, size S	MP01555	79, 403
Paediatric nasal mask MiniMe2 vented, disposable, size L	MP01554	79, 403
Paediatric nasal mask MiniMe2 vented, disposable, size S	MP01553	79, 403
Parking holder for CO ₂ sensor 6871950	8416352	69, 171, 205, 245
Parking holder for CO ₂ sensor 6871950 and 6873570, according to country approval	6873674	69, 171, 416
Patient cable for paediatric patients, for electrode belt size XS-4XS	8422770	99
Patient cable, size L	8420035	99
Patient cable, size M	8420047	99
Patient cable, size S	8420029	99
Patient cable, size XL	8420271	99
Patient cable, size XXL	8420273	99
Patient parameter unit Infinity BISx SmartPod	MS14796	166
Patient parameter unit Infinity HemoMed Pod	5588822	152
PEEP valve for Oxylog 1000, disposable, adjustable from 5 – 20 mbar	2M86832	38
PEEP valve for Oxylog 1000, reusable, adjustable from 0 – 10 mbar	8407475	51
Phototherapy mask Eyemax 2, disposable, micro, head circumference 20-25 cm, 20 pcs.	MP03770	367
Phototherapy mask Eyemax 2, disposable, preemie, head circumference 26-32 cm, 20 pcs.	MP03771	367

INDEX BY PRODUCT NAME

Phototherapy mask Eyemax 2, disposable, regular, head circumference 33-38 cm, 20 pcs.	MP03772	367
Plug nozzle water vacuum gauge, for VarioVac T rail WV (MP00512), VarioAir T rail WV (MP00544) and water vacuum gauge (MP00518)	MP00566	338
Pod adapter SensoNor, for connecting pressure transducer cables, 7 pin	MS23598	156
Pod adapter, 10 pin, for pressure transducer	3375958	156, 163
Pod adapter, for Edwards pressure transducer	5196980	156
Pod adapter, for pressure transducer Abbott/Medex/ICU Medical	5196998	156
Pod adapter, for pressure transducer Argon/Merit Medical (former Becton Dickinson/Ohmeda)	3375941	156
Pod connection cable, 3 m	3368425	116, 151, 200
Pod connection cable, 30 cm	7257988	116, 200
Pod connection cable, 5 m	5195198	116, 200
Power cable AUS, 1.8 m, 2 pin	MP00626	360, 448
Power cable EU, 1.8 m, 2 pin	MP00591	360, 448
Power cable GB, 1.8 m, 2 pin	MP00593	360, 448
Power cable US/JPN, 1.8 m, 2 pin	MP00592	360, 448
Pressure difference flow sensor, PSU, sterilizable	8412034	52, 109
Pressure gauge -100 kPa MRI, double scale kPa/mmHg, -100 kPa (-1000 mbar)	MP03589	317
Pressure gauge -60 kPa MRI, double scale kPa/mmHg, -60 kPa (-600 mbar)	MP03587	317
Pressure gauge for VarioVac + VarioAir, double scale kPa/mmHg, -100 kPa (-1000 mbar)	MP00578	317
Pressure gauge for VarioVac + VarioAir, double scale kPa/mmHg, -16 kPa (-160 mbar)	MP00579	337
Pressure gauge for VarioVac + VarioAir, double scale kPa/mmHg, -60 kPa (-600 mbar)	MP00580	317
Pressure gauge for VarioVac + VarioAir, double scale kPa/mmHg, -8 kPa (-80 mbar)	MP03597	337
Pressure reducer OxyLine, customised configuration of pressure reducers	MP00100	285
Pressure reducer w/ flowmeter OxyLine, G $\frac{3}{4}$ ", 200 bar, 16 l/min, M34×1.5, 9/16", nozzle	MP01104	288
Pressure reducer with NIST OxyLine, G $\frac{3}{4}$ ", for 200 bar, NIST	MP01105	288
PressurePod	8424050	99
Prong BabyFlow, standard, disposable, size L, 10 pcs.	8418531	399
Prong BabyFlow, standard, disposable, size M, 10 pcs.	8418416	399
Prong BabyFlow, standard, disposable, size S, 10 pcs.	8418605	399
Prong BabyFlow, standard, disposable, size XL, 10 pcs.	8418417	399
Prong BabyFlow, standard, disposable, size XS, 10 pcs.	8418415	399
Prong BabyFlow, standard, disposable, size XXL, 10 pcs.	8418617	399
Prong BabyFlow, wide, disposable, size 3, 10 pcs.	8418603	399
Prong BabyFlow, wide, disposable, size 4, 10 pcs.	8418607	399
Prong BabyFlow, wide, disposable, size 5, 10 pcs.	8418609	399
Prong BabyFlow, wide, disposable, size 6, 10 pcs.	8418611	399
Protection cap for disposable breathing hoses, 10 pcs.	MP02800	15, 71
Protective cover for general-purpose temperature probe, latex-free, 100 pcs.	MS40243	145, 195, 237, 238
R Rail clamp for F&P humidifier and Seattle PAP bubble box	8411074	36, 397, 408
Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set	M26842	291, 312, 359, 446

INDEX BY PRODUCT NAME

Rail clamp, for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm	2M85274	359, 361, 397, 449
Rail claw for lamp	MP00615	361, 449
Rail holder, for 38 mm tube, standard rail profile 25 × 10 mm, 40 cm, length: 40 cm, weight: 0.9 kg, max. load: 5 kg	2M86185	292
Rail trolley, 4 wheels, 2 w. brakes, 2 DIN standard rails 50 cm each	MP14098	318
Rail, 100 mm for GCX profile	4118555	369
Rail, 200 mm (7.9 in), swiveling, for mounting on GCX profile	4118453	369
RD SET intermediate cable for Masimo rainbow SET Mcable, 1.5 m	MS33738	185, 187, 188
RD SET intermediate cable for Masimo rainbow SET Mcable, 3.6 m	MS33739	185, 187, 188
RD SET intermediate cable for Masimo SET Mcable, 1.5 m	MS33736	185, 256
RD SET intermediate cable for Masimo SET Mcable, 3.6 m	MS33737	185, 256
Recording paper for Infinity R 50, 50 mm, approx. 30 m, 10 rolls	4711201	175, 431
Red cap, 7 mm	8401645	45, 57, 410
Restraint strap, disposable, 10 pcs.	MU06011	377, 386, 391
Reusable breathing circuit, A, 900MR784	MP17129	35
Reusable breathing circuit, N, 900MR782	MP17128	35, 410
Rubber plug, for immersion tube of water vacuum gauge	2M85139	337
S Sample gas return line for Fabius, with filter	M32692	31, 174
Sample line, disposable, 10 pcs.	8290286	31, 174
Seattle PAP plus	MP02260	396
Secretion control glass	M07582	316
Secretion jar 3 L Medela	MP03230	322
Secretion jar set with clamp	MP00646	311
Secretion jar set, with 700 ml secretion jars (2 pcs.) and 1.5 m suction hose, maximum capacity up to the overflow safeguard 2 × 1000 ml, scale in steps of 10 ml up to max. 700 ml	2M85056	291, 310, 443
Secretion jar set, with rail holder and secretion jar 700 ml, for continuous drainage units	2M85163	335
Secretion jar VacuSmart gel, PE (polyethylene), disposable, 700 ml, 25 pcs.	MX23025	313, 444
Secretion jar VacuSmart, PE (polyethylene), disposable, 700 ml, 25 pcs.	MX23023	313, 444
Secretion jar, PSU (polysulfone), reusable, 300 ml, autoclavable up to 134°C	2M86207	316, 445
Secretion jar, PSU (polysulfone), reusable, 700 ml, autoclavable up to 134°C	2M85594	316, 445
Set of 5 red caps, 7 mm	8402953	50, 411
Set VacuSmart gel and tube, 25 pcs.	MP03211	313, 444
Shut-off valve for VarioVac, for temporary opening and closing of suction flow	MP00570	316
Sidestream CO ₂ Module Vista 120/S	2605115	242
Sidestream CO ₂ Module Vista 300	2601068	242
Silicone hose 6 × 2.5, 2 m	5001330	315
Silicone mask, reusable, size 0, small neonate	MP01910	85, 371, 382, 420
Silicone mask, reusable, size 00, premature baby	MP02900	85, 371, 382, 420
Silicone mask, reusable, size 1, large neonate	MP01911	85, 371, 382, 420
Silicone mask, reusable, size 2, small child	MP01912	85
Silicone mask, reusable, size 3, large child	MP01913	85
Silicone mask, reusable, size 4, small adult	MP01914	85
Silicone mask, reusable, size 5, large adult	MP01915	85
Simple cylinder trolley, for one gas cylinders up to a volume of 11 L	MP00038	290, 292

INDEX BY PRODUCT NAME

Skin temperature probe Premi-Probe 1, disposable, 10 pcs.	MU06933	376, 386, 389
Skin temperature probe Premi-Probe 1, reusable	MU06951	376, 386, 389
Skin temperature probe Premi-Probe 3, disposable, 10 pcs.	MU11228	381
Skin temperature probe Premi-Probe 3, reusable	MU11225	381
Skin temperature probe Premi-Probe 5, disposable, 10 pcs.	MU12551	374
Skin temperature probe Premi-Probe 5, reusable	MU12533	374
Skin temperature probe Premi-Probe for Isolette 8000 plus, disposable, white, peripheral, 10 pcs.	MU26042	372
Skin temperature probe Premi-Probe for Isolette 8000 plus, disposable, yellow, central, 10 pcs.	MU26041	372
Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	MX11001	368, 370, 378, 384
Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.	MX11000	368, 370, 378, 384
Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822	145, 195, 238, 429
Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669	145, 195, 238, 429
Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00995	144, 194, 239
Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996	144, 194, 239
Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997	144, 194, 239, 429
Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998	144, 194, 239, 429
Soda lime Drägersorb 800+, for CO ₂ absorption, canister, 5 l, 2 pcs.	MX00001	103
Soda lime Drägersorb Free, for CO ₂ absorption, canister, 5 l, 2 pcs.	MX50050	103
Soft connector N, disposable, 20 pcs.	MP03826	398
SpO ₂ adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.	MS16447	127, 425
SpO ₂ adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.	MS16446	127, 425
SpO ₂ adhesive sensor Dräger, foam, disposable, adult, 24 pcs.	MS16445	126, 214
SpO ₂ adhesive sensor Dräger, foam, disposable, child, 24 pcs.	MS16444	126, 214
SpO ₂ adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.	MS16449	126, 214
SpO ₂ adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.	MS16448	126, 214
SpO ₂ adhesive sensor Masimo LNCS Adtx, disposable, adult, 20 pcs.	MP00790	130, 183, 215, 245
SpO ₂ adhesive sensor Masimo LNCS Inf, disposable, baby, 20 pcs.	MP00791	130, 183, 215, 254
SpO ₂ adhesive sensor Masimo LNCS Neo, disposable, neonate, 20 pcs.	MP00792	130, 183, 254, 388, 427
SpO ₂ adhesive sensor Masimo LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794	130, 183, 254, 388, 427
SpO ₂ adhesive sensor Masimo LNCS Pdtx, disposable, child, 20 pcs.	MP00793	130, 183, 215, 245
SpO ₂ adhesive sensor Max N, 24 pcs.	MX50068	233, 250
SpO ₂ adhesive sensor Nellcor Oximax Max-A, disposable, adult, cable 46 cm, 24 pcs.	MX50065	140, 192, 218, 233, 250
SpO ₂ adhesive sensor Nellcor Oximax Max-AL, disposable, adult, cable 91 cm, 24 pcs.	MX50071	140, 192, 218, 233, 250
SpO ₂ adhesive sensor Nellcor Oximax Max-Fast, disposable, application on forehead, 24 pcs.	MX50070	141, 232, 250
SpO ₂ adhesive sensor Nellcor Oximax Max-I, disposable, child, 24 pcs.	MX50067	140, 192, 233, 250, 425
SpO ₂ adhesive sensor Nellcor Oximax Max-P, disposable, child, 24 pcs.	MX50066	140, 192, 218, 233, 250
SpO ₂ adhesive sensor Nellcor Oximax Max-R, disposable, application on nose, 24 pcs.	MX50069	141, 233

INDEX BY PRODUCT NAME

SpO ₂ adhesive sensor Nellcor OxiSoft OxySoftN, disposable, neonate/adult, 24 pcs.	3730678	140, 192, 218, 425
SpO ₂ adhesive square Masimo, 12 pcs.	7496875	136, 189, 217
SpO ₂ adhesive wrap Masimo Multisite-Wrap, for LNOP YI SpO ₂ sensor, 100 pcs.	7496917	136, 189, 217, 428
SpO ₂ adhesive wrap Masimo Petite-Wrap, for LNOP YI SpO ₂ sensor, 100 pcs.	7496909	136, 189, 217, 428
SpO ₂ adhesive wrap Masimo Posey-Wrap, for NeoPt SpO ₂ sensor, 12 pcs.	7496933	428
SpO ₂ extension cable, 2 m, reusable	2606487	231, 248
SpO ₂ finger sensor Dräger, reusable	MSI3235	126, 214
SpO ₂ finger sensor Masimo LNCS DCI, reusable, adult	MP00796	129, 182, 215, 253
SpO ₂ finger sensor Masimo LNCS DCIP, reusable, child	MP00795	129, 182, 215, 253
SpO ₂ finger sensor Nellcor DURA DS 100A	7262764	139, 192, 218, 232, 249
SpO ₂ finger sensor, adult, 1 m, reusable	2606484	231, 248
SpO ₂ finger sensor, adult, 2.5 m, reusable	2606483	231, 248
SpO ₂ foam wrap Masimo Foam-Wrap, neonate, LNOP YI SpO ₂ sensor, 12 pcs.	7496891	136, 189, 217, 428
SpO ₂ intermediate cable Dräger/Nellcor, for MultiMed 5/6 and NeoMed Pods, 1 m	3368433	125, 128, 138, 424
SpO ₂ intermediate cable Dräger/Nellcor, for MultiMed 5/6 and NeoMed Pods, 2 m	3375834	125, 128, 138, 424
SpO ₂ intermediate cable Dräger/Nellcor, for MultiMed Plus/Plus OR, 1.2 m	MSI8683	125, 128, 138, 213, 218, 424
SpO ₂ intermediate cable Dräger/Nellcor, for MultiMed Plus/Plus OR, 3 m	MSI7330	125, 128, 138, 213, 218, 424
SpO ₂ intermediate cable Masimo LNCS, 1.2 m	MP00800	181, 252
SpO ₂ intermediate cable Masimo LNCS, 1.2 m	MS24303	128, 215, 426
SpO ₂ intermediate cable Masimo LNCS, 3 m	MP00797	181, 252
SpO ₂ intermediate cable Masimo LNCS, 3 m	MSI7522	128, 215, 426
SpO ₂ intermediate cable Masimo LNCS, 4.3 m	MP03194	181, 252
SpO ₂ intermediate cable Masimo RD SET, 1.2 m (3.9 ft)	MS34436	128, 216
SpO ₂ intermediate cable Masimo RD SET, 3 m (9.8 ft)	MS34437	128, 216
SpO ₂ intermediate cable Masimo Red LNCS, 1.2 m	MP02991	181
SpO ₂ intermediate cable Masimo Red LNCS, 3 m	MP02992	181
SpO ₂ intermediate cable Masimo Red LNCS, 4.3 m	MP03196	181
SpO ₂ Masimo sensor LNCS-DBI, reusable, adult	MP02993	129, 182, 215, 253
SpO ₂ Masimo sensor LNCS-TC-I Ear, reusable, paediatric patient/adult	MP00788	129, 182, 215, 253
SpO ₂ Masimo sensor LNCS-TF-I, reusable, paediatric patient/adult	MP00799	129, 182, 215, 253
SpO ₂ Masimo sensor LNCS-YI Multisite, reusable, neonate/paediatric patient/adult	MP00789	129, 182, 215, 253, 427
SpO ₂ Mounting Clio for SpO ₂ Pod	2601720	232
SpO ₂ multisite sensor Nellcor DURA-Y™, reusable	MX01004	139, 232, 249
SpO ₂ Nellcor FLEXMAX Adt	MS34677	141, 192, 234
SpO ₂ Nellcor FLEXMAX Pdt	MS34678	141, 192, 234
SpO ₂ sensor, adult, 0.5 m, disposable, 25 pcs.	2606208	231, 248
SpO ₂ sensor, infant, 0.5 m, disposable, 25 pcs.	2606210	231, 248
SpO ₂ sensor, neonate, 0.5 m, disposable, 25 pcs.	2606211	231, 248
SpO ₂ sensor, paediatric patient, 0.5 m, disposable, 25 pcs.	2606209	231, 248
SpO ₂ silicone soft-tip sensor, adult, 1 m, reusable	2606485	231, 248
SpO ₂ silicone soft-tip sensor, paediatric patient, 1 m, reusable	2606486	231, 248
Suction bottle with filter and tube, 800 ml (27.05 fl. oz.), 20 pcs.	MUI0918	371, 373, 375, 383

INDEX BY PRODUCT NAME

	Suction bottle with holder for Resuscitaire, disposable, 40 ml	MU10916	383
	Suction bottle, disposable, 40 ml, 10 pcs.	MU10917	383
	Suction canister holder for GCX	3702751	371
	Suction hose holder, suitable for various diameters	2M85239	359, 312, 324, 446
	Suction hose, silicone, reusable, 1.5 m length, ID 6 mm, wall thickness 2 mm	M25780	315, 445
	Suction set, disposable, VacuSmart, 700 ml and VacuSmart tube, 25 pcs. each	MP00061	313, 444
	Switchover valve Medela	MP03232	322
	Swivel table, reusable, for poles with Ø 38 mm	2M21186	380, 385
T	T-adapter neonatal for NO therapy, 10 pcs.	8422215	29, 406
	T-connector, disposable, Ø 15 mm, 25 pcs.	MU10902	383
	T-piece AIR NIST	M36056	355
	T-piece connector, reusable	8411044	57
	T-piece N for Nebulization, 10 pcs.	MP02689	29, 98, 423
	Tape for Eyebrow Sensor, 96 pcs.	MS34209	208
	TAT-5000S Probe Caps, single-use, 1,000 pcs., Vista 120 SC	2600948	263
	TAT-5000S Temporal Scanner, Vista 120 SC	2600946	263
	Telemetry transmitter pouch, disposable, 100 pcs.	MS22905	219
	TEMP Adapter 2 pin	MP00944	222
	Temp adapter Jack Vista 300	2600885	237
	Temp adapter, Jack connector	MP00943	222, 237
	Temperature probe adapter 900 MR 532, for F&P humidifiers	MP01007	37, 56
	Temperature probe skin, adult, 3 m, reusable	2601197	237
	Temperature probe skin, neonate/infant, 3 m, reusable	2601200	237
	Temperature probe, rectal/oral, adult, 3 m, reusable	2601198	237
	Temperature probe, rectal/oral, neonatal/infant, 3 m, reusable	2601199	237
	Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.1 m	8414989	37, 409
	Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.5 m	8414966	37, 409
	Temperature probe/flow sensor for F&P MR 850, for HFV reusable breathing circuits, 0.7 m	8418507	37, 409
	Temperature sensor mount, reusable, N	8403056	45, 57, 410
	Test filter	6870281	205, 245
	Test lung SelfTestLung, latex-free, reusable	MP20020	59
	Test lung, reusable, max. 1.5 L, not made with natural rubber latex	8403201	59
	ToFscan Kit configurator	MS32318	208
	Transition set, disposable, 20 pcs.	MX17018	369, 385
	Trolley, for OR suction unit, with protection jar, w/o 4 L secretion jars	2M85441	322
	Tubing grommet for Caleo, reusable, angle	2M50385	384
	Tubing grommet for Caleo, reusable, flap	2M50412	384
	Tubing grommet for Isolette C2000, 8000 and 8000 plus, reusable	MU12609	373, 375
	Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366	376, 386, 389
	Tubing grommet, reusable	2M20434	379
	Turn knob, compl.	MP00587	361, 449
	Two-sided pump ball for air management	MP01590	80, 86, 421
U	Universal holder flex 15 for wall rails 25 × 8 to 35 × 10 mm with bottle screw	MP00637	318
	Universal holder for wall rails 25 × 8 to 35 × 10 mm with M5 drill hole 15 mm distance	MP00635	318

INDEX BY PRODUCT NAME

	Universal holder for wall rails 25 × 8 to 35 × 10 mm with M5 drill hole 22 mm distance	MP00636	318
	Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm	MP00634	318, 323, 397
	Universal holder with DIN rail	G93140	36, 408
	Universal holder with groove 25 × 5 for wall rails 25 × 8 to 35 × 10 mm, for compact suction system and secretion jar set	2M86757	318, 323
	Universal pole mount	7485621	116, 151, 152
	Upgrade to Polaris disposable handle from Polaris 100 with sterilisable handle (G92099), 1 pc.	G35332	363
	Upgrade to Polaris disposable handle from Polaris 200 with sterilisable handle (G92099), 1 pc.	G35614	363
	Upgrade to Polaris disposable handle from Polaris Multimedia (display adapter) with sterilisable handles (G92099 or G36993), 1 pc.	G35333	363
V	VAC CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36299	352
	VAC CS hose 1.5 m (4.9 ft) NF EN NF	M35431	342
	VAC CS hose 1.5 m (4.9 ft) NIST BS straight	M35404	344
	VAC CS hose 1.5 m (4.9 ft) NIST EN AS	M36826	348
	VAC CS hose 1.5 m (4.9 ft) NIST EN BS	M35395	343
	VAC CS hose 1.5 m (4.9 ft) NIST EN Carba	M35477	346
	VAC CS hose 1.5 m (4.9 ft) NIST EN DIN	M35498	339
	VAC CS hose 1.5 m (4.9 ft) NIST EN NF	M35422	341
	VAC CS hose 1.5 m (4.9 ft) NIST EN SS	M35386	345
	VAC CS hose 1.5 m (4.9 ft) NIST EN UNI	M35413	347
	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36013	340
	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35455	341
	VAC CS hose 3 m (9.8 ft) DISSB EN HAND	M36300	352
	VAC CS hose 3 m (9.8 ft) NF EN NF	M35432	342
	VAC CS hose 3 m (9.8 ft) NIST BS straight	M35405	344
	VAC CS hose 3 m (9.8 ft) NIST EN AS	M36827	348
	VAC CS hose 3 m (9.8 ft) NIST EN BS	M35396	343
	VAC CS hose 3 m (9.8 ft) NIST EN Carba	M35478	346
	VAC CS hose 3 m (9.8 ft) NIST EN DIN	M35499	339
	VAC CS hose 3 m (9.8 ft) NIST EN NF	M35423	341
	VAC CS hose 3 m (9.8 ft) NIST EN SS	M35387	345
	VAC CS hose 3 m (9.8 ft) NIST EN UNI	M35414	347
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36014	340
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35456	341
	VAC CS hose 5 m (16.4 ft) DISSB EN HAND	M35820	349
	VAC CS hose 5 m (16.4 ft) DISSB EN HAND	M36301	352
	VAC CS hose 5 m (16.4 ft) NF EN NF	M35433	342
	VAC CS hose 5 m (16.4 ft) NIST BS straight	M35406	344
	VAC CS hose 5 m (16.4 ft) NIST EN AS	M36828	348
	VAC CS hose 5 m (16.4 ft) NIST EN BS	M35397	343
	VAC CS hose 5 m (16.4 ft) NIST EN Carba	M35479	346
	VAC CS hose 5 m (16.4 ft) NIST EN DIN	M36000	339
	VAC CS hose 5 m (16.4 ft) NIST EN NF	M35424	341
	VAC CS hose 5 m (16.4 ft) NIST EN SS	M35388	345
	VAC CS hose 5 m (16.4 ft) NIST EN UNI	M35415	347
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36015	340
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35457	341
	VAC CS hose DISS Hand 10 ft	4199590	350

INDEX BY PRODUCT NAME

VAC CS hose DISS Hand 15 ft	4199589	350
VAC CS hose DISS N/DISS N 10 ft	4199602	350
VAC CS hose DISS N/DISS N 15 ft	4199601	350
VAC CS hose DISS N/DISS N 20 ft	4199600	350
VacuSmart tube 2 m, suction tube, PE (polyethylene), disposable, w. fingertip, 25 pcs.	MP14010	313, 444
Vacuum aspirator DISS Canada, version for Atlan A300/A350 and Perseus A500	MP00687	301
Vacuum aspirator DISS, version for Atlan A300/A350 and Perseus A500	MP00686	301
Vacuum aspirator NIST, version for Atlan A300/A350 and Perseus A500	MP00689	301
Vacuum regulator dual VarioVac B/OR rail, for bronchial and OR suction, gas connection NIST VAC	MP00516	298, 320
Vacuum regulator VarioVac B AGA, for bronchial suction, gas connection VAC, Swedish standard	MP00504	297
Vacuum regulator VarioVac B BS, for bronchial suction, gas connection VAC	MP00502	297
Vacuum regulator VarioVac B CARBA, for bronchial suction, gas connection VAC	MP00514	297
Vacuum regulator VarioVac B compact, for bronchial suction, gas connection NIST VAC, including secretion jar set and integrated vacuum regulator	MP00506	308
Vacuum regulator VarioVac B DIN, for bronchial suction, gas connection VAC	MP00501	296
Vacuum regulator VarioVac B NF, for bronchial suction, gas connection VAC	MP00503	297
Vacuum regulator VarioVac B/OR rail DISS, for bronchial and OR suction, gas connection DISS VAC	MP00631	298
Vacuum regulator VarioVac B/OR rail, for bronchial and OR suction, gas connection NIST VAC	MP00505	298, 320
Vacuum regulator VarioVac D AGA, for continuous and wound drainage, gas connection VAC	MP00510	327
Vacuum regulator VarioVac D BS, for continuous and wound drainage, gas connection VAC	MP00508	327
Vacuum regulator VarioVac D CARBA, for continuous and wound drainage, gas connection VAC	MP00515	327
Vacuum regulator VarioVac D DIN, for continuous and wound drainage, gas connection VAC	MP00507	326
Vacuum regulator VarioVac D NF, for continuous and wound drainage, gas connection VAC	MP00509	327
Vacuum regulator VarioVac D rail, for continuous and wound drainage, gas connection VAC	MP00511	327, 437
Vacuum regulator VarioVac MRI B/OR rail, for bronchial and OR suction, gas connection NIST VAC, for connection to all standard wall rails	MP03222	300
Vacuum regulator VarioVac MRI P rail, for bronchial suction, gas connection NIST VAC, f or connection to all standard wall rails	MP03223	300, 438
Vacuum regulator VarioVac P compact, for bronchial suction, gas connection NIST VAC, including secretion jar set and integrated vacuum regulator	MP00661	308, 439
Vacuum regulator VarioVac P rail DISS, for bronchial suction, gas connection DISS VAC, for connection to all standard wall rails	MP00632	299

INDEX BY PRODUCT NAME

Vacuum regulator VarioVac P rail, for bronchial suction, gas connection NIST VAC, for connection to all standard wall rails	MP00660	299, 438
Vacuum regulator VarioVac T DIN, for thoracic drainage, gas connection VAC, for connecting to the central vacuum supply	MP00664	328
Vacuum regulator VarioVac T rail WV, for thoracic drainage, gas connection VAC, water vacuum gauge included, for connection to all standard wall rails, double-scaled immersion pipe (kPa and cmH2O)	MP00512	329, 335
Vacuum regulator VarioVac T rail, for thoracic drainage, gas connection VAC, for connection to all standard wall rails	MP00663	328
Vacuum suction DISS Canada, for bronchial suction, gas connection VAC	MK03320	301
Vacuum suction DISS, for bronchial suction, gas connection VAC	MK03140	301
Vacuum suction NIST, for bronchial suction, gas connection VAC	MK01422	301
Ventilation hose holder, reusable, 40 cm	8411075	369, 385
Ventilation valve for Oxylog 2000 family, Oxylog 3000 family, reusable	8412001	52
VentStar Aquapor, dual heated, A/P, 10 pcs.	MP07130	33
VentStar Aquapor, dual heated, N plus, 10 pcs.	MP07150	33, 406
VentStar Aquapor, heated, A/P, 10 pcs.	MP07131	33
VentStar Aquapor, heated, N plus, 10 pcs.	MP07151	33, 406
VentStar AutoBreath Heated, N, disposable, AutoBreath Valve, 1.8 m, 10 pcs.	MP17031	371, 382
VentStar Autobreath N for Resuscitaire and TN300, disposable, 25 pcs.	MU10841	371, 382
VentStar breathing bag 0.5 L, 25 pcs.	MP02710	21, 404
VentStar breathing bag 1 L, 25 pcs.	MP02711	21
VentStar breathing bag 2 L, 25 pcs.	MP02712	21
VentStar breathing bag 3 L, 25 pcs.	MP02713	21
VentStar Helix, dual heated, 10 pcs.	MP02606	30
VentStar Helix, heated, 10 pcs.	MP02607	30
VentStar Resus Heated, N, disposable, Manual PEEP Valve, 1.8 m, 10 pcs.	MP17030	371, 382
VentStar Resus Neo with pressure measurement line, disposable, N, 1 m, 25 pcs., not made with natural rubber latex	MP00311	382, 404
VentStar Resus Neo, disposable, N, 1 m, 25 pcs., not made with natural rubber latex	MP00310	371, 382, 404
Vista 120 printing paper, 4 rolls	2606231	247
Vista 120 rechargeable lithium-ion battery	2606229	247
W Wall holder, with fixing screws, for compact suction unit and secretion jar set	M26859	312, 446
Warming mattress TransWarmer, disposable, self-warming for approx. 2 h, 6 pcs.	MP01414	393
Water bag holder 900 MR 290	MP01008	36, 408
Water container with screw thread + gaskets, for VarioVac T rail WV (MP00512), VarioAir T rail WV (MP00544) and water vacuum gauge (MP00518)	MP00565	338
Water container, for continuous drainage system 2 – 4, w/o screw thread	M20668	337
Water tank and water transfer hose, for Caleo, reusable	2M50040	385
Water trap for Evita 2 dura, Evita 4, Evita XL, reusable	8413125	91
Water trap Infinity ID WaterLock 2, 12 pcs.	6872020	31, 174
Water trap WaterLock 2, 12 pcs.	6872130	31, 174
Water trap with outlet, reusable, N/P	8404760	45, 410

INDEX BY PRODUCT NAME

	Water trap, reusable, A	8404985	46, 49, 57
	Water trap, reusable, N/P	8409627	45, 57, 410
	Water vacuum gauge, for thoracic drainage, combination w/ VarioVac D and VarioAir D, for connection to all standard wall rails, double-scaled immersion pipe (kPa and cmH2O)	MP00518	335
Y	Y-cable CO ₂ and analog/sync	MS22259	170, 205
	Y-cable, reusable, 7-pin connector, for 2 temperature probes	5592154	143, 193
	Y-piece 90° with Luer Lock, reusable, A	M33278	48, 49, 56
	Y-piece for F&P, reusable, A	8412888	56
	Y-piece straight, reusable, N/P	M27077	56, 414
	Y-piece with sensor mount, reusable, A	8405435	46, 56
	Y-piece, polyamide, reusable, straight, A	M25650	47, 56
	Y-piece, reusable, N, 90°, with suction opening	8403075	45, 50, 56, 410, 411, 414

Not all products, features, or services are for sale in all countries. Trademarks mentioned herein are the property of its respective owner. Trademarks may be owned by Drägerwerk AG & Co. KGaA (Dräger) or its affiliates in certain countries and not necessarily in the country in which this material is released. Visit www.draeger.com/trademarks for the current status of Dräger's trademarks.

Corporate Headquarters

Drägerwerk AG & Co. KGaA
Moislinger Allee 53-55
23558 Lübeck, Germany
■ www.draeger.com

Manufacturer:

Drägerwerk AG & Co. KGaA
Moislinger Allee 53-55
23542 Lübeck, Germany

Region Europe

Drägerwerk AG & Co. KGaA
Moislinger Allee 53-55
23558 Lübeck, Germany
☎ +49 451 882 0
☎ +49 451 882 2080
✉ info@draeger.com

Region Middle East, Africa

Drägerwerk AG & Co. KGaA
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
☎ +971 4 4294 600
☎ +971 4 4294 699
✉ contactuae@draeger.com

Region Asia Pacific

Draeger Singapore Pte. Ltd.
61 Science Park Road
The Galen #04-01
Singapore 117525
☎ +65 6872 9288
☎ +65 6259 0398

**Region Central
and South America**

Dräger Indústria e Comércio Ltda.
Al. Pucurui - 51 - Tamboré
06460-100 - Barueri - São Paulo
☎ +55 (11) 4689-4900
✉ relacionamento@draeger.com

Canada

Draeger Medical Canada Inc.
2425 Skymark Avenue, Unit 1
Mississauga, Ontario, L4W 4Y6
☎ +1 905 212 6600
Toll-free +1 866 343 2273
☎ +1 905 212 6601
✉ Canada.support@draeger.com



Locate your Regional Sales
Representative at:
www.draeger.com/contact